



HOROZ[®]

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



2019
CATALOGUE

www.horozelectric.com.ua



HOROZ®

ELECTRIC



www.facebook.com/horozukraine/

KaçmazGrup

www.horozelectric.com.ua



HOROZ ELECTRIC

2019
C A T A L O G U E

Contents

E x p e r i e n c e i n **L i g h t i n g**

CONTENTS

ADHESIVE TAPE	127	LED PROJECTOR	87
ALUMINIUM BULKHEAD LAMP.....	94	LED READING LAMP.....	72
BATHROOM LAMP	68	LED SOLAR LAMP	102
CABLE REEL.....	128	LED SPOTLIGHT.....	38
CABLE TIE	127	LED STREET LIGHT	93
CEILING LAMP.....	65	LED STRIP.....	108
NEW CIRCUIT BREAKER	124	LED SUSPENSION LIGHT	40
COMPACT CONNECTOR.....	128	LED TORCH.....	115
DECORATIVE CEILING LAMP	57	LED TRACK LIGHT	34
DESK LAMP.....	77	LED TUBE.....	06
NEW DIMMER	122	NEW LED TUBE FIXTURE	83
DOORBELL.....	120	LED WALL LIGHT.....	60
DRYWALL KIT APPARATUS	33	LED WALLWASHER	92
ELECTRONIC WALL LAMP.....	81	LED WATERPROOF LAMP.....	82
EMERGENCY LED LANTERN	117	LIGHT CONTROL PHOTODIODE	118
ENERGY SAVING LAMP.....	14	LIGHTING TRACK.....	39
FLOOR LAMP	73	MERCURY LAMP	18
FLUORESCENT TUBE.....	15	METAL HALIDE LAMP.....	18
NEW FRAME FOR LED PANEL	33	MODULE LED AND APPARATUS	86
GARDEN LAMP.....	95	NAIL CABLE CLIP.....	127
HALOGEN DOWNLIGHT	19	PENDANT LAMP	53
HALOGEN LAMP.....	16	PICTURE & MIRROR LAMP.....	72
HIGH BAY LAMP	84	PLUG IN SWITCH	121
INCANDESCENT LAMP.....	17	PROJECTOR STAND.....	88
INGROUND & RECESSED TYPE LED LAMP	105	RECESSED MONOPOINT	39
LAMP HOLDER.....	126	RECHARGEABLE LED SOLAR CAMPING LIGHT.....	115
LED BATTEN LIGHT	80	REFLECTOR LAMP	15
LED BULKHEAD LAMP.....	94	RG6.....	127
LED CANOPY LIGHT	92	RGB AMPLIFIER	114
LED CAPSULE.....	12	RGB CONTROLLER.....	114
LED CEILING LAMP	62	NEW RGB RF CONTROLLER	110
LED CHRISTMAS LIGHT & DRIVERS.....	114	SENSOR.....	118
LED DECORATIVE CEILING LAMP	58	NEW SOCKET	122
LED DESK LAMP.....	74	NEW SOCKET SET FOR LED STRIP	110
LED DOWNLIGHT	22	STARTER	127
LED DRIVER.....	113	NEW STRING LIGHT	56
LED EMERGENCY EXIT LAMP	117	NEW SWITCH	122
LED FLOOR LAMP.....	73	TERMINAL BLOCK.....	128
LED GARDEN LAMP	97	TIMER	121
LED HEADLIGHT.....	116	TRACK CONNECTOR.....	39
LED HIGH BAY LAMP	85	TRANSFORMER	127
NEW LED HOUSE NUMBER	100	UTP CAT5E.....	127
LED LAMP	02	UTP CAT6E	127
LED NIGHT LAMP.....	79	WATERPROOF LED DRIVER.....	113
LED PANEL	32	WATERPROOF NEON LED STRIP	109
LED PENDANT LAMP.....	52	WIRE SPRING CONNECTOR.....	128
LED PICTURE & MIRROR LAMP	69	WIRELESS LIGHTING CONTROLLER SWITCH	121




HOROZ ELECTRIC

LED Lamp / LED Tube / LED Capsule

PREMIER


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



NEW PRODUCT



	PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018
Power	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	500 lm	850 lm	1000 lm	1050 lm	1400 lm	1600 lm
Sizes (mm)	A:55 B:95	A:60 B:108	A:60 B:105	A:60 B:111	A:60 B:120	A:70 B:140



LED LAMP / LED TUBE / LED CAPSULE



HOROZ ELECTRIC

LED Lamp
LED Tube
LED Capsule




3 6 0

INFINITY

001 018 0008

- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 600 Lm
- 3000K / 4200K / 6400K




D I M M A B L E

EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K






DURAMAX-12

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1080 lm
- 6400K
- 3,7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm

001 055 0012




Rechargeable
Emergency
LED Bulb





Emergency Lighting
Duration: 3 Hours

NEW
PRODUCT



FONIX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008
Power	4 W	6 W	8 W
Luminous Flux	250 lm	390 lm	630 lm



PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PLUS-4	PLUS-6	PLUS-8
	001-002-0004	001-002-0006	001-002-0008
Power	4 W	6 W	8 W
Luminous Flux	250 lm	390 lm	630 lm




D I M M A B L E

VISION-6

001 022 0006



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 3000K / 4200K / 6400K





ULTRA

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	ULTRA-4	ULTRA-6	ULTRA-8	ULTRA-10
	001-003-0004	001-003-0006	001-003-0008	001-003-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 100	A: 37 B: 100	A: 37 B: 110	A: 37 B: 110



CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	CRAFT-4	CRAFT-6	CRAFT-8	CRAFT-10
	001-004-0004	001-004-0006	001-004-0008	001-004-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 125	A: 37 B: 125	A: 37 B: 135	A: 37 B: 135



ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K
- E14 & E27





	ELITE-4	ELITE-6	ELITE-8	ELITE-10
	001-005-0004	001-005-0006	001-005-0008	001-005-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	: A: 45 B: 78	A: 45 B: 78	A: 45 B: 88	A: 45 B: 88



REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K



	REFLED-4	REFLED-6	REFLED-10	REFLED-12
	001-039-0004	001-040-0006	001-041-0010	001-042-0012


Power	: 4 W	6 W	10 W	12 W
Luminous Flux	: 210 lm	480 lm	720 lm	1000 lm
Lamp Holder	: E14	E14	E27	E27
Sizes	: A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115






TORCH

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs





	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	E27	E27	E27	E27	E27	E27 / E40
Luminous Flux	1650 lm	2400 lm	3150 lm	4000 lm	8000 lm	10000 lm
Sizes (mm)	A: 80 B: 150	A: 101 B: 179	A: 119 B: 209	A: 139 B: 239	A: 139 B: 250	A: 160 B: 285




UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	30 W	50 W	70 W
Luminous Flux	3000 lm	5000 lm	7000 lm
Sizes (mm)	A: 135 B: 115	A: 170 B: 140	A: 195 B: 160



UFO-15



001 044 0015

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 4200K



GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	16 W	20 W
Luminous Flux	1400 lm	1650 lm
Sizes (mm)	A: 95 B: 136.5	A: 120 B: 161





FIREFLUX

001 048 0005



- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K



3 Modes




Flame Mode



General Lighting Mode



Breathing Mode



RAINBOW

001 017 0001



YELLOW

- 105 lm

RED

- 34 lm

GREEN

- 68 lm


BLUE

- 12 lm

WHITE

- 120 lm

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



SPECTRA

001 017 0003



YELLOW

- 315 lm

RED

- 102 lm


GREEN

- 205 lm

BLUE



- 38 lm

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	: 9 W	: 18 W	: 24 W
Luminous Flux	: 750 lm	: 1450 lm	: 2400 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500




LED LAMP / LED TUBE / LED CAPSULE




FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




FILAMENT CANDLE-2	FILAMENT CANDLE-4
001-013-0002	001-013-0004

Power	:	2 W	4 W
Luminous Flux	:	160 lm	420 lm




FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




FILAMENT FLAME-2	FILAMENT FLAME-4
001-014-0002	001-014-0004

Power	:	2 W	4 W
Luminous Flux	:	160 lm	450 lm




FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8
001-015-0004	001-015-0006	001-015-0008

Power	:	4 W	6 W	8 W
Luminous Flux	:	420 lm	650 lm	850 lm




LED LAMP / LED TUBE / LED CAPSULE





TOLEDO

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs




NEW PRODUCT

AMBER COLOR



TITANIUM COLOR




TOLEDO

001-049-0008

Power	:	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)

GINZA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs




NEW PRODUCT

TITANIUM COLOR



AMBER COLOR



GINZA

001-050-0008


GINZA-XL

001-050-0008

Power	:	8 W	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	:	A: 180 B: 190	A: 230 B: 200

ENIGMA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs




NEW PRODUCT

AMBER COLOR



TITANIUM COLOR



ENIGMA

001-051-0008

ENIGMA-XL

001-051-0008



Power	:	8 W	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	:	A: 120 B: 225	A: 185 B: 345



PARADOX

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

PARADOX-XL





	PARADOX 001-052-0008	PARADOX-XL 001-052-0008
Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 120 B: 270	: A: 188 B: 400

ORIGAMI

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ORIGAMI-XL






	ORIGAMI 001-053-0008	ORIGAMI-XL 001-053-0008
Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 120 B: 270	: A: 180 B: 400

ELLIPTIC

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ELLIPTIC-XL





	ELLIPTIC 001-054-0008	ELLIPTIC-XL 001-054-0008
Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 95 B: 340	: A: 115 B: 460

LED LAMP / LED TUBE / LED CAPSULE



RUSTIC VINTAGE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K





RUSTIC VINTAGE - 4	RUSTIC VINTAGE - 6
001-029-0004	001-029-0006

Power	:	4 W	6 W
Luminous Flux	:	360 lm	540 lm

RUSTIC GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K





RUSTIC GLOBE - 4	RUSTIC GLOBE - 6
001-030-0004	001-030-0006

Power	:	4 W	6 W
Luminous Flux	:	360 lm	540 lm
Sizes (mm)	:	A: 95 B: 128	A: 125 B: 172

RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K





RUSTIC TUBE - 6	RUSTIC TUBE - 8
001-033-0006	001-033-0008

Power	:	6 W	8 W
Luminous Flux	:	540 lm	720 lm
Sizes /mm)	:	A: 30 B: 185	A: 30 B: 235

RUSTIC STAR - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K


001 031 0006



RUSTIC HEART - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



001 032 0006





RUSTIC DIAMOND

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K





RUSTIC DIAMOND - 4	RUSTIC DIAMOND - 6
001-034-0004	001-034-0006

Power	: 4 W	6 W
Luminous Flux	: 360 lm	540 lm
Sizes (mm)	: A: 95 B: 128	A: 120 B: 155

RUSTIC CRYSTAL

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K





RUSTIC CRYSTAL - 4	RUSTIC CRYSTAL - 6
001-036-0004	001-036-0006

Power	: 4 W	6 W
Luminous Flux	: 360 lm	540 lm
Sizes (mm)	: A: 95 B: 120	A: 125 B: 160

RUSTIC TWIST

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K




RUSTIC TWIST - 4	RUSTIC TWIST - 6
001-038-0004	001-038-0006

Power	: 4 W	6 W
Luminous Flux	: 360 lm	540 lm
Sizes (mm)	: A: 95 B: 120	A: 125 B: 160

RUSTIC PYRAMID - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K


001 035 0006



RUSTIC MERIDIAN - 6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K


001 037 0006






PETA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10
Power	4 W	6 W	8 W	10 W
Luminous Flux	330 lm	480 lm	680 lm	800 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 15,7 B: 60,5	A: 18,4 B: 55	A: 18,4 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	DECO-3	DECO-7
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,3 B: 55,5




MEGA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K




	MEGA-3	MEGA-5
Power	3 W	5 W
Luminous Flux	180 lm	230 lm






D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	NANO-2	NANO-3
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm






EXA-3

001 047 0003


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K



GIGA-4


001 046 0004

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K




MICRO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	MICRO-2	MICRO-3
	001-010-0002	001-010-0003


Power	: 1.5 W	: 3 W
Luminous Flux	: 90 lm	: 150 lm
Sizes (mm)	: A:12 B: 34	: A:12 B: 38



MINI

001 009 0002



- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K



MIDI

001 012 0002


- 12V DC
- Average Life: 20.000 Hrs
- 110 lm
- 2700K / 6400K



TERA-2

001 024 0002


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K



D I M M A B L E


PIKO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K





	PIKO-2	PIKO-3
	001-007-0002	001-007-0003

Power	: 1.5 W	: 3 W
Luminous Flux	: 105 lm	: 210 lm



FULL

■ 220-240V / 50-60Hz
■ Average Life: 6.000 Hrs




	FULL-9	FULL-12	FULL-15	FULL-20	FULL-26	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0009	001-001-0012	001-001-0015	003-001-0020	003-001-0026	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	9 W	12 W	15 W	20 W	26 W	35 W	45 W	65 W	85 W	105 W
Color Temp. :	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	420 lm / 500 lm	550 lm / 540 lm	770 lm / 750 lm	1040 lm / 1020 lm	1250 lm / 1240 lm	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E14	E14	E14 / E27	E27	E27	E27	E27	E27	E27	E27
Sizes (mm) :	A: 37 B: 108	A: 45 B: 107	A: 45 B: 128	A: 54 B: 126	A: 54 B: 136	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174

ENERGY SAVING LAMP




HALF

■ 220-240V / 50-60Hz
■ Average Life: 6.000 Hrs




	HALF-9	HALF-12	HALF-15	HALF-20	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0020	003-002-0026
Power :	9 W	12 W	15 W	20 W	26 W
Color Temp. :	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K
Luminous Flux :	410 lm / 400 lm	550 lm / 540 lm	770 lm / 750 lm	1040 lm / 1020 lm	1380 lm / 1370 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 134	A: 52 B: 146




THREE-U

■ 220-240V / 50-60Hz
■ Average Life: 6.000 Hrs



	THREE-U/18	THREE-U/23
	003-003-0018	003-003-0023
Power :	18 W	23 W
Color Temp. :	2700K / 6400K	2700K / 6400K
Luminous Flux :	910 lm / 890 lm	1090 lm / 1090 lm
Lamp Holder :	E27	E27
Sizes (mm) :	A: 48 B: 151	A: 48 B: 161




**HOROZ ELECTRIC**

Fluorescent Tube / Reflector Lamp


TUBE-5

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5	TUBE-5	TUBE-5	TUBE-5	TUBE-5
004-001-0006	004-001-0008	004-001-0013	004-001-0021	004-001-0028


Power	: 6 W	8 W	13 W	21 W	28 W
Luminous Flux	: 280-310 lm	400-430 lm	1045-1140 lm	1660-1850 lm	2350-2470 lm
Length (mm)	: L: 230	L: 300	L: 530	L: 860	L: 1160

**HOROZ ELECTRIC**

Fluorescent Tube


**TUBE-8**

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-8	TUBE-8	TUBE-8	TUBE-8
004-003-0010	004-003-0015	004-003-0018	004-003-0036


Power	: 10 W	15 W	18 W	36 W
Luminous Flux	: 280-310 lm	560-630 lm	960-1150 lm	2400-2760 lm
Length (mm)	: L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**

Reflector Lamp


**R**

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



R39	R50-40	R50-60	R63-60	R80-60	R80-75	R80-100
007-001-0030	007-002-0040	007-002-0060	007-003-0060	007-004-0060	007-004-0075	007-004-0100

Power	: 30 W	40 W	60 W	60 W	60 W	75 W	100 W
Luminous Flux	: 150 lm	280 lm	460 lm	400 lm	380 lm	580 lm	900 lm
Lamp Holder	: E14	E14	E14	E27	E27	E27	E27
Sizes (mm)	: A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95	A: 80 B: 105	A: 80 B: 105	A: 80 B: 105



FLUORESCENT TUBE

REFLECTOR LAMP


**HOROZ ELECTRIC**

Halogen Lamp

Average Life: 2.000 Hrs



	GU10 CLOSED	JCDR OPEN	JCDR CLOSED	MR16 CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz	12V AC
Power	50 W	50 W	50 W	20 W / 50 W
Luminous Flux	340 lm	650 lm	550 lm	200 lm / 600 lm
Lamp Holder	GU10	GU5.3	GU5.3	GU5.3

**HOROZ ELECTRIC**


Halogen Lamp



Average Life: 2.000 Hrs

	JC G4	JC G4 WHITE
	12V AC	12V AC


Power	20 W	20 W
Luminous Flux	250 lm	120 lm



Average Life: 2.000 Hrs

	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz

Power	25 W / 40W	25 W / 40W	25 W / 40W
Luminous Flux	270 lm / 420 lm	100 lm / 220 lm	220 lm / 500 lm




Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm	254 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz

Power	150 W	300 W / 500 W	1000 W	2000 W
Luminous Flux	1600 lm	4000 lm / 7500 lm	18000 lm	41000 lm
Sizes (mm)	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189	A: 13 B: 254






FLAME

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


	FLAME FROSTED-40	FLAME FROSTED-60	FLAME CLEAR-40	FLAME CLEAR-60
	006-002-0040	006-002-0060	006-001-0040	006-001-0060
Power	: 40 W	: 60 W	: 40 W	: 60 W
Luminous Flux	: 240 lm	: 400 lm	: 280 lm	: 480 lm



SCREW

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

	SCREW FROSTED-40	SCREW FROSTED-60	SCREW CLEAR-40	SCREW CLEAR-60
	006-006-0040	006-006-0060	006-007-0040	006-007-0060
Power	: 40 W	: 60 W	: 40 W	: 60 W
Luminous Flux	: 240 lm	: 400 lm	: 280 lm	: 480 lm



CANDLE

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

	CANDLE SOFT-40	CANDLE SOFT-60	CANDLE FROSTED-40	CANDLE FROSTED-60	CANDLE CLEAR-40	CANDLE CLEAR-60	CANDLE FROSTED-40	CANDLE FROSTED-60	CANDLE SOFT-40	CANDLE SOFT-60
	006-005-0040	006-005-0060	006-004-0040	006-004-0060	006-003-0040	006-003-0060	006-008-0040	006-008-0060	006-009-0040	006-009-0060
Power	: 40 W	: 60 W	: 40 W	: 60 W	: 40 W	: 60 W	: 40 W	: 60 W	: 40 W	: 60 W
Luminous Flux	: 240 lm	: 400 lm	: 240 lm	: 460 lm	: 280 lm	: 480 lm	: 240 lm	: 400 lm	: 240 lm	: 400 lm
Lamp Holder	: E14	: E14	: E14	: E14	: E14	: E14	: E27	: E27	: E27	: E27



INCANDESCENT LAMP



Incandescent Lamp



MUSHROOM

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

	MUSHROOM FROSTED	MUSHROOM SOFT
	006-014-0060	006-015-0060
Power	: 60 W	: 60 W
Luminous Flux	: 400 lm	: 400 lm



GLOBE

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

	GLOBE FROSTED-40	GLOBE FROSTED-60	GLOBE FROSTED-40	GLOBE FROSTED-60	GLOBE SOFT-40	GLOBE SOFT-60	GLOBE SOFT-40	GLOBE SOFT-60
	006-011-0040	006-011-0060	006-013-0040	006-013-0060	006-010-0040	006-010-0060	006-012-0040	006-012-0060
Power	: 40 W	: 60 W	: 40 W	: 60 W	: 40 W	: 60 W	: 40 W	: 60 W
Luminous Flux	: 240 lm	: 400 lm	: 240 lm	: 400 lm	: 240 lm	: 400 lm	: 240 lm	: 400 lm
Lamp Holder	: E14	: E14	: E27	: E27	: E14	: E14	: E27	: E27



**HOROZ ELECTRIC**

Mercury Lamp / Metal Halide Lamp


PLANET

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 4400K




Use Without Ballast

	PLANET-125 008-002-0125	PLANET-160 008-002-0160	PLANET-250 008-002-0250
Power	125 W	160 W	250 W
Luminous Flux	2560 lm	2560 lm	4900 lm
Lamp Holder	E27	E27	E40
Sizes (mm)	A: 70 B: 150	A: 70 B: 155	A: 90 B: 230


**KRIPTON**

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 5500K



Use With Ballast


	KRIPTON-125 008-001-0125	KRIPTON-250 008-001-0250	KRIPTON-400 008-001-0400
Power	125 W	250 W	400 W
Luminous Flux	4990 lm	11025 lm	21000 lm
Lamp Holder	E27	E40	E40
Sizes (mm)	A: 70 B: 150	A: 90 B: 230	A: 110 B: 260

**HOROZ ELECTRIC**

Mercury Lamp Metal Halide Lamp


**NEXUS**

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




Use With Ballast

	NEXUS-150 009-002-0150	NEXUS-250 009-002-0250	NEXUS-400 009-002-0400
Power	150 W	250 W	400 W
Luminous Flux	16000 lm (WHITE)	21000 lm (WHITE)	35.000-38.000 lm (WHITE) 8.000-10.000 lm (BLUE) 28.000-31.000 lm (GREEN) 20.000-23.000 lm (RED)
Lamp Holder	E27	E40	E40
Sizes (mm)	A: 35 B: 158	A: 43 B: 255	A: 43 B: 285


**MERKÜR**

009 001 0150

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 11000 lm
- 4000K




Use With Ballast


**URANUS-150**

009 003 0150

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 17000 lm
- 4000K



Use With Ballast





HOROZ ELECTRIC

Halogen Downlight

KARANFİL

- 220-240V / 50-60Hz
- Max. 50W
- Lamp holder not included




KARANFİL-R
015-022-0050

KARANFİL-S
015-023-0050

NEW PRODUCT

WHITE



HOROZ ELECTRIC

Halogen Downlight



SARDUNYA

- 220-240V / 50-60Hz
- Max. 50W
- Lamp holder not included




SARDUNYA-R
015-017-0050

SARDUNYA-S
015-018-0050

NEW PRODUCT

WHITE




ORKİDE

015 007 0050

- CHROME
- GOLDEN
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 50W




MENEKŞE

015 008 0050

- CHROME
- RED COPPER
- MAT CHROME
- PEARL CHROME
- GOLDEN
- WHITE

- 220-240V / 50-60Hz
- Max. 50W



HALOGEN DOWNLIGHT




AÇELYA

015 009 0050



CHROME **GOLDEN**
MAT CHROME **WHITE**

■ 220-240V / 50-60Hz
■ Max. 50W




ORTANCA

015 010 0050



CHROME **GOLDEN**
MAT CHROME

■ 220-240V / 50-60Hz
■ Max. 50W




LEYLAK

015 013 0050



CHROME **ANTIQUE RED COPPER**
MAT CHROME **TITANIUM BLACK/GOLDEN**
GOLDEN **PEARL SILVER/GOLDEN**
ANTIQUE GREEN

■ 220-240V / 50-60Hz
■ Max. 50W




ZAMBAK

015 014 0050



CHROME **ANTIQUE RED COPPER**
MAT CHROME **TITANIUM BLACK/GOLDEN**
GOLDEN **PEARL SILVER/GOLDEN**
ANTIQUE GREEN

■ 220-240V / 50-60Hz
■ Max. 50W




YONCA

015 015 0050



CHROME **ANTIQUE RED COPPER**
MAT CHROME **TITANIUM BLACK/GOLDEN**
GOLDEN **PEARL SILVER/GOLDEN**
ANTIQUE GREEN

■ 220-240V / 50-60Hz
■ Max. 50W




BEGONYA

015 012 0050



CHROME **ANTIQUE RED COPPER**
MAT CHROME **TITANIUM BLACK/GOLDEN**
GOLDEN **PEARL SILVER/GOLDEN**
ANTIQUE GREEN

■ 220-240V / 50-60Hz
■ Max. 50W




PAPATYA

015 016 0050



- CHROME
- MAT CHROME
- GOLDEN
- ANTIQUE GREEN
- ANTIQUE RED COPPER
- TITANIUM BLACK/GOLDEN
- PEARL SILVER/GOLDEN

■ 220-240V / 50-60Hz
■ Max. 50W




NİLÜFER

015 001 0020



- CLEAR
- BROWN
- BLUE
- YELLOW
- PURPLE

■ 220-240V / 50-60Hz
■ Max. 20W




NERGİS

015 002 0020



- CLEAR
- BROWN
- BLUE
- YELLOW
- PURPLE

■ 220-240V / 50-60Hz
■ Max. 20W




GONCA

015 003 0020



- CLEAR
- BROWN
- BLUE
- YELLOW
- PURPLE

■ 220-240V / 50-60Hz
■ Max. 20W




FULYA

015 004 0020



- CLEAR
- BROWN
- BLUE
- YELLOW
- PURPLE

■ 220-240V / 50-60Hz
■ Max. 20W




YASEMİN

015 005 0020



- CLEAR
- BROWN
- BLUE
- YELLOW
- PURPLE

■ 220-240V / 50-60Hz
■ Max. 20W





LED Downlight




BELLA

016 042 0003



- CHROME
- MAT CHROME
- WHITE
- BLACK
- ROSE

- 85-265V / 50-60Hz
- 125 lm
- 4200K
- Average Life: 30.000 Hrs




BIANCA

016 036 0003



- WHITE
- MAT CHROME

- 85-265V / 50-60Hz
- 210 lm
- 4200K
- Average Life: 30.000 Hrs



MIRANDA


016 004 0003

HL 666L



- CHROME
- MAT CHROME

- 220-240V / 50-60Hz
- 260 lm
- 4200K
- Average Life: 30.000 Hrs



SILVIA

016 039 0001





LAURA

016 038 0001



- WHITE
- MAT CHROME

- 85-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs



LED DOWNLIGHT




MONICA

016 003 0001

CHROME

MAT CHROME

- 220-240V / 50-60Hz
- 4200K
- 80 lm
- Average Life: 30.000 Hrs




NADIA

016 027 0001

MAT CHROME

- 220-240V / 50-60Hz
- 4200K
- 70 lm
- Average Life: 30.000 Hrs




RITA

016 037 0003

WHITE

- 85-265V / 50-60Hz
- 210 lm
- 4200K
- Average Life: 30.000 Hrs




LED DOWNLIGHT

LUNA

016 041 0003

WHITE

- 220-220V / 50-60Hz
- 210 lm
- 4200K
- Average Life: 20.000 Hrs
- Recessed+Surface Mounting Available





ANGELA

016 002 0002


MAT CHROME

- 220-240V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs



LISA

016 031 0003




JULIA

016 032 0003


WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K




GABRIEL

016 029 0006



JESSICA

016 030 0006




WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K



VICTORIA

- AC 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 4200K / 6400K




	VICTORIA-3	VICTORIA-5
	016-007-0003	016-007-0005

Power	: 3 W	5 W
Luminous Flux	: 230 lm	300 lm




MAT CHROME

WHITE



MELISA

- AC 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 4200K / 6400K




	MELISA-3	MELISA-5
	016-008-0003	016-008-0005

Power	: 3 W	5 W
Luminous Flux	: 230 lm	300 lm




MAT CHROME

WHITE



LILYA

- AC 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700K / 4200K / 6400K




	LILYA-3	LILYA-5
	016-009-0003	016-009-0005

Power	: 3 W	5 W
Luminous Flux	: 222 lm	335 lm



MAT CHROME


WHITE






VALERIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



VALERIA-5	VALERIA-7	VALERIA-9
016-040-0005	016-040-0007	016-040-0009

Power	: 5 W	7 W	9 W
Luminous Flux	: 400 lm	560 lm	720 lm
Cutting Diameter (mm)	: Ø50	Ø70	Ø95
Sizes (mm)	: A: 20 B: 62 C: 55	A: 20 B: 82 C: 55	A: 20 B: 102 C: 55




WHITE

SONIA-5

016 035 0005

WHITE

- 100-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 350 lm
- 6400K




LILY

016 018 0030


WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 1447 lm
- 6500K




VERA

- AC 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



VERA-3	VERA-6	VERA-18
016-011-0003	016-011-0006	016-011-0018


Power	: 3 W	6 W	18 W
Luminous Flux	: 135 lm	270 lm	720 lm
Cutting Diameter (mm)	: Ø70	Ø100	Ø170
Sizes (mm)	: A: 83 B: 40	A: 120 B: 65	A: 192 B: 75



MAT CHROME


ELENA

- AC 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



ELENA-1	ELENA-3	ELENA-6
016-010-0001	016-010-0003	016-010-0006

Power	: 1 W	3 W	6 W
Luminous Flux	: 45 lm	135 lm	270 lm
Cutting Diameter (mm)	: Ø50	Ø75	Ø110
Sizes (mm)	: A: 60 B: 20	A: 90 B: 40	A: 120 B: 65




MAT CHROME



ADRIANA


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K

WHITE



	ADRIANA-5	ADRIANA-10	ADRIANA-15
	016-021-0005	016-021-0010	016-021-0015




Power	: 5 W	2x5 W	3x5 W
Luminous Flux	: 368 lm	2x368 lm	3x368 lm
Cutting Size (mm)	: 73x73	90x155	90x240
Sizes (mm)	: A: 93 B: 44 C: 93	A: 175 B: 44 C: 93	A: 255 B: 44 C: 93



VERONICA


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K

WHITE



	VERONICA-10	VERONICA-20	VERONICA-30
	016-022-0010	016-022-0020	016-022-0030




Power	: 10 W	2x10 W	3x10 W
Luminous Flux	: 539 lm	2x539 lm	3x539 lm
Cutting Size (mm)	: 90x90	100x205	100x315
Sizes (mm)	: A: 120 B: 80 C: 120	A: 230 B: 80 C: 120	A: 340 B: 80 C: 120



SABRINA


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K

WHITE



	SABRINA-8	SABRINA-16	SABRINA-24	SABRINA-32
	016-023-0008	016-023-0016	016-023-0024	016-023-0032


Power	: 8 W	2x8 W	3x8 W	4x8 W
Luminous Flux	: 371lm	2x371lm	3x371lm	4x371lm
Cutting Size (mm)	: 90x90	81x170	81x255	170x170
Sizes (mm)	: A: 100 B: 67 C: 100	A: 185 B: 67 C: 100	A: 270 B: 67 C: 100	A: 185 B: 67 C: 185





MARIA

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K





WHITE




MARIA-6	MARIA-12	MARIA-15
016-015-0006	016-015-0012	016-015-0015

Power	: 6 W	12 W	15 W
Luminous Flux	: 480 lm	744 lm	1150 lm
Cutting Size (mm)	: 73X73	125X125	165X165
Sizes (mm)	: A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



CLARA

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K





WHITE




CLARA-6	CLARA-12	CLARA-15
016-016-0006	016-016-0012	016-016-0015

Power	: 6 W	12 W	15 W
Luminous Flux	: 480 lm	744 lm	1150 lm
Cutting Diameter (mm)	: Ø73	Ø125	Ø165
Sizes (mm)	: A: 96 B: 40	A: 160 B: 40	A: 200 B: 40



AMANDA

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/6400K





WHITE

MAT CHROME



AMANDA-6	AMANDA-10	AMANDA-15	AMANDA-25
016-017-0006	016-017-0010	016-017-0015	016-017-0025

Power	: 6 W	10 W	15 W	25 W
Luminous Flux	: 480 lm	550 lm	650 lm	1312 lm
Cutting Diameter (mm)	: Ø110	Ø137	Ø166	Ø200
Sizes (mm)	: A: 120 B: 42	A: 150 B: 50	A: 180 B: 60	A: 219 B: 70






LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



LED DOWNLIGHT




	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217



VANESSA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE




	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power	6 W	10 W	15 W	20 W	30 W
Luminous Flux	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm)	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225



ALEXA


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-047-0008	016-047-0012	016-047-0020	016-047-0024	016-047-0030
Power	8 W	12 W	20 W	24 W	30 W
Luminous Flux	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm)	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm)	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230






SANDRA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL



WHITE

BLACK


NEW PRODUCT

NEW PRODUCT

NEW PRODUCT




	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL



NEW PRODUCT




WHITE

BLACK



	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200





LED DOWNLIGHT




CAROLINE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6000K

WHITE





	CAROLINE-12	CAROLINE-18	CAROLINE-28	CAROLINE-32	CAROLINE-40	CAROLINE-48
	016-025-0012	016-025-0018	016-025-0028	016-025-0032	016-025-0040	016-025-0048
Power :	12 W	18 W	28 W	32 W	40 W	48 W
Luminous Flux :	840 lm	1300 lm	1960 lm	2240 lm	2800 lm	3360 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:400 B:40	A:500 B:40	A:600 B:40




ARINA

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6000K

WHITE





	ARINA-12	ARINA-18	ARINA-28	ARINA-32	ARINA-40	ARINA-48
	016-026-0012	016-026-0018	016-026-0028	016-026-0032	016-026-0040	016-026-0048
Power :	12 W	18 W	28 W	32 W	40 W	48 W
Luminous Flux :	840 lm	1300 lm	1960 lm	2240 lm	2800 lm	3360 lm
Sizes (mm) :	A:159.5 B:28	A:211 B:28	A:283 B:28	A:400 B:40	A:500 B:40	A:600 B:40




LINDA

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6000K

WHITE



	LINDA-24	LINDA-36
	016-034-0024	016-034-0036
Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A:300 B:600 C:40	A:300 B:1200 C:40






HOROZ ELECTRIC


LED Panel Frame / Drywall Kit Apparatus

SLIM

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297



LED PANEL / FRAME / DRYWALL KIT APPARATUS





HOROZ ELECTRIC

LED Panel Frame Drywall Kit Apparatus




SLIM/Sq

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	282x282
Sizes (mm) :	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:296







GALAKSI-45

056 002 0045

WHITE

- 220-240V / 50-60Hz
- 45W, 3150 lm
- 4200K / 6400K
- Average Life: 25.000 Hrs




STAR-50

056 001 0050


SILVER

- 220-240V / 50-60Hz
- 50W, 4200 lm
- 4200K / 6400K
- Average Life: 40.000 Hrs



MOON

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




MOON-32	MOON-40
056-007-0032	056-007-0040

Power	: 32 W	40 W
Luminous Flux	: 2240 lm	2800 lm
Sizes (mm)	: A: 400 B: 400 C: 8	A: 500 B: 500 C: 8




WHITE




ZODIAC

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power	: 24 W	36 W
Luminous Flux	: 1680 lm	2520 lm
Sizes (mm)	: A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8




WHITE



FRAME

WHITE




FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060	
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005	
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45

DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels






HOROZ ELECTRIC

LED Track Light / Lighting Track / Track Connector / Recessed Monopoint

Z O O M A B L E

MONACO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°




- WHITE
- BLACK



	MONACO-15	MONACO-30
	018-019-0015	018-019-0030

Power	: 15 W	30 W
Luminous Flux	: 1125 lm	2250 lm
Sizes (mm)	: A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85




HOROZ ELECTRIC

LED Track Light Lighting Track Track Connector Recessed Monopoint



LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




- WHITE
- BLACK



	LYON-10	LYON-18	LYON-24
	018-020-0010	018-020-0018	018-020-0024

Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	1170 lm	1560 lm
Sizes (mm)	: A: 81 B: 140 C: 102 D: 37 E: 68	A: 170 B: 162 C: 110 D: 61 E: 84	A: 200 B: 190 C: 140 D: 66 E: 89




BERN

018 017 0030



- WHITE
- BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°




DUBLIN

018 018 0035



- WHITE
- BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°






LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT

Z O O M A B L E

PORTO

018 013 0007



WHITE

BLACK

SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 525 lm
- 4200K
- Beam Angle: 18°-70°




OSLO

018 012 0010



- WHITE
- BLACK
- SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 900 lm
- 4200K
- Beam Angle: 21°




ROMA

018 002 0023



- WHITE
- BLACK
- SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 1315 lm
- 4200K
- Beam Angle: 60°




ZAGREB

018 009 0035



- WHITE
- BLACK
- SILVER


- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2078 lm
- 4200K
- Beam Angle: 20°






PARIS

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



- WHITE**
- BLACK**
- SILVER**




	PARIS-23	PARIS-33
	018-007-0023	018-007-0033

Power	:	23 W	33 W
Luminous Flux	:	1550 lm	2256 lm
Sizes (mm)	:	A: 110 B: 110 C: 280	A: 128 B: 124 C: 290




ZURIH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



- WHITE**
- BLACK**
- SILVER**





	ZURIH-23	ZURIH-40
	018-001-0023	018-001-0040

Power	:	23 W	40 W
Luminous Flux	:	1511lm	2643lm
Sizes (mm)	:	A: 110 B: 120 C: 65 D: 210	A: 120 B: 156 C: 68 D: 223




PRAG

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



- WHITE**
- BLACK**
- SILVER**



	PRAG-7	PRAG-12
	018-003-0007	018-003-0012


Power	:	7 W	12 W
Luminous Flux	:	405 lm	852 lm
Beam Angle	:	37°	32°
Sizes (mm)	:	A: 65 B: 170 C: 88 D: 90 E: 265	A: 65 B: 175 C: 85 D: 110 E: 278






TORINO

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



- WHITE
- BLACK
- SILVER




TORINO-23	TORINO-40
018-004-0023	018-004-0040

Power	:	23 W	40 W
Luminous Flux	:	1560 lm	2337 lm
Sizes (mm)	:	A: 89 B: 120 C: 241	A: 112.5 B: 120 C: 241




MADRID

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



- WHITE
- BLACK
- SILVER




MADRID-23	MADRID-40
018-005-0023	018-005-0040

Power	:	23 W	40 W
Luminous Flux	:	1779 lm	2988 lm




VENEDIK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



- WHITE
- BLACK
- SILVER




VENEDIK-23	VENEDIK-33
018-006-0023	018-006-0033

Power	:	23 W	33 W
Luminous Flux	:	1947 lm	2142 lm
Sizes (mm)	:	A: 120 B: 140 C: 175	A: 175 B: 140 C: 185



MILANO

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K




- WHITE
- BLACK
- SILVER



MILANO-5	MILANO-8	MILANO-13
018-008-0005	018-008-0008	018-008-0013

Power	: 5 W	8 W	13 W
Luminous Flux	: 334 lm	600 lm	987 lm
Beam Angle	: 55°	53°	73°
Sizes (mm)	: A: 40 B: 70 C: 128	A: 48 B: 95 C: 132	A: 60 B: 108 C: 145



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT



LED Spotlight





BEYRUT

017 001 0005



- WHITE
- BLACK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 320 lm
- 4200K
- Beam Angle: 60°





TOKYO

017 002 0008



- WHITE
- BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



LED SPOTLIGHT



TRACK CONNECTOR

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A

WHITE

BLACK

SILVER

096 001 0001

Straight Connector



L Corner Connector



096 002 0002

RECESSED MONOPOINT


098 001 0001

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A



125



LIGHTING TRACK



1m, 2m, 3m

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A



1m. 097 001 0001

2m. 097 001 0002

3m. 097 001 0003

LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT

HOROZ ELECTRIC LED Suspension Light

PRIME-45

019 029 0045




NEW PRODUCT



45W SMD LED

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3500 lm
- 4000K



LED SUSPENSION LIGHT

HOROZ ELECTRIC LED Suspension Light



OPTIMA-6


019 030 0006

OPTIMA-12

019 030 0012

OPTIMA-18


019 030 0018



NEW PRODUCT

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm / 900 lm / 1350 lm
- 4000K



6W SMD LED

12W SMD LED

18W SMD LED




CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K

**NEW
PRODUCT**




CAMEL-40

019 032 0040

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000 lm
- 4000K

**NEW
PRODUCT**




COSTA-35

019 015 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




MATRIX-35

019 013 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K






HOROZ ELECTRIC

LED Suspension Light

PHOENIX


019 020 0038



CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623lm
- 4000K




LED SUSPENSION LIGHT



ELECTRA


019 021 0038



CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548lm
- 4000K




ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059lm
- 4000K




AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100lm
- 4000K




GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964lm
- 4000K




NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K





POLARIS

019 024 0046

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1380 lm
- 4000K






LED SUSPENSION LIGHT




TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



TORNADO-30

019-025-0030

TORNADO-40

019-025-0040



Power	: 30 W	40 W
Luminous Flux	: 900 lm	1200 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600





ETERNITY

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



ETERNITY-30	ETERNITY-40
019-022-0030	019-022-0040



Power	: 30 W	40 W
Luminous Flux	: 900 lm	1200 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600



LED SUSPENSION LIGHT

QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



QUASAR-42	QUASAR-90
019-023-0042	019-023-0090



Power	: 42 W	90 W
Luminous Flux	: 1260 lm	2700 lm





NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



	NIRVANA-24	NIRVANA-32	NIRVANA-40
Power	24 W	32 W	40 W
Luminous Flux	720 lm	960 lm	1200 lm
Sizes (mm)	A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400





LED SUSPENSION LIGHT



PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



	PANDORA-72	PANDORA-96
Power	72 W	96 W
Luminous Flux	2160 lm	2880 lm







HORUZ ELECTRIC

LED Suspension Light

DELUXE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



BLACK

WHITE

RED

BLUE




DELUXE-35

DELUXE-70

019-012-0035

019-012-0070


Power	: 35 W	70 W
Luminous Flux	: 2000 lm	3900 lm
Sizes (mm)	: A: 1200 B: 250 C: 420	A: 1200 B: 250 C: 580



LED SUSPENSION LIGHT

CONCEPT

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs



ROSE

CHROME

WHITE




CONCEPT-35

CONCEPT-41

019-010-0035

019-010-0041


Power	: 35 W	41 W
Luminous Flux	: 1000 lm	1500 lm
Sizes (mm)	: A: 200 B: 65 C: 1200 D: 45 E: 461	A: 200 B: 65 C: 1200 D: 45 E: 648





ROYAL

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




ROYAL-18	ROYAL-24
019-001-0018	019-001-0024

Power	: 18 W	24 W
Luminous Flux	: 1260 lm	1680 lm
Sizes (mm)	: A: 1000 B: 160 C: 454	A: 1000 B: 180 C: 604



WHITE




LED SUSPENSION LIGHT




CLASIS

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




CLASIS-21	CLASIS-31	CLASIS-42
019-002-0021	019-002-0031	019-002-0042

Power	: 21 W	31 W	42 W
Luminous Flux	: 1470 lm	2170 lm	2940 lm
Sizes (mm)	: A: 1000 B: 160 C: 418	A: 1000 B: 180 C: 620	A: 1000 B: 180 C: 818




WHITE






MASTER

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



WHITE



MASTER-42	MASTER-75
019-003-0042	019-003-0075


Power	: 42 W	75 W
Luminous Flux	: 2940 lm	5250 lm
Sizes (mm)	: A: 1350 B: 504	A: 1500 B: 804




LED SUSPENSION LIGHT

EXCLUSIVE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



WHITE



EXCLUSIVE-24	EXCLUSIVE-40
019-004-0024	019-004-0040


Power	: 24 W	40 W
Luminous Flux	: 1680 lm	2800 lm






AVANGARD

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



WHITE

BLACK



AVANGARD-24	AVANGARD-40
019-005-0024	019-005-0040

Power	:	24 W	40 W
Luminous Flux	:	1680 lm	2800 lm
Sizes (mm)	:	A: 82,36 B: 42 C: 230 D: 515	A: 98 B: 50 C: 280 D: 550




LED SUSPENSION LIGHT




ELEGANCE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



WHITE

BLACK



ELEGANCE-24	ELEGANCE-40
019-006-0024	019-006-0040

Power	:	24 W	40 W
Luminous Flux	:	1680 lm	2800 lm
Sizes (mm)	:	A: 230 B: 42 C:1319 D: 1200 E:66,6 F: 515	A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 550







HORUZ ELECTRIC

LED Suspension Light

TREND

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




BLACK

WHITE



TREND-50	TREND-85
019-009-0050	019-009-0085



Power	: 50 W	85 W
Luminous Flux	: 800 lm	1400 lm
Sizes (mm)	: A: 190 B: 95 C: 550 D: 550	A: 270 B: 105 C: 790 D: 790



LED SUSPENSION LIGHT

ASFOR

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




BLACK

WHITE



ASFOR-50	ASFOR-85
019-011-0050	019-011-0085

Power	: 50 W	85 W
Luminous Flux	: 800 lm	1400 lm
Sizes (mm)	: A: 160 B: 26 C: 1200 D: 95 E: 550 F: 550	A: 210 B: 26 C: 1200 D: 105 E: 790 F: 790



VISTA


019 007 0024

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 1500 lm
- 4000K



FAVORI


019 008 0062

CHROME

COPPER

BROWN

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2500 lm
- 4000K



LED Pendant Lamp




SEMBOL

020 006 0012



- BLACK
- WHITE
- RED
- GREEN
- YELLOW
- BLUE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 850 lm
- 4000K



NOVA

020 003 0006




- BLACK
- WHITE
- PINK
- PURPLE
- ORANGE
- BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 300 lm
- 4200K




PRIZMA

020 007 0006



- BLACK
- WHITE
- PINK
- PURPLE
- ORANGE
- BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 350 lm
- 4000K



WEBER

021 008 0001

RED COPPER
OLD BRONZE
GOLD
CHROME
PEARL BLACK

■ 250V~/4A
■ Max. 60W

100 mm
1000 mm

E27

GAUSS

021 009 0001

RED COPPER
OLD BRONZE
GOLD
CHROME
PEARL BLACK

■ 250V~/4A
■ Max. 60W

100 mm
1000 mm

E27

HOROZ ELECTRIC

Pendant Lamp

CE EAC RoHS

EDISON

021 002 0001

RED COPPER
OLD BRONZE
GOLD
CHROME
PEARL BLACK

■ 250V~/4A
■ Max. 60W

100 mm
1000 mm

E27

PENDANT LAMP

VOLTA

021 001 0001

BLACK
WHITE
BROWN
BLUE
RED
GREY

■ 250V~/4A
■ Max. 60W

90 mm
1000 mm

E27

TESLA

021 003 0001

RED COPPER
OLD BRONZE
GOLD
CHROME
PEARL BLACK

■ 250V~/4A
■ Max. 60W

100 mm
1000 mm

E27



KEPLER


021 011 0001

BLACK

- 250V~/4A
- Max. 60W



FOLDABLE CASE



MAXWELL


021 012 0001

BLACK

- 250V~/4A
- Max. 60W



FOLDABLE CASE



PENDANT LAMP



NEWTON

021 010 0001

BLACK

- 250V~/4A
- Max. 60W



FOLDABLE CASE



NOBEL


021 013 0001

BLACK

- 250V~/4A
- Max. 60W



FOLDABLE CASE



LASER



021 004 0001



021 004 0002

CHROME

- 250V~/4A
- Max. 60W
- Glass



SPECTRUM



021 005 0001



021 005 0002


CHROME

- 250V~/4A
- Max. 60W
- Glass



RADIAN




021 007 0001



021 007 0002

CHROME

- 250V~/4A
- Max. 60W
- Glass



QUANTUM

021 006 0001





021 006 0002

COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass





HOROZ ELECTRIC

Pendant Lamp / String Light

METEOR


021 014 0001 021 014 0002



COPPER

CHROME

- 240V ~ / 4A
- Max. 60W
- Glass



PENDANT LAMP



STRING LIGHT



HOROZ ELECTRIC

String Light




CARNAVAL

- 220V~
- 10 Lamp Holders (Each Max. 60W)
- Total 10 Meters
- Linkable
- Bulb not included



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt	: Max. 1000W	: Max. 2000W
Cable	: 2*0,75mm ²	: 2*1,5mm ²



**HORUZ ELECTRIC**


Decorative Ceiling Lamp

ILGAZ

■ 220-240V / 50-60Hz

**CHROME + MAT CHROME**

Diffuser: Glass



ILGAZ-1	ILGAZ-2	ILGAZ-3	ILGAZ-4
026-001-0001	026-001-0002	026-001-0003	026-001-0004


Power	:	Max. 60 W	Max. 60 W	Max. 2x60W	Max. 60 W
Sizes (mm)	:	A: 90 B: 245	A: 90 B: 290	A: 105 B: 350	A: 310 B: 110 C: 160

KONAK

■ 220-240V / 50-60Hz

**CHROME + MAT CHROME**

Diffuser: Glass



KONAK-1	KONAK-2	KONAK-3	KONAK-4
026-002-0001	026-002-0002	026-002-0003	026-002-0004


Power	:	Max. 60 W	Max. 60 W	Max. 2X60W	Max. 60 W
Sizes (mm)	:	A: 90 B: 220	A: 95 B: 260	A: 120 B: 330	A: 300 B: 110 C: 140

ZARA

■ 220-240V / 50-60Hz

**MAT CHROME**

Diffuser: Glass



ZARA-1	ZARA-2	ZARA-3	ZARA-4
026-003-0001	026-003-0002	026-003-0003	026-003-0004


Power	:	Max. 60 W	Max. 2X60 W	Max. 3X60 W	Max. 60 W
Sizes (mm)	:	A: 90 B: 230	A: 100 B: 285	A: 130 B: 370	A: 265 B: 110 C: 150

LICE

■ 220-240V / 50-60Hz

**MAT CHROME**

Diffuser: Glass



LICE-1	LICE-2
026-004-0001	026-004-0002

Power	:	Max. 60 W	Max. 2X60 W
Sizes (mm)	:	A: 35 B: 330	A: 35 B: 420

**HORUZ ELECTRIC**

Decorative Ceiling Lamp




SARAY

■ 220-240V / 50-60Hz

**MAT CHROME**

Diffuser: Glass



SARAY-1	SARAY-2	SARAY-3
026-005-0001	026-005-0002	026-005-0003

Power	:	Max. 40 W	Max. 60 W	Max. 2X60 W
Sizes (mm)	:	A: 70 mm B: 180	A: 73 B: 235	A: 75 B: 285



DECORATIVE CEILING LAMP




HOROZ ELECTRIC

LED Decorative Ceiling Lamp

PHANTOM

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE


BLUE

PINK



PHANTOM-36	PHANTOM-48
027-002-0036	027-002-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 410 B: 65	A: 510 B: 65



LED DECORATIVE CEILING LAMP




HOROZ ELECTRIC

LED Decorative Ceiling Lamp



GHOST

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE


BLUE

PINK



GHOST-36	GHOST-48
027-003-0036	027-003-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 400 B: 60	A: 490 B: 60






SHARK-24

027 001 0024

WHITE

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K




PHOTON-15

027 005 0015


WHITE

- 120-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1086 lm
- 6400K



EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hr
- 6400 K




WHITE



	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 1125 lm	1800 lm	2700 lm
Sizes (mm)	: A: 260 B: 55	A: 330 B: 60	A: 410 B: 60



LED DECORATIVE CEILING LAMP






HOROZ ELECTRIC

LED Wall Light


SİSAM

029 006 0008



TRUVA

029 007 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 4200K
- 320 lm (SİSAM) / 520 lm (TRUVA)
- Average Life: 30.000 Hrs



LED WALL LIGHT



HOROZ ELECTRIC

LED Wall Light



ERDEK


029 001 0005



WHITE

RED

- 220-240V / 50-60Hz
- 5W, 325 lm
- 4000K
- Average Life: 30.000 Hrs




ABANT

029 005 0010



WHITE

- 85-265V / 50-60Hz
- 10W
- 825 lm
- 4200K
- Average Life: 30.000 Hrs






RODOS


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE



RODOS-3	RODOS-6	RODOS-12
029-004-0003	029-004-0006	029-004-0012



Power	: 3 W	6 W	12 W
Luminous Flux	: 170 lm	340 lm	950 lm
Sizes (mm)	: A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80



BELEN


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE




BELEN-6	BELEN-12	BELEN-18
029-003-0006	029-003-0012	029-003-0018

Power	: 6 W	12 W	18 W
Luminous Flux	: 340 lm	950 lm	1400 lm
Sizes (mm)	: A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95



LED WALL LIGHT






HOROZ ELECTRIC

LED Ceiling Lamp / Ceiling Lamp

LİKYA

CHROME


■ 220-240V / 50-60Hz
■ 4000K




■ LİKYA-1



■ LİKYA-2



■ LİKYA-3



■ LİKYA-4




■ LİKYA-5



■ LİKYA-6



	LİKYA-1	LİKYA-2	LİKYA-3	LİKYA-4	LİKYA-5	LİKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm



LED CEILING LAMP / CEILING LAMP



HOROZ ELECTRIC

LED Ceiling Lamp Ceiling Lamp






DiDIM

CHROME

■ 220-240V / 50-60Hz
■ 4000K



SMD LED		DiDIM-1	DiDIM-2	DiDIM-3	DiDIM-4	DiDIM-5
		036-005-0001	036-005-0002	036-005-0003	036-005-0004	036-005-0005
Power	:	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	:	3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm




MiLAS

CHROME

■ 220-240V / 50-60Hz
■ 4000K



SMD LED		MiLAS-1	MiLAS-2	MiLAS-3	MiLAS-4	MiLAS-5
		036-004-0001	036-004-0002	036-004-0003	036-004-0004	036-004-0005
Power	:	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	:	3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm



LED CEILING LAMP / CEILING LAMP



LARA

CHROME


■ 220-240V / 50-60Hz
■ 4000K



■ LARA-1



■ LARA-2



■ LARA-3




■ LARA-4



■ LARA-5



	LARA-1	LARA-2	LARA-3	LARA-4	LARA-5
	036-002-0001	036-002-0002	036-002-0003	036-002-0004	036-002-0005
Power	: 3x4W	: 4W	: 2x4W	: 3x4W	: 4x4W
Luminous Flux	: 3x260 lm	: 260 lm	: 2x260 lm	: 3x260 lm	: 4x260 lm



LED CEILING LAMP / CEILING LAMP

SIDE

CHROME

■ 220-240V / 50-60Hz
■ 4000K



■ SIDE-1



■ SIDE-2



■ SIDE-3




■ SIDE-4



■ SIDE-5



	SIDE-1	SIDE-2	SIDE-3	SIDE-4	SIDE-5
	036-003-0001	036-003-0002	036-003-0003	036-003-0004	036-003-0005
Power	: 3x5W	: 5W	: 2x5W	: 3x5W	: 4x5W
Luminous Flux	: 3x325 lm	: 325 lm	: 2x325 lm	: 3x325 lm	: 4x325 lm





PATARA

CHROME

■ 220-240V / 50-60Hz
■ 4000K



■ PATARA-1



■ PATARA-2



■ PATARA-3




■ PATARA-4



■ PATARA-5



	PATARA-1	PATARA-2	PATARA-3	PATARA-4	PATARA-5
	036-001-0001	036-001-0002	036-001-0003	036-001-0004	036-001-0005
Power	3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm



EFES

CHROME

■ 220-240V / 50-60Hz



■ EFES-1



■ EFES-2




■ EFES-3



■ EFES-4

	EFES-1	EFES-2	EFES-3	EFES-4
	035-006-0001	035-006-0002	035-006-0003	035-006-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W



LED CEILING LAMP / CEILING LAMP



MANAVGAT

CHROME

■ 220-240V / 50-60Hz



■ MANAVGAT-1



■ MANAVGAT-2



■ MANAVGAT-5




■ MANAVGAT-3



■ MANAVGAT-4

	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



LED CEILING LAMP / CEILING LAMP

BODRUM

CHROME

■ 220-240V / 50-60Hz



■ BODRUM-1



■ BODRUM-2




■ BODRUM-3



■ BODRUM-4

	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W





KEMER

CHROME

■ 220-240V / 50-60Hz



■ KEMER-1



■ KEMER-2



■ KEMER-5




■ KEMER-3



■ KEMER-4

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



BERGAMA

CHROME


■ 220-240V / 50-60Hz



■ BERGAMA-1



■ BERGAMA-2



■ BERGAMA-3




■ BERGAMA-4



■ BERGAMA-5

	BERGAMA-1	BERGAMA-2	BERGAMA-3	BERGAMA-4	BERGAMA-5
	035-002-0001	035-002-0002	035-002-0003	035-002-0004	035-002-0005
Power	Max.3x40W	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W



LED CEILING LAMP / CEILING LAMP

AQUA




CHROME

■ 220-240V / 50-60Hz



E14

	AQUA-1	AQUA-3
	037-001-0001	037-001-0003
Power :	Max.40W	Max.3x40W



VODA




CHROME

■ 220-240V / 50-60Hz



E14

	VODA-1	VODA-3
	037-002-0001	037-002-0003
Power :	Max.40W	Max.3x40W




TOYGAR-12

040 013 0012



CHROME

- 100-250V / 50-60Hz
- 1100 lm
- 4200K
- Average Life: 30.000 Hrs




SUMRU-12

040 011 0012



CHROME

- 85-265V / 50-60Hz
- 1135 lm
- 4200K
- Average Life: 30.000 Hrs




EBABIL-12

040 010 0012



CHROME


- 85-265V / 50-60Hz
- 1135 lm
- 4200K
- Average Life: 30.000 Hrs





ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200 K




CHROME




ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 52 C: 185	A: 550 B: 52 C: 185



KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200 K




CHROME




KANARYA-8	KANARYA-12
040-012-0008	040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120




FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200 K



FLAMINGO-4	FLAMINGO-6
040-001-0004	040-001-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	A: 505 B: 52 C: 185




CHROME




ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200 K



ALBATROS-4	ALBATROS-6
040-002-0004	040-002-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	A: 555 B: 55 C: 108




CHROME




LORI

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200 K



LORI-6	LORI-9
040-008-0006	040-008-0009

Power	: 6 W / 12 LED	9 W / 18 LED
Luminous Flux	: 360 lm	540 lm
Sizes (mm)	: A: 300 B: 180 C: 210	A: 380 B: 180 C: 210





CHROME



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000 K



FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	: 3 W	6 W	9 W
Luminous Flux	: 214 lm	428 lm	640 lm




CHROME




KUĞU

040 006 0003



TURNA

040 007 0003




SILVER

- 220-240V / 50-60Hz
- 200 lm
- 4200K
- Average Life: 30.000 Hrs




SAKA

040 004 0003



MARTI

040 005 0003



RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



KUMRU

039 001 0001


CHROME

MAT CHROME

GOLDEN

TITANIUM BLACK

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W, 500 lm




HL 651

CHROME

MAT CHROME

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W (JC)
- Max. 2x35W (MR11)





HORUZ

ELECTRIC

LED Floor Lamp / Floor Lamp

TUNA

046 001 0003



ARAS

046 002 0003



DİCLE

046 003 0003



RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30,000 Hrs



LED FLOOR LAMP / FLOOR LAMP



HORUZ


ELECTRIC

LED Floor Lamp Floor Lamp



MERİÇ

220-240V / 50-60Hz



MERİÇ-1

MERİÇ-2


MERİÇ-3

045-001-0001

045-001-0002

045-001-0003

Power	: Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	: E27	E27 (Mother)& E14 (Baby)	E27 (Mother)& E14 (Baby)
Color	: Blue / White / Green Orange	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500





HOROZ ELECTRIC

LED Desk Lamp / Desk Lamp


ASTRO

049 026 0006



DIMMABLE

LED NIGHT LAMP



WHITE

YELLOW

PINK

- 100-240V / 50-60Hz
- 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



CCT Adjustable



HOROZ ELECTRIC

LED Desk Lamp / Desk Lamp




JUMBO

049 027 0006



DIMMABLE

LED NIGHT LAMP



WHITE

BLUE

PINK

- 100-240V / 50-60Hz
- 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



CCT Adjustable




FELIX

049 028 0006



DIMMABLE

LED NIGHT LAMP



WHITE

BLUE

PINK

- 100-240V / 50-60Hz
- 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



CCT Adjustable




SNOOPY

049 029 0006



DIMMABLE

LED NIGHT LAMP



WHITE

BLUE

YELLOW

- 100-240V / 50-60Hz
- 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



CCT Adjustable



LED DESK LAMP / DESK LAMP



EBRU

049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs




TOUCH



DIMMABLE



With Clips



MERVE

049 009 0005

BLUE

YELLOW

PINK


- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



DIMMABLE



İREM

049 011 0005

RED

WHITE

BLACK


- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



DIMMABLE



DİLARA

049 004 0003

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



BUKET

049 005 0003

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



LED DESK LAMP / DESK LAMP



BERNA

049 006 0003


BLACK

WHITE

BLUE

RED

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BİLGE

049 008 0003

BLACK



WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BEYZA


049 002 0003

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ALEyna


049 003 0003

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ECE


049 001 0003

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BUDDY

048 001 0015

PINK
BLUE
YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm

2700K 4500K 6400K

G10q ON-OFF

Bulb Included

430 mm
195 mm

OSCAR

048 002 0015

PINK
WHITE
YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm

2700K 4500K 6400K

G10q ON-OFF

Bulb Included

460 mm
230 mm

TOBY

048 003 0015

ORANGE
BLUE
YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm

2700K 4500K 6400K

Bulb Included

G10q ON-OFF

400 mm
205 mm

KITTY

048 004 0011

PINK
BLUE
GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

2700K 4500K 6400K

PL G23 ON-OFF

Bulb Included

375 mm
185 mm

FLYER

048 008 0011

PINK
BLUE
YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

2700K 4500K 6400K

PL G23 ON-OFF

Bulb Included

365 mm
312 mm

APPLE

048 006 0011

PINK
BLUE
YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

2700K 4500K 6400K

PL G23 ON-OFF

Bulb Included

330 mm
200 mm 165 mm

DONALD

048 007 0011

BLUE
ORANGE
GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

2700K 4500K 6400K

Bulb Included

PL G23 ON-OFF

460 mm
360 mm



LED DESK LAMP / DESK LAMP



DERYA


048 010 0060

BLACK

WHITE

RED

■ 220-240V / 50-60Hz
■ Max. 60W



DENİZ


048 011 0040

BLACK

WHITE

RED

■ 220-240V / 50-60Hz
■ Max. 40W



BİHTER

048 009 0060


BLACK

WHITE

RED

BLUE

■ 220-240V / 50-60Hz
■ Max. 60W



RANA


048 013 0060

BLACK

WHITE

RED

■ 220-240V / 50-60Hz
■ Max. 60W




SİMGE

048 014 0060

GREEN

BLUE

■ 220-240V / 50-60Hz
■ Max. 60W



LED DESK LAMP / DESK LAMP



085 001 0002

REX

WHITE
BLUE
GREEN
RED

■ 220-240V / 50-60Hz
■ 25 lm
■ Average Life: 20.000 Hrs

0.4W SMD LED

60 mm 60 mm 60 mm

085 001 0003

BUGS

WHITE
BLUE
GREEN
RED

■ 220-240V / 50-60Hz
■ 20 lm
■ Average Life: 20.000 Hrs

0.3W SMD LED

60 mm 60 mm 60 mm

HOROZ ELECTRIC

LED Night Lamp

CE EAC

RoHS



LED NIGHT LAMP

085 001 0004

MAX

WHITE
BLUE
GREEN
RED

■ 220-240V / 50-60Hz
■ 25 lm
■ Average Life: 20.000 Hrs

0.4W SMD LED

65 mm 60 mm 60 mm

085 001 0005

DUFFY

WHITE
BLUE
GREEN
RED

■ 220-240V / 50-60Hz
■ 20 lm
■ Average Life: 20.000 Hrs

0.3W SMD LED

65 mm 75 mm 60 mm

085 001 0001

DORA

WHITE
BLUE
GREEN
RED

■ 220-240V / 50-60Hz
■ 25 lm
■ Average Life: 20.000 Hrs

0.4W SMD LED

65 mm 31 mm 107 mm

085 001 0006

SIMPSON

WHITE
(LANDSCAPE)

■ 220-240V / 50-60Hz
■ 25 lm
■ Average Life: 20.000 Hrs

0.4W SMD LED

50 mm 70 mm 70 mm




HOROZ ELECTRIC

LED Batten Light / Electronic Wall Lamp


TETRA

- 200-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



TETRA-18	TETRA-36
052-003-0060	052-003-0120

Power	: 18 W	36 W
Luminous Flux	: 1135 lm	2269 lm
Length (mm)	: L: 600	L: 1200



LED BATTEN LIGHT / ELECTRONIC WALL LAMP




HOROZ ELECTRIC

LED Batten Light Electronic Wall Lamp




SIGMA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
052-001-0030	052-001-0060	052-001-0090	052-001-0120

Power	: 4 W	7 W	10 W	14 W
Luminous Flux	: 254 lm	552 lm	846 lm	1100 lm
Length (mm)	: L: 282	L: 546	L: 856	L: 1156




OMEGA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
052-002-0030	052-002-0060	052-002-0090	052-002-0120

Power	: 6 W	9 W	12 W	16 W
Luminous Flux	: 273 lm	538 lm	898 lm	1136 lm
Length (mm)	: L: 285	L: 535	L: 855	L: 1155




**ALFA**

■ 220-240V / 50-60Hz




	ALFA-6	ALFA-8	ALFA-13	ALFA-28
	053-001-0006	053-001-0008	053-001-0013	053-001-0028
Power	6 W	8 W	13 W	28 W
Length (mm)	L: 267	L: 343	L: 573	L: 1200

**BETA**

■ 220-240V / 50-60Hz




	BETA-18	BETA-36
	053-002-0018	052-002-0036
Power	18 W	36 W
Length (mm)	L: 668	L: 1280

**DELTA**

■ 220-240V / 50-60Hz




	DELTA-18	DELTA-36
	053-008-0018	052-008-0036
Power	Max. 18 W	Max. 36 W
Length (mm)	L: 720	L: 1330

**PUNTO**

■ 220-240V / 50-60Hz




	PUNTO-36	PUNTO-72
	053-009-0036	053-009-0072
Power	Max. 2x18W	Max. 2x36W
Length (mm)	L: 720	L: 1330

**ZETA**

■ 220-240V / 50-60Hz



	ZETA-18	ZETA-36
	053-010-0018	053-010-0036
Power	Max. 18W	Max. 36W
Length (mm)	L: 690	L: 1300






HOROZ ELECTRIC

Led Waterproof Lamp / Led Tube Fixture


IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000Hrs
- 6400K




IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length	: L: 650 mm	L: 1260 mm	L: 1560 mm




NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000Hrs
- 4200K / 6400K



NEHİR-18	NEHİR-36	NEHİR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562



LED WATERPROOF LAMP / LED TUBE FIXTURE




HOROZ ELECTRIC

LED Waterproof Lamp LED Tube Fixture




OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000Hrs
- 6400K



OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090

Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542





PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
057-001-1060	057-001-2060	057-001-1120	057-001-2120



Power	: Max. 20W	Max.2x20W	Max. 40W	Max.2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
061-001-0060	061-001-2060	061-001-0120	061-001-2120



Power	: Max. 20W	Max.2x20W	Max. 40W	Max.2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Length (mm)	: L: 616	L: 616	L: 1226	L: 1226



LED WATERPROOF LAMP / LED TUBE FIXTURE





HOROZ ELECTRIC

High Bay Lamp / LED High Bay Lamp

ZEUS

062 001 0015

- 220-240V / 50-60Hz
- PC
- Max. 75W



SHATTERPROOF



AFRODIT

062 003 0025

- | | |
|-------|-------|
| RED | PINK |
| GREEN | CLEAR |
| BLUE | |

- 220-240V / 50-60Hz
- PC
- Max. 100W



SHATTERPROOF



HOROZ ELECTRIC

High Bay Lamp LED High Bay Lamp



HIGH BAY LAMP / LED HIGH BAY LAMP

APOLLON

062 002 0015

- 220-240V / 50-60Hz
- PC
- Max. 75W



SHATTERPROOF



EROS

062 004 0045

- 220-240V / 50-60Hz
- PC
- Max. 200W



SHATTERPROOF



GALYA

062 007 0065

- 220-240V / 50-60Hz
- PC
- Max. 300W



SHATTERPROOF



ARES

062 006 0065

- 220-240V / 50-60Hz
- PC
- Max. 300W




SHATTERPROOF






ASPENDOS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- Aluminium Die Casting Body




	ASPENDOS-50	ASPENDOS-100	ASPENDOS-150	ASPENDOS-200
	063-004-0050	063-004-0100	063-004-0150	063-004-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	4750 lm	9500 lm	14250 lm	19000 lm
Sizes (mm)	A: 242.5 B: 172.5	A: 298.5 B: 175.1	A: 347.7 B: 176.8	A: 398.5 B: 178.1




ARTEMIS

- 160-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-50	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0050	063-003-0100	063-003-0150	063-003-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	5000 lm	10000 lm	15000 lm	20000 lm
Sizes (mm)	A: 230 B: 120	A: 290 B: 120	A: 350 B: 120	A: 400 B: 120




HIGH BAY LAMP / LED HIGH BAY LAMP



OLIMPOS-100

063 002 0100

- 170-265V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 4200K
- 100W, 9200 lm





HOROZ ELECTRIC

Module LED and Apparatus / LED Projector / Projector Stand

KAPLAN-45

068 007 0045



45W

SMD LED


2700K 4200K 6400K

IP65



BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 45W, 3600 lm
- 4200K



MODULE LED AND APPARATUS / LED PROJECTOR / PROJECTOR STAND



HOROZ ELECTRIC


Module LED and Apparatus LED Projector Projector Stand



KAPLAN-45W

068 007 0001

Apparatus for Wall Lamp




Projector Not Included

KAPLAN-45S

068 007 0002

Apparatus for Street Lamp




Projector Not Included

KAPLAN-45C

068 007 0003

Apparatus for Connection




Projector Not Included





LION


- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



BLACK




	LION-50	LION-100	LION-150	LION-200	LION-300	LION-400	LION-500
	068-013-0050	068-013-0100	068-013-0150	068-013-0200	068-013-0300	068-013-0400	068-013-0500
Power	50 W	100 W	150 W	200 W	300 W	400 W	500 W
Luminous Flux	4250 lm	8500 lm	12750 lm	17000 lm	25500 lm	34000 lm	42500 lm
Sizes (mm)	A: 201 B: 240 C: 70	A: 223 B: 272 C: 78	A: 450 B: 272 C: 78	A: 450 B: 400 C: 78	A: 450 B: 500 C: 90	A: 560 B: 610 C: 94	A: 560 B: 720 C: 98



LEOPAR


- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



BLACK




	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200
Power	20 W	30 W	50 W	100 W	150 W	200 W
Luminous Flux	1700 lm	2550 lm	4250 lm	8500 lm	12750 lm	17000 lm
Sizes (mm)	A: 200 B: 157 C: 53	A: 215 B: 171 C: 50	A: 270 B: 210 C: 57	A: 305 B: 253 C: 75	A: 400 B: 310 C: 80	A: 390 B: 310 C: 95



PANTER


- 85-265V / 50-60Hz
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



BLACK



	PANTER-50	PANTER-100	PANTER-150	PANTER-200	PANTER-300	PANTER-400
	068-005-0050	068-005-0100	068-005-0150	068-005-0200	068-005-0300	068-005-0400
Power	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 3750 lm	: 7500 lm	: 11250 lm	: 15000 lm	: 22500 lm	: 30000 lm
Sizes (mm)	: A: 245 B: 297 C: 75	: A: 246 B: 324 C: 75	: A: 315 B: 418 C: 90	: A: 314 B: 418 C: 90	: A: 345 B: 525 C: 100	: A: 355 B: 625 C: 100



MODULE LED AND APPARATUS / LED PROJECTOR / PROJECTOR STAND


Projector Stand



107 001 0003

PORTABLE


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002


- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable






ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs




BLACK



	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W
Luminous Flux	: 800 lm	: 1600 lm	: 2400 lm	: 4000 lm	: 8000 lm	: 16000 lm
Color Temperature	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K	: 2700K/6400K
Sizes (mm)	: A:91,3 B:97 C:30,5	: A:104,5 B:128,4 C:30,5	: A:114,4 B:154,3 C:30,5	: A:163,7 B:224,3 C:30,5	: A:232,3 B:294,5 C:31	: A:332,9 B:420,8 C:37


ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WITH PIR SENSOR

BLACK




	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0020	068-011-0030	068-011-0050
Power	: 20 W	: 30 W	: 50 W
Luminous Flux	: 1600 lm	: 2400 lm	: 4000 lm
Sizes (mm)	: A:171,6 B:128,5 C:50	: A:180,1 B:154,3 C:52	: A:226,5 B:224,3 C:52



PARS


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK




	PARS-10	PARS-20	PARS-30	PARS-50	PARS-100
	068-008-0010	068-008-0020	068-008-0030	068-008-0050	068-008-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2400 lm	4000 lm	8000 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K
Sizes (mm)	A: 96 B: 112 C: 25	A: 122 B: 140 C: 28	A: 151 B: 170 C: 30	A: 186 B: 208 C: 33	A: 239 B: 274 C: 42



MODULE LED AND APPARATUS / LED PROJECTOR / PROJECTOR STAND

PARS/S

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WITH PIR SENSOR

BLACK





	PARS/S-10	PARS/S-20	PARS/S-30	PARS/S-50	PARS/S-100
	068-009-0010	068-009-0020	068-009-0030	068-009-0050	068-009-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	A: 157 B: 112 C: 40	A: 174 B: 140 C: 40	A: 196 B: 170 C: 40	A: 213.5 B: 208 C: 40	A: 265 B: 274 C: 44





PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs




BLACK



	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 750 lm	: 1500 lm	: 2250 lm	: 3750 lm	: 7500 lm	: 15000 lm	: 22500 lm
Color Temperature	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K/GREEN	: 2700K/6400K	: 2700K/6400K	: 2700K/6400K
Sizes (mm)	: A: 94 B: 110 C: 33	: A: 109 B: 129 C: 37.5	: A: 128 B: 150 C: 38	: A: 153 B: 182 C: 38.5	: A: 220 B: 274 C: 41	: A: 273 B: 330 C: 76	: A: 312 B: 395 C: 95

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




WITH PIR SENSOR

BLACK



	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W
Luminous Flux	: 750 lm	: 1500 lm	: 2250 lm	: 3750 lm	: 7500 lm
Sizes (mm)	: A: 134 B: 110 C: 33	: A: 149 B: 129mm C: 37.5	: A: 168 B: 150 C: 38.5	: A: 193 B: 182 C: 38.5	: A: 260 B: 274 C: 41





HOROZ ELECTRIC

LED Canopy Light / LED Wallwasher

FALCON

RECESSED



069 001 0110

EAGLE

SURFACED

069 002 0110

- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs



LED CANOPY LIGHT

LED WALLWASHER



HOROZ ELECTRIC

LED Canopy Light



HOROZ ELECTRIC

LED Wallwasher



REGAL


● AMBER ● 3000K ● RED ● GREEN ● BLUE



- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- Aluminium Body



	REGAL-9	REGAL-12	REGAL-18	REGAL-24	REGAL-36
	109-001-0009	109-001-0012	109-001-0018	109-001-0024	109-001-0036
Power	9 W	12 W	18 W	24 W	36 W
Lumihous Flux	540 lm	720 lm	1080 lm	1440 lm	2160 lm
Length (mm)	255	330	480	630	930 mm






HOROZ ELECTRIC


LED Street Light

ORLANDO

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



BLACK



	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 1726 lm	: 2829 lm	: 4953 lm	: 8923 lm	: 15061 lm	: 17594 lm
Sizes (mm)	: A: 40 B: 55 C: 315 D: 105	: A: 40 B: 55 C: 355 D: 125	: A: 40 B: 55 C: 405 D: 165	: A: 60 B: 75 C: 620 D: 220	: A: 60 B: 75 C: 690 D: 250	: A: 60 B: 85 C: 740 D: 275



LED Street Light



LED STREET LIGHT





HOROZ ELECTRIC


LED Bulkhead Lamp / Aluminium Bulkhead Lamp

YILDIZ

- 100-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs




WHITE



YILDIZ-8	YILDIZ-15
071-009-0008	071-009-0015

Power	: 8 W	15 W
Luminous Flux	: 560 lm	1080 lm
Sizes (mm)	: A: 76 B: 166 C: 62	A: 101 B: 201 C: 68



LED BULKHEAD LAMP / ALUMINIUM BULKHEAD LAMP



HOROZ ELECTRIC

LED Bulkhead Lamp Aluminium Bulkhead Lamp



WHITE

BLACK

- 220-240V / 50-60Hz

NEMRUT

AYDER


TOROS

KAÇKAR



NEMRUT	AYDER	TOROS	KAÇKAR
070-001-0060	070-012-0100	070-002-0060	070-013-0100

Power	: Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	: A: 210 B: 80 C: 105	A: 275 B: 115 C: 155	A: 210 B: 85 C: 105	A: 275 B: 120 C: 155



WHITE

BLACK

- 220-240V / 50-60Hz

ZİGANA

MUNZUR


ARARAT

ERCİYES



ZİGANA	MUNZUR	ARARAT	ERCİYES
070-005-0060	070-014-0100	070-006-0060	070-015-0100


Power	: Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	: A: 180 B: 85 C: 180	A: 240 B: 110 C: 140	A: 170 B: 80 C: 170	A: 240 B: 115 C: 240



KAVAK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

BLACK



	KAVAK-1	KAVAK-2	KAVAK-3	KAVAK-4	KAVAK-5
	075-014-0001	075-014-0002	075-014-0003	075-014-0004	075-014-0005

Sizes (mm)	:	A: 305 B: 89	A: 208 B: 89 C: 148	A: 300 B: 89 C: 130	A: 500 B: 89 C: 110	A: 800 B: 89 C: 110
------------	---	--------------	---------------------	---------------------	---------------------	---------------------




Garden Lamp LED Garden Lamp



LADIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



	LADIN-1	LADIN-2	LADIN-3	LADIN-4
	075-002-0001	075-002-0002	075-002-0003	075-002-0004


Sizes (mm)	:	A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120
------------	---	---------------	----------------------	---------------	---------------





KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



	KAYIN-1	KAYIN-2	KAYIN-3	KAYIN-4
	075-003-0001	075-003-0002	075-003-0003	075-003-0004
Sizes (mm)	A: 390 B: 150	A: 275 B: 150 B: 210	A: 450 B: 150	A: 800 B: 150




GARDEN LAMP / LED GARDEN LAMP

PALMIYE

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W

BLACK




	PALMIYE-1	PALMIYE-2	PALMIYE-3	PALMIYE-4
	075-001-0001	075-001-0002	075-001-0003	075-001-0004
Sizes (mm)	A: 350 B: 150	A: 320 B: 150 B: 230	A: 500 B: 150	A: 800 B: 150





DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W




	DEFNE-1	DEFNE-2	DEFNE-3	DEFNE-4	DEFNE-5
	075-004-0001	075-004-0002	075-004-0003	075-004-0004	075-004-0005
Sizes (mm)	A:405 B:76	A:344 B:76 C:142	A:325 B:76 C:110	A:500 B:76 C:110	A:800 B:76 C:110




BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K



MAT CHROME



	BAMBU-1	BAMBU-2	BAMBU-3	BAMBU-4	BAMBU-5
	076-016-0001	076-016-0002	076-016-0003	076-016-0004	076-016-0005
Sizes (mm)	A:252.2 B:132	A:183 B:148.5 C:132	A:300 B:132 C:98	A:500 B:132 C:98	A:800 B:132 C:98





GARDEN LAMP / LED GARDEN LAMP



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W



MANGO-1
075-009-0001



MANGO-2
075-009-0002

MANGO-3
075-009-0003



GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
--------------	---	---------	-----------	---------	-----------




MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass



MANOLYA-1	MANOLYA-2	MANOLYA-3
075-008-0001	075-008-0002	075-008-0003


Power	:	Max.35W	Max.2x35W	Max.2x60W
Lamp Holder	:	GU10	GU10	E27
Body	:	Stainless Steel	Stainless Steel	Aluminium
Sizes (mm)	:	A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108







SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- 1000 lm
- Average Life: 30.000 Hrs



BLACK



SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
076-021-0012	076-019-0012	076-022-0012	076-020-0012

Luminous Flux	:	1000 lm	700 lm	900 lm	650 lm
---------------	---	---------	--------	--------	--------



GARDEN LAMP / LED GARDEN LAMP

ZEYTİN

076 032 0012

BLACK



BADEM

076 028 0012

DARK GREY



SUSAM

076 030 0012

DARK GREY





ILGIN

076 029 0012

DARK GREY



- 100-240V / 50-60Hz
- 12W
- 4200K
- 480 lm
- Average Life: 30.000 Hrs




**HORUZ ELECTRIC****Garden Lamp / LED Garden Lamp****ARENA**

076 033 0010

**NEW PRODUCT**


- 100-240V / 50-60Hz
- 750 lm
- 4200K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included
- Average Life: 30.000 Hrs

48D**KUKA-5**


076 031 0005

**NEW PRODUCT**


- 100-240V / 50-60Hz
- 4200K
- 290 lm
- Average Life: 30.000 Hrs

IP67**GARDEN LAMP / LED GARDEN LAMP****HURMA**


076 010 0005

**MERSİN**

076 011 0005

**GÜRGEN**


076 012 0005

**DARK GREY**



- 100-240V / 50-60Hz
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

**IP65****IHLAMUR**



076 013 0002

**İĞDE**

076 014 0002

**İNCİR**

076 015 0002

**DARK GREY**

- 100-240V / 50-60Hz
- 4200K
- 110 lm
- Average Life: 30.000 Hrs

**IP65**



SERVi


076 009 0012



BLACK

WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs




ARDIÇ

076 003 0006

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 385 lm
- Average Life: 30.000 Hrs




SELVi

076 007 0004

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 35 lm
- Average Life: 30.000 Hrs




MEŞE

076 004 0006

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 420 lm
- Average Life: 30.000 Hrs




SALKIM

076 008 0004

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 65 lm
- Average Life: 30.000 Hrs




ZAKKUM

076 005 0003

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 230 lm
- Average Life: 30.000 Hrs



TAFLAN

076 006 0006

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 200 lm
- Average Life: 30.000 Hrs








HOROZ ELECTRIC

LED Solar Lamp

SOLARIS



- Li-ION Battery 3.7V 2200 mAh
- 4000K
- Solar Charging Time: 4-6 Hours in Direct Sunlight
- Average Life: 50.000 Hrs



	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002

Power	: 2 W	2 W
Luminous Flux	: 220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)



LED SOLAR LAMP



HOROZ ELECTRIC

LED Solar Lamp




SIRIUS



WITH PIR SENSOR



- Li-ION Battery 3.7V 2200 mAh
- 4000K
- Solar Charging Time: 8-10 Hours in Direct Sunlight
- Average Life: 50.000 Hrs



	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002

Power	: 1 W	2 W
Luminous Flux	: 140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Back Light	: Yes (Blue)	No





OMNIA

078 013 0003




LED HOUSE NUMBER




- Li-Ion Battery 3.7V 1800 mAh
- 4000K
- 4 lm
- Solar Charging Time: 4-6 Hours in Direct Sunlight
- Average Life: 50.000 Hrs
- USB Charging Available

NEW PRODUCT



VENÜS

078 001 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs




LED SOLAR LAMP

CRYSTAL

078 009 0001




- Ni-MH AA 100 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



ORBIT

078 010 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs




LOTUS

078 011 0001




- Ni-MH AA 200 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



MARS

078 002 0001



- Ni-MH AA 200 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs






PLUTON

078 005 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs




NEPTUN

078 004 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs




HALLEY

078 006 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs




MAGIC

078 007 0001



- 3 Ni-MH AA 100 mAh 1.2V
- 6400K
- 9x1.5 lm
- Average Life: 100.000 Hrs




WIZARD

078 008 0001



WITH PIR SENSOR

- 3 Ni-MH 600 mAh 1.2V
- 6400K
- 150 lm
- Average Life: 50.000 Hrs



LED SOLAR LAMP



HOROZ ELECTRIC

Inground & Recessed Type LED Lamp

RUBY


079 028 0002

QUARTZ

079 027 0002

WHITE

- 110-265V / 50-60Hz
- 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

Inground & Recessed Type LED Lamp



DIAMOND

079 026 0002

WHITE

BLACK

GOLD

SILVER

GOLD

079 025 0003

WHITE



- 220-240V / 50-60Hz
- 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs



- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs



WITH PIR SENSOR



INGROUND & RECESSED TYPE LED LAMP



HOROZ ELECTRIC

Inground & Recessed Type LED Lamp

ZÜMRÜT

079 001 0003



YAKUT

079 002 0003

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs



INGROUND & RECESSED TYPE LED LAMP


İNCI

079 004 0002

SAFİR

079 003 0002

- 220-240V / 50-60Hz
- 75 lm
- Average Life: 50.000 Hrs



ELMAS


079 005 0002

WHITE

- 220-240V / 50-60Hz
- 198 lm
- Average Life: 50.000 Hrs



WHITE







- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

SEDEF
PERLE

OLTU
AMBER

BERİL
PERA



	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 1.6 W	: 1.2 W	: 1.6 W	: 1.2 W	: 1.6 W	: 1.2 W
Luminous Flux	: 90 lm	: 72 lm	: 90 lm	: 72 lm	: 90 lm	: 72 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110





- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

MERCAN
GÜMÜŞ

AKİK
BRONZ



ONİKS
BOR



	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 1.6 W	: 0.9 W	: 1.6 W	: 0.9 W	: 1.6 W	: 0.9 W
Luminous Flux	: 90 lm	: 57 lm	: 90 lm	: 57 lm	: 90 lm	: 57 lm
Sizes (mm)	: A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70

**KUVAR****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs




	KUVAR	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	: 1.8 W	: 2.7 W	: 1.5 W	: 1.8 W	: 2.7 W
Luminous Flux	: 90 lm	: 105 lm	: 160 lm	: 90 lm	: 105 lm	: 160 lm
Width (mm)	: W: 95	W: 140	W: 185	W: 95	W: 140	W: 185






HOROZ ELECTRIC


LED Strip / RGB RF Controller / Socket Set /
LED Driver / RGB Controller / RGB Amplifier




RED



GREEN



BLUE



RGB



3000K



6400K



THREE CHIPS

VOLGA

081 004 0001


VOLGA/RGB

081 004 0002



WATERPROOF

- 220-240V / 50-60Hz
- 6W/m (RGB 9.5 W/m)
- 36.000 lm, per 164ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessories



220-240V



Can be cut each 1meter

LED STRIP / RGB RF CONTROLLER / SOCKET SET / LED DRIVER / RGB CONTROLLER / RGB AMPLIFIER




HOROZ ELECTRIC


LED Strip
RGB RF Controller
Socket Set
LED Driver
RGB Controller
RGB Amplifier



RED



GREEN



BLUE




RGB



3000K



4000K



6400K



SINGLE CHIP

COLORADO

081 006 0001


COLORADO/RGB

081 006 0002



WATERPROOF


- 220-240V / 50-60Hz
- 5W/m (RGB 11 W/m)
- 54.600 lm, per 164ft reel (RGB 37.800 lm, per 164ft reel)
- Average Life: 30.000 Hrs
- Standart Length: 1m / 156 LED (RGB 1m / 108 LED)
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessories




220-240V




Can be cut each 1meter



RED




GREEN



BLUE



RGB




3000K



4000K



6400K



081 009 0001

081 009 0002



WATERPROOF



- 220-240V / 50-60Hz
- 7W/m (RGB 12.5 W/m)
- 63.000 lm, per 164ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 180 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessories




220-240V




Can be cut each 1 meter



RED



GREEN



BLUE

NEOLED

WATERPROOF


081 010 0001

220-240V




Can be cut each 1 meter


- 220-240V / 50-60Hz
- 6.5W/m
- 264.000 lm / per 328ft. reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 120 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 100m / Roll
- 5 accessories



YELLOW



2700K



6400K





RGB RF CONTROLLER

■ 220-240V / 50-60Hz



VOLGA RGB RF 1	COLORADO RGB RF 1	GANJ RGB RF 1
081-004-0013	081-006-0013	081-009-0013
10 mm	12 mm	12 mm
3x1A, For Max.750W		

VOLGA RGB RF 2	COLORADO RGB RF 2	GANJ RGB RF 2
081-004-0014	081-006-0014	081-009-0014
10 mm	12 mm	12 mm
3x3A, For Max.1500W		



SOCKET SET


- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips




VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011
8 mm	10 mm	12 mm	6 mm

RGB SOCKET SET


- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips




VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET
081-004-0012	081-006-0012	081-009-0012
10 mm	12 mm	12 mm



RED



GREEN




BLUE




RGB



3000K



4200K



6400K



SINGLE CHIP

REN

081 001 0001

REN/RGB

081 001 0002



12V DC

WATERPROOF


- 12V DC
- Input Current: 2A (1 Roll/5m)
- 24W (1 Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M self-adhesive backing for easy installation




3 LEDs make a group and each group can be cut or extended in terms of the length of application



RED



GREEN




BLUE




RGB



3000K



4200K



6400K



SINGLE CHIP

NiL

081 002 0001

NiL/RGB

081 002 0002


12V DC


NON WATERPROOF

- 12V DC
- Input Current: 2A (1 Roll/5m)
- 24W (1 Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M self-adhesive backing for easy installation




3 LEDs make a group and each group can be cut or extended in terms of the length of application






RED



GREEN




BLUE



RGB



3000K



6400K



THREE CHIPS

THAMES

081 003 0001

THAMES/RGB

081 003 0002



12V DC

WATERPROOF


- 12V DC
- Input Current: 6A (1 Roll/5m)
- 72W (1 Roll/5m)
- 4.320 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M self-adhesive backing for easy installation




3 LEDs make a group and each group can be cut or extended in terms of the lenght of application



RED



GREEN




BLUE



RGB



3000K



6400K



THREE CHIPS

AMAZON

081 005 0001

AMAZON/RGB

081 005 0002


12V DC

NON WATERPROOF

- 12V DC
- Input Current: 6A (1 Roll/5m)
- 72W (1 Roll/5m)
- 4.320 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M self-adhesive backing for easy installation





3 LEDs make a group and each group can be cut or extended in terms of the lenght of application





VEGA

■ Input Voltage: AC 220-240V / 50-60Hz
■ Output Voltage: DC 12V






	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current	0,8A	3A	5A	8.5A	12A	17A	20.8A	30A
35x28 SMD LED Strip	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 35 B: 22 C: 77	A: 32 B: 27 C: 140	A: 40 B: 30 C: 160	A: 40 B: 30 C: 160	A: 57 B: 42 C: 200	A: 67 B: 40 C: 220	A: 62 B: 40 C: 225	A: 62 B: 40 C: 225

VESTA

■ Input Voltage: AC 220-240V / 50-60Hz
■ Output Voltage: DC 12V

WATERPROOF




	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class	II	II	II	II	I	I	I
35x28 SMD LED Strip	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45

LED STRIP / RGB RF CONTROLLER / SOCKET SET / LED DRIVER / RGB CONTROLLER / RGB AMPLIFIER




100 001 0072

RGB Controller 2A



- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 72W
- Output Current: 2A/Each Color

For Max. 15m 35x28 SMD LED Strip
For Max. 5m 50x50 SMD LED Strip




100 002 0144

RGB Controller 4A



- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color

For Max. 30m 35x28 SMD LED Strip
For Max. 10m 50x50 SMD LED Strip




RGB CONTROLLER / RGB AMPLIFIER

AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V


	AMPLIFIER-12A	AMPLIFIER-24A
	101-001-0144	101-001-0288

Output Power	: 144 W	: 288 W
Output Current	: 4A/Each Color	: 8A/Each Color
35x28 RGB LED Strip	: 30 Meters with 60Leds/Meter	: 60 Meters with 60Leds/Meter
50x50 RGB LED Strip	: 10 Meters with 60Leds/Meter	: 20 Meters with 60Leds/Meter



RGB AMPLIFIER

Input/Output Voltage: DC12-24V
Total Output of Current: 24A




LED CHRISTMAS LIGHT & DRIVERS

MONTANA

- 4.5V DC
- 4W/10 m
- Average Life: 30,000 Hrs
- Standart Length: 1m / 10 LED
- Package: 10 m / Roll


080 001 0004



MONTANA-D4

080 001 0001



- 100-240V / 50-60Hz
- 16W/40 m



MONTANA-D10

080 001 0002

- 100-240V / 50-60Hz
- 40W/100 m





Rechargeable
LED Solar Camping Light
LED Torch / LED Headlight /
Emergency LED Lantern /
LED Emergency Exit Lamp



084 022 0010


ROMARIO

RECHARGEABLE

SOLAR




- 220-240V / 50-60Hz
- 10W, 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration: 1 hour/strong light
25 hours/weak light
- Average Life: 30.000 Hrs




BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration: 1 hour/strong light
4 hours/weak light




	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005

Power	1 W	3 W	5 W
Luminous Flux	70 lm	120 lm	210 lm
Battery	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (mm)	A: 51 B: 200	A: 65 B: 220	A: 85 B: 240




PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light




	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003

Power	0.5 W	1 W	3 W
Luminous Flux	30 lm	73 lm	120 lm
Battery	4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (mm)	A: 65 B: 220	A: 51 B: 155	A: 65 B: 170




MARADONA

■ 220-240V / 50-60Hz
■ Average Life: 30.000 Hrs



MARADONA-2
084-003-0002


Power	:	5 W
Luminous Flux	:	350 lm
Battery	:	4V 6Ah Sealed-Acid
Duration Time	:	4 hours/strong light 16 hours/weak light



OFF-1-2

PUSKAS


■ 220-240V / 50-60Hz
■ Average Life: 30.000 Hrs



PUSKAS-2
084-005-0002

PUSKAS-3
084-005-0003



Power	:	0.5 W	0.9 W
Luminous Flux	:	25 lm	45 lm
Battery	:	4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	:	4 Hours	5 Hours
Sizes (mm)	:	A: 75 B: 195	A: 100 B: 210



ON-OFF

BECKHAM

■ 220-240V / 50-60Hz
■ Average Life: 30.000 Hrs



BECKHAM-1
084-007-0001

BECKHAM-3
084-007-0003

BECKHAM-4
084-007-0004


Power	:	1 W (Power LED)	3 W (Power LED)	0.9 W (LED)
Luminous Flux	:	7000-9000K	7000-9000K	9000-15000K
Battery	:	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid	4V 900mAh Sealed-Acid
Duration Time	:	1 Hr (for strong light) 4 Hrs (for weak light)	1 Hr (for strong light) 4 Hrs (for weak light)	4 Hrs (for strong light) 16 Hrs (for weak light)
Beam Distance	:	20m	30m	20m
Size (mm)	:	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96	A: 85 B: 92 C: 96




1-OFF-2

MESSI

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



- RECHARGEABLE
- EMERGENCY
- LANTERN




	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023

Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50

MALDINI

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003

Power	13 W	16 W
Luminous Flux	330 lm	410 lm
Battery	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	3 Hours	3 Hours
Size (mm)	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45



- EMERGENCY EXIT
- SAFETY EMERGENCY
- LANTERN



WENGER

- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 1 Hour Step 2: 2 Hours
- Average Life: 30.000 Hrs

084 025 0012

- RECHARGEABLE
- EMERGENCY
- LANTERN




MÜLLER

084 018 0001

- RECHARGEABLE
- LED LAMP
- E27

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated
- Average Life: 30.000 Hrs




ZOFF

084 019 0001


- EXIT & SAFETY LAMP
- LED LAMP

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes



ROBSON

084 020 0002



- EMERGENCY
- EXIT & SAFETY
- LED LAMP

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes




Light Control Photosensor

FLASH

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)




LIGHT CONTROL PHOTOSENSOR / SENSOR



TUCSON

088 001 0009


- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s



MEGANE

088 001 0008


- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec + 3 sec Max. 7 min + 2 min
- Ambient Light: <3 - 2000LUX (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s



CORONA

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 1m Max. (<24°C)
- Time-delay: 5 sec - 10+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




WHITE

BLACK

LINEA

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (<24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



WHITE


BLACK

086 001 0001

LORD

Specification

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0002

SOLID

Specification

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0006

SOLO

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0004

ALBA

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0003

HELIX

Specification

- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm
- USB Cable Included




086 001 0005

VIOLA

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




CONTROLLER


Wireless Lighting Controller Switch



- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp: 1000W
- Energy saving lamp/LED: 300W
- Working voltage: 12V(A23 alkaline battery)






CONTROLLER-1
105-001-0001
1 Channel



CONTROLLER-2
105-001-0002
2 Channels






CONTROLLER-3
105-001-0003
3 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001

Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

AXIS


113 001 0001

- Working Voltage: 250V-
- Power: Max.3680W
- Current: 16A
- Child Protection Shutter
- Working signal indicator
- USB O/P: DC 5V, Max 2.1A

PLUG IN SWITCH



**2 X USB
CHARGING
SOCKET**






Dimmer
Switch / Socket



HORIZON


112 006 0001

- 250V~
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)




ATOM

■ 250V~




112 100 0004

■ ONE WAY SWITCH (10A)




112 100 0007

■ TWO WAY SWITCH (10A)




112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)




112 100 0003

■ 1-GANG GROUNDED SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)




112 100 0005

■ 1-GANG GROUNDED SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)




DIMMER / SWITCH / SOCKET




EVA


■ 250V~




112 001 0001 ■ ONE WAY SWITCH (10A)




112 001 0003 ■ 2-GANG ONE WAY SWITCH (10A)




112 001 0002 ■ TWO WAY SWITCH (10A)




112 001 0004 ■ PUSH BUTTON (10A)




112 002 0001 ■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002 ■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001 ■ SOCKET (16A)



112 003 0002 ■ 2-GANG SOCKET (16A)



112 004 0001 ■ GROUNDED SOCKET (16A)




112 004 0002 ■ 2-GANG GROUNDED SOCKET (16A)





DIMMER / SWITCH / SOCKET

SAFE MCB Circuit Breaker



	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current (A)	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1Pole	1Pole	1Pole	1Pole	1Pole	1Pole	1Pole	1Pole	1Pole	1Pole	1Pole
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current (A)	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 52.5 B: 73 C: 80	A: 80.7 B: 73 C: 80	A: 80.7 B: 73 C: 80

CIRCUIT BREAKER




SAFE

RCCB Circuit Breaker



	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74




CIRCUIT BREAKER

SAFE

MCCB Circuit Breaker



	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86






Lamp Holder



094 004 0001


10 cm.

20 cm.




094 004 0002

15 cm.




094 001 0001


BAKELITE




094 001 0002



094 001 0003




094 001 0004




094 002 0001


PLASTIC




094 002 0002



094 002 0003




094 002 0004




094 003 0001


PORCELAIN




094 003 0002



094 003 0003



094 003 0004






HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / RG6 / UTP Cat5e / UTP Cat6


Starter S10



	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

- 220-240V / 50-60Hz
- 12V AC



	TRANSFORMER-60	TRANSFORMER-105	TRANSFORMER-150
	093-001-0060	093-001-0105	093-001-0150
Power :	60 W	105 W	150 W



HOROZ ELECTRIC

Starter / Transformer Adhesive Tape / Nail Cable Clip Cable Tie / RG6 / UTP Cat5e UTP Cat6



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



10 YARDS

20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6



COAXIAL CABLE
100m ROLL




6,8 PVC	64x0,12	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	---------	-----------------	---------	----------

UTP

NETWORK CABLE
305m ROLL






UTP Cat5e



UTP Cat6

STARTER / TRANSFORMER / ADHESIVE TAPE / NAIL CABLE CLIP / CABLE TIE / RG6 / UTP CAT5E / UTP CAT6

WIRE SPRING



	WIRE SPRING-2/15 106-002-0015	WIRE SPRING-2/25 106-002-0025	WIRE SPRING-2/6 106-002-0060	WIRE SPRING-3/15 106-003-0015	WIRE SPRING-3/25 106-003-0025	WIRE SPRING-3/6 106-003-0060
Pole	2 Pole	2 Pole	2 Pole	3 Pole	3 Pole	3 Pole
Cable Diameter	0,2-1,5 mm ²	0,5-2,5 mm ²	1,5-6,0 mm ²	0,2-1,5 mm ²	0,5-2,5 mm ²	1,5-6,0 mm ²
Current / Voltage	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

WIRE SPRING CONNECTOR / TERMINAL BLOCK / COMPACT CONNECTOR




Wire Spring Connector
Terminal Block
Compact Connector



TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²




CONNECTOR

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG



	CONNECTOR-2 103-001-0002	CONNECTOR-3 103-001-0003	CONNECTOR-5 103-001-0005
Pole	2 Pole	3 Pole	5 Pole



CABLE REEL




Cable Reel



REEL

- 230V~/50-60Hz
- Max. 3000W
- Max. 13.04A
- 3x1.5 mm²
- 4 Sockets
- Overload Protection



	REEL-15 104-006-0015	REEL-25 104-006-0025	REEL-50 104-006-0050	EMPTY-25 104-007-0025
Cable Length	15 Meters	25 Meters	50 Meters	Max. 25 Meters
Sizes (mm)	A: 200 B: 260 C: 150	A: 215 B: 314 C: 170	A: 265 B: 345 C: 210	A: 230 B: 310 C: 195



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozukraine



 **Kaçmaz**Group

www.horozelectric.com.ua