



HOROZ[®]

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



2020

www.horozelectric.com.ua



www.horozelectric.com.ua



HOROZ ELECTRIC

2020 Contents

CATALOGUE

Experience in Lighting

ADHESIVE TAPE _____	135	LED SOLAR LAMP _____	110
ALUMINIUM BULKHEAD LAMP _____	97	LED SPOTLIGHT _____	39
CABLE REEL _____	136	LED STREET LIGHT _____	94
CABLE TIE _____	135	LED STRIP _____	115
CEILING LAMP _____	68	LED SURFACE LIGHT _____	33
CIRCUIT BREAKER _____	132	LED SUSPENSION LIGHT _____	41
COMPACT CONNECTOR _____	136	LED TORCH _____	123
NEW CONTACTOR _____	131	LED TRACK LIGHT _____	35
DECORATIVE CEILING LAMP _____	64	LED TUBE _____	11
DESK LAMP _____	76	LED TUBE FIXTURE _____	83
DIMMER _____	128	LED WALL LIGHT _____	60
DOORBELL _____	126	LED WALLWASHER _____	96
DOWNLIGHT FITTING _____	21	LED WATERPROOF LAMP _____	82
DRYWALL KIT APPARATUS _____	32	LIGHT CONTROL PHOTODIODE _____	124
ELECTRONIC WALL LAMP _____	81	LIGHTING TRACK _____	40
EMERGENCY LED LANTERN _____	121	MERCURY LAMP _____	20
ENERGY SAVING LAMP _____	17	METAL HALIDE LAMP _____	20
FLOOR LAMP _____	78	MODULE LED AND APPARATUS _____	89
FLUORESCENT TUBE _____	17	NEW MOTOR PROTECTOR _____	130
FRAME _____	32	NEW MOTOR PROTECTOR BOX _____	130
GARDEN LAMP _____	98	NAIL CABLE CLIP _____	135
HALOGEN LAMP _____	18	PENDANT LAMP _____	56
INCANDESCENT LAMP _____	19	PLUG IN SWITCH _____	127
INGROUND & RECESSED TYPE LED LAMP _____	112	PROJECTOR STAND _____	93
NEW IP 68 CONNECTOR _____	136	RECESSED MONOPOINT _____	40
LAMP HOLDER _____	134	RECHARGEABLE LED SOLAR CAMPING LIGHT _____	122
LED BATTEN LIGHT _____	80	REFLECTOR LAMP _____	19
LED BULB _____	4	RG6 _____	135
LED BULKHEAD LAMP _____	97	RGB AMPLIFIER _____	120
LED CANOPY LIGHT _____	96	RGB CONTROLLER _____	120
LED CAPSULE _____	8	NEW RGB RF CONTROLLER _____	117
LED CEILING LAMP _____	65	SENSOR _____	124
LED CHRISTMAS LIGHT & DRIVERS _____	120	SOCKET _____	128
LED DECORATIVE CEILING LAMP _____	62	SOCKET SET _____	117
LED DESK LAMP _____	74	NEW SPOT LIGHT _____	39
LED DOWNLIGHT _____	23	STARTER _____	135
LED DRIVER _____	118	STRING LIGHT _____	55
LED EMERGENCY EXIT LAMP _____	122	NEW SURFACE LIGHT _____	34
LED FLOOR LAMP _____	78	SWITCH _____	128
LED GARDEN LAMP _____	103	TERMINAL BLOCK _____	136
LED HEADLIGHT _____	123	NEW THERMAL RELAY _____	131
LED HIGH BAY LAMP _____	85	TIMER _____	127
LED LINEAR HIGH BAY LAMP _____	84	TRACK CONNECTOR _____	40
LED NIGHT LAMP _____	79	NEW TRACK LIGHT _____	38
LED PANEL _____	31	TRANSFORMER _____	135
LED PENDANT LAMP _____	55	UTP CAT5E _____	135
LED PICTURE & MIRROR LAMP _____	71	UTP CAT6 _____	135
LED PROJECTOR _____	86	WIRE SPRING CONNECTOR _____	136
LED READING LAMP _____	73	WIRELESS LIGHTING CONTROLLER SWITCH _____	127

CONTENTS



135

ADHESIVE TAPE



97

ALUMINIUM BULKHEAD LAMP



136

CABLE REEL



135

CABLE TIE



68

CEILING LAMP



132

CIRCUIT BREAKER



136

COMPACT CONNECTOR



NEW

131

CONTACTOR



64

DECORATIVE CEILING LAMP



76

DESK LAMP



128

DIMMER




126

DOORBELL



21

DOWNLIGHT FITTING



32

DRYWALL KIT APPARATUS



81

ELECTRONIC WALL LAMP



121

EMERGENCY LED LANTERN



17

ENERGY SAVING LAMP



78

FLOOR LAMP



17

FLUORESCENT TUBE



32

FRAME



98

GARDEN LAMP



18

HALOGEN LAMP



19

INCANDESCENT LAMP



112

INGROUND&RECESSED TYPE LED LAMP



NEW

136

IP 68 CONNECTOR



134

LAMP HOLDER



80

LED BATTEN LIGHT



4

LED BULB



97

LED BULKHEAD LAMP



96

LED CANOPY LIGHT



8

LED CAPSULE



65

LED CEILING LAMP



120

LED CHRISTMAS LIGHT&DRIVERS



62

LED DECORATIVE CEILING LAMP



74

LED DESK LAMP



23

LED DOWNLIGHT




118

LED DRIVER



122

LED EMERGENCY EXIT LAMP



78

LED FLOOR LAMP



102

LED GARDEN LAMP



123

LED HEADLIGHT



85

LED HIGH BAY LAMP



84

LED LINEAR HIGH BAY LAMP



79

LED NIGHT LAMP



31

LED PANEL



55

LED PENDANT LAMP



71

















































LED PICTURE&MIRROR LAMP



86

LED PROJECTOR

Experience in Lighting



 73 LED READING LAMP	 110 LED SOLAR LAMP	 39 LED SPOTLIGHT	 94 LED STREET LIGHT	 115 LED STRIP	 33 LED SURFACE LIGHT
 41 LED SUSPENSION LIGHT	 123 LED TORCH	 35 LED TRACK LIGHT	 11 LED TUBE	 83 LED TUBE FIXTURE	 60 LED WALL LIGHT
 96 LED WALLWASHER	 82 LED WATERPROOF LAMP	 124 LIGHT CONTROL PHOTOSENSOR	 40 LIGHTING TRACK	 20 MERCURY LAMP	 20 METAL HALIDE LAMP
 89 MODULE LED AND APPARATUS	NEW  130 MOTOR PROTECTOR & BOX	 135 NAIL CABLE CLIP	 56 PENDANT LAMP	 127 PLUG IN SWITCH	 93 PROJECTOR STAND
 40 RECESSED MONOPOINT	 122 RECH. LED SOLAR CAMPING LIGHT	 19 REFLECTOR LAMP	 135 RG6	 120 RGB AMPLIFIER	 120 RGB CONTROLLER
NEW  117 RGB RF CONTROLLER	 124 SENSOR	 128 SOCKET	 117 SOCKET SET	NEW  39 SPOT LIGHT	 135 STARTER
 55 STRING LIGHT	NEW  34 SURFACE LIGHT	 128 SWITCH	 136 TERMINAL BLOCK	NEW  131 THERMAL RELAY	 127 TIMER
 40 TRACK CONNECTOR	NEW  38 TRACK LIGHT	 135 TRANSFORMER	 135 UTP CAT5E-UTP CAT6	 136 WIRE SPRING CONNECTOR	 127 WR. LIGHTING CONT. SWITCH

CONTENTS



PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
Code	001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018
Power	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	500 lm	850 lm	1000 lm	1050 lm	1400 lm	1600 lm
Sizes (mm)	A: 50 B: 89	A: 60 B: 108	A: 60 B: 112	A: 60 B: 118	A: 70 B: 138	A: 80 B: 148



LED BULB / LED CAPSULE / LED TUBE



LED Bulb
LED Capsule
LED Tube



3 6 0


INFINITY

001 018 0008

- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 600 Lm
- 3000K / 4200K / 6400K



360°



D I M M A B L E


EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K




DIMMABLE





DURAMAX-12

001 055 0012




- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1080 lm
- 6400K
- 3,7V 2200mAh Li-Ion Battery
- Emergency Work: 4.5W - 500 lm


Rechargeable
Emergency
LED
Bulb



Emergency Lighting
Duration: 3 Hours



FONIX



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008

Power	: 4 W	6 W	8 W
Luminous Flux	: 250 lm	390 lm	610 lm



PLUS



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PLUS-4	PLUS-6	PLUS-8	PLUS-10
	001-002-0004	001-002-0006	001-002-0008	001-002-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	390 lm	610 lm	800 lm



NEW
PRODUCT



D I M M A B L E

VISION-6

001 022 0006



DIMMABLE



CONVEX-8

001 064 0008

NEW
PRODUCT




- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 740 lm
- 3000K / 4200K / 6400K



ULTRA

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




ULTRA-4	ULTRA-6	ULTRA-8	ULTRA-10
001-003-0004	001-003-0006	001-003-0008	001-003-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 100	A: 37 B: 100	A: 37 B: 110	A: 37 B: 110



CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




CRAFT-4	CRAFT-6	CRAFT-8	CRAFT-10
001-004-0004	001-004-0006	001-004-0008	001-004-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 125	A: 37 B: 125	A: 37 B: 135	A: 37 B: 135



ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




ELITE-4	ELITE-6	ELITE-8	ELITE-10
001-005-0004	001-005-0006	001-005-0008	001-005-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	480 lm	800 lm	1000 lm
Lamp Holder	: E14 / E27	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	: A: 45 B: 78	A: 45 B: 78	A: 45 B: 88	A: 45 B: 88



REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K



REFLED-4	REFLED-6	REFLED-10	REFLED-12
001-039-0004	001-040-0006	001-041-0010	001-042-0012


Power	: 4 W	6 W	10 W	12 W
Luminous Flux	: 210 lm	480 lm	720 lm	1000 lm
Lamp Holder	: E14	E14	E27	E27
Sizes	: A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115






TORCH

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	E27	E27	E27	E27	E27	E27 / E40
Luminous Flux	1650 lm	2400 lm	3150 lm	4000 lm	8000 lm	10000 lm
Sizes (mm)	A: 80 B: 140	A: 100 B: 171	A: 117 B: 198	A: 137 B: 229	A: 139 B: 215	A: 160 B: 265 (E27) A: 160 B: 280 (E40)




UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	30 W	50 W	70 W
Luminous Flux	3000 lm	5000 lm	7000 lm
Sizes (mm)	A: 130 B: 115	A: 150 B: 135	A: 170 B: 150



GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	16 W	20 W
Luminous Flux	1400 lm	1650 lm
Sizes (mm)	A: 95 B: 136.5	A: 120 B: 161

UFO-15

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 4200K


001 044 0015






PETA

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10
	001-045-0004	001-045-0006	001-045-0008	001-045-0010
Power	4 W	6 W	8 W	10 W
Luminous Flux	330 lm	480 lm	680 lm	800 lm
Sizes (mm)	A: 15 B: 49	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 4200K / 6400K




	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60




MEGA

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 6400K




	MEGA-3	MEGA-5
	001-011-0003	001-011-0005
Power	3 W	5 W
Luminous Flux	180 lm	230 lm
Sizes (mm)	A: 14 B: 50	A: 15 B: 59



EXA-3

001 047 0003



- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 300 lm
- 2700K / 4200K / 6400K



D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25,000 Hrs
- 2700K / 6400K




	NANO-2	NANO-3
	001-008-0002	001-008-0003
Power	1,5 W	3 W
Luminous Flux	105 lm	210 lm






CORN

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs




CORN-4	CORN-7
001-062-0004	001-062-0007

Power	: 4 W	7 W
Luminous Flux	: 360 lm	760 lm
Color Temperature	: 2700K/4200K/6400K	6400K
Sizes (mm)	: A: 30 B: 95	A: 35 B: 135



MICRO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



MICRO-2	MICRO-3
001-010-0002	001-010-0003


Power	: 1.5 W	3 W
Luminous Flux	: 90 lm	150 lm
Sizes (mm)	: A: 10 B: 35	A: 12 B: 36



MINI

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

001 009 0002



MIDI

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K

001 012 0002



TERA-2

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K



001 024 0002



D I M M A B L E

PIKO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



PIKO-2	PIKO-3
001-007-0002	001-007-0003

Power	: 1.5 W	3 W
Luminous Flux	: 105 lm	210 lm

GIGA-4

001 046 0004

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K






FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005




3 Modes



Flame Mode

General Lighting Mode

Breathing Mode



PINE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs


001 059 0002



RAINBOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0001



105 lm



34 lm



68 lm



12 lm



120 lm



SPECTRA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0003



315 lm



102 lm



205 lm



38 lm



250 lm






TRIO-R

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3200 lm
- 6400K

001 065 0036




NEW PRODUCT



Rotatable

FOLDABLE





DAISY



- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 061 0040

NEW PRODUCT



FOLDABLE



LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



GLASS COVER



	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	9 W	18 W	24 W
Luminous Flux	750 lm	1450 lm	2400 lm
Length (mm)	L: 600	L: 1200	L: 1500




LED BULB / LED CAPSULE / LED TUBE



TOLEDO

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs





TOLEDO
001-049-0008

Power	:	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)

GINZA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs





GINZA	GINZA-XL
001-050-0008	001-050-0008

Power	:	8 W	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	:	A: 180 B: 190	A: 230 B: 200

ENIGMA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



ENIGMA	ENIGMA-XL
001-051-0008	001-051-0008



Power	:	8 W	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	:	A: 120 B: 225	A: 185 B: 345



PARADOX

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

PARADOX-XL






PARADOX	PARADOX-XL
001-052-0008	001-052-0008

Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 120 B: 270	: A: 188 B: 400

ORIGAMI

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ORIGAMI-XL





ORIGAMI	ORIGAMI-XL
001-053-0008	001-053-0008

Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 120 B: 270	: A: 180 B: 400

ELLIPTIC

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ELLIPTIC-XL



ELLIPTIC	ELLIPTIC-XL
001-054-0008	001-054-0008

Power	: 8 W	: 8 W
Luminous Flux	: 620 lm (Amber) / 250 lm (Titanium)	: 620 lm (Amber) / 250 lm (Titanium)
Color Temperature	: 2200K (Amber) / 2400K (Titanium)	: 2200K (Amber) / 2400K (Titanium)
Sizes (mm)	: A: 95 B: 340	: A: 115 B: 460



RUSTIC GLOBE-6

001 030 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



RUSTIC STAR - 6

001 031 0006


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



RUSTIC HEART - 6

001 032 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



RUSTIC PYRAMID-6

001 035 0006


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



RUSTIC MERIDIAN-6

001 037 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



RUSTIC VINTAGE-6

001 029 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K




LED BULB / LED CAPSULE / LED TUBE



RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K




FLAMENT LED	RUSTICTUBE - 6	RUSTICTUBE - 8
	001-033-0006	001-033-0008

Power	:	6 W	8 W
Luminous Flux	:	540 lm	720 lm
Sizes (mm)	:	A: 30 B: 185	A: 30 B: 235




RUSTIC DIAMOND

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K




FLAMENT LED	RUSTIC DIAMOND - 4	RUSTIC DIAMOND - 6
	001-034-0004	001-034-0006

Power	:	4 W	6 W
Luminous Flux	:	360 lm	540 lm
Sizes (mm)	:	A: 95 B: 128	A: 120 B: 155



RUSTIC CRYSTAL

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K




FLAMENT LED	RUSTIC CRYSTAL - 4	RUSTIC CRYSTAL - 6
	001-036-0004	001-036-0006

Power	:	4 W	6 W
Luminous Flux	:	360 lm	540 lm
Sizes (mm)	:	A: 95 B: 120	A: 125 B: 160




RUSTIC TWIST

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



FLAMENT LED	RUSTIC TWIST - 4	RUSTIC TWIST - 6
	001-038-0004	001-038-0006

Power	:	4 W	6 W
Luminous Flux	:	360 lm	540 lm
Sizes (mm)	:	A: 95 B: 120	A: 125 B: 160




LED BULB / LED CAPSULE / LED TUBE




FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT CANDLE-2	FILAMENT CANDLE-4	FILAMENT CANDLE-6
001-013-0002	001-013-0004	001-013-0006


Power	: 2 W	4 W	6 W
Luminous Flux	: 160 lm	420 lm	700 lm



E14


FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT FLAME-2	FILAMENT FLAME-4	FILAMENT FLAME-6
001-014-0002	001-014-0004	001-014-0006


Power	: 2 W	4 W	6 W
Luminous Flux	: 160 lm	450 lm	700 lm



E14


FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10
001-015-0004	001-015-0006	001-015-0008	001-015-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 420 lm	650 lm	850 lm	1200 lm
Sizes (mm)	: A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112




E27

LED BULB / LED CAPSULE / LED TUBE



- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5



TUBE-5	TUBE-5	TUBE-5	TUBE-5	TUBE-5
004-001-0006	004-001-0008	004-001-0003	004-001-0021	004-001-0028

Power :	6 W	8 W	13 W	21 W	28 W
Luminous Flux :	280-310 lm	400-430 lm	1045-1140 lm	1660-1850 lm	2350-2470 lm
Length (mm) :	L: 230	L: 300	L: 530	L: 860	L: 1160



TUBE-8



TUBE-8	TUBE-8	TUBE-8	TUBE-8
004-003-0010	004-003-0015	004-003-0018	004-003-0036

Power :	10 W	15 W	18 W	36 W
Luminous Flux :	280-310 lm	560-630 lm	960-1150 lm	2400-2760 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200



Fluorescent Tube Energy Saving Lamp



THREE-U

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



THREE-U/18	THREE-U/23
003-003-0018	003-003-0023

Power :	18 W	23 W
Color Temp. :	2700K / 6400K	2700K / 6400K
Luminous Flux :	910 lm / 890 lm	1090 lm / 1090 lm
Lamp Holder :	E27	E27
Sizes (mm) :	A: 48 B: 151	A: 48 B: 161




FULL

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



FULL-9	FULL-12	FULL-15	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
003-001-0009	003-001-0012	003-001-0015	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105

Power :	9 W	12 W	15 W	35 W	45 W	65 W	85 W	105 W
Color Temp. :	2700K / 6400K	6400K	2700K / 6400K	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	420 lm / 500 lm	540 lm	770 lm / 750 lm	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E14	E14	E14	E27	E27	E27	E27	E27
Tube Diameter :	T3	T3	T3	T4	T4	T5	T5	T6
Sizes (mm) :	A: 37 B: 108	A: 45 B: 107	A: 45 B: 128	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174



HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



HALF-9	HALF-12	HALF-15	HALF-20	HALF-26
003-002-0009	003-002-0012	003-002-0015	003-002-0020	003-002-0026

Power :	9 W	12 W	15 W	20 W	26 W
Color Temp. :	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K / 6400K
Luminous Flux :	410 lm / 400 lm	550 lm / 540 lm	770 lm / 750 lm	1040 lm / 1020 lm	1380 lm / 1370 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 134	A: 52 B: 146






■ Average Life: 2.000 Hrs




	GU10 CLOSED	JCDR OPEN	JCDR CLOSED	MR16 CLOSED
	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	12V AC
Power	50 W	50 W	50 W	20 W / 50 W
Luminous Flux	340 lm	650 lm	550 lm	200 lm / 600 lm
Lamp Holder	GU10	GU5.3	GU5.3	GU5.3




■ Average Life: 2.000 Hrs

	JC G4	JC G4 WHITE
	12V AC	12V AC
Power	20 W	20 W
Luminous Flux	250 lm	120 lm



■ Average Life: 2.000 Hrs


	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	25 W / 40W	25 W / 40W	25 W / 40W
Luminous Flux	270 lm / 420 lm	100 lm / 220 lm	220 lm / 500 lm



■ Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	150W	300 W / 500W	1000W
Luminous Flux	1600 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189






Reflector Lamp Incandescent Lamp




R

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



	R39	R50-40	R50-60	R63-60	R80-60	R80-75	R80-100
	007-001-0030	007-002-0040	007-002-0060	007-003-0060	007-004-0060	007-004-0075	007-004-0100
Power	30 W	40 W	60 W	60 W	60 W	75 W	100 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm	380 lm	580 lm	900 lm
Lamp Holder	E14	E14	E14	E27	E27	E27	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95	A: 80 B: 105	A: 80 B: 105	A: 80 B: 105


CANDLE



- 220-240V
50-60Hz
 - Average Life: 1000 Hrs
-

	CANDLE SOFT-40	CANDLE SOFT-60	CANDLE FROSTED-40	CANDLE FROSTED-60	CANDLE CLEAR-40	CANDLE CLEAR-60	CANDLE SOFT-40	CANDLE SOFT-60	CANDLE FROSTED-40
	006-005-0040	006-005-0060	006-004-0040	006-004-0060	006-003-0040	006-003-0060	006-009-0040	006-009-0060	006-008-0040
Power	40 W	60 W	40 W	60 W	40 W	60 W	40 W	60 W	40 W
Luminous Flux	240 lm	400 lm	240 lm	460 lm	280 lm	480 lm	240 lm	400 lm	240 lm
Lamp Holder	E14	E14	E14	E14	E14	E14	E27	E27	E27

FLAME



	FLAME FROSTED-40	FLAME FROSTED-60	FLAME CLEAR-40	FLAME CLEAR-60
	006-002-0040	006-002-0060	006-001-0040	006-001-0060

Power	40 W	60 W	40 W	60 W
Luminous Flux	240 lm	400 lm	280 lm	480 lm
Lamp Holder	E14	E14	E14	E14


SCREW



	SCREW FROSTED-40	SCREW FROSTED-60	SCREW CLEAR-40
	006-006-0040	006-006-0060	006-007-0040

Power	40 W	60 W	40 W
Luminous Flux	240 lm	400 lm	280 lm
Lamp Holder	E14	E14	E14

GLOBE



	GLOBE FROSTED-40	GLOBE FROSTED-60	GLOBE SOFT-40	GLOBE SOFT-60	GLOBE SOFT-40	GLOBE SOFT-60
	006-011-0040	006-011-0060	006-010-0040	006-010-0060	006-012-0040	006-012-0060

Power	40 W	60 W	40 W	60 W	40 W	60 W
Luminous Flux	240 lm	400 lm	240 lm	400 lm	240 lm	400 lm
Lamp Holder	E14	E14	E14	E14	E27	E27

MUSHROOM



	MUSHROOM FROSTED	MUSHROOM SOFT
	006-014-0060	006-015-0060

Power	60 W	60 W
Luminous Flux	400 lm	400 lm
Lamp Holder	E27	E27

REFLECTOR LAMP / INCANDESCENT LAMP

**HOROZ ELECTRIC**

Mercury Lamp / Metal Halide Lamp


PLANET

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 4400K




Use Without Ballast

	PLANET-125 008-002-0125	PLANET-160 008-002-0160	PLANET-250 008-002-0250
Power	125 W	160 W	250 W
Luminous Flux	2560 lm	2560 lm	4900 lm
Lamp Holder	E27	E27	E40
Sizes (mm)	A: 70 B: 150	A: 70 B: 155	A: 90 B: 230




KRIPTON

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 5500K



Use With Ballast

	KRIPTON-125 008-001-0125	KRIPTON-250 008-001-0250	KRIPTON-400 008-001-0400
Power	125 W	250 W	400 W
Luminous Flux	4990 lm	11025 lm	21000 lm
Lamp Holder	E27	E40	E40
Sizes (mm)	A: 70 B: 150	A: 90 B: 230	A: 110 B: 260



MERCURY LAMP / METAL HALIDE LAMP

**HOROZ ELECTRIC**

Mercury Lamp Metal Halide Lamp




NEXUS

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



Use With Ballast


	NEXUS-250 009-002-0250	NEXUS-400 009-002-0400
Power	250 W	400 W
Luminous Flux	21000 lm (WHITE)	35.000-38.000 lm (WHITE) 8.000-10.000 lm (BLUE) 28.000-31.000 lm (GREEN) 20.000-23.000 lm (RED)
Sizes (mm)	A: 43 B: 255	A: 43 B: 285




MERKÜR

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 11000 lm
- 4000K

009 001 0150



Use With Ballast



KAMELYA


■ Lamp holder not included

015 025 0050



NEW PRODUCT

- CHROME
- MAT CHROME
- BLACK
- WHITE
- GOLDEN



LAVANTA


■ Lamp holder not included

015 024 0050



NEW PRODUCT

- CHROME
- MAT CHROME
- BLACK
- WHITE
- GOLDEN



KARANFİL

■ Lamp holder not included




KARANFİL-R

015-022-0050



KARANFİL-S

015-023-0050



- WHITE
- MR16
- Max 50 W


SARDUNYA

■ Lamp holder not included



SARDUNYA-R

015-017-0050



SARDUNYA-S

015-018-0050




- WHITE
- MR16
- Max 50 W




ORKİDE

015 007 0050



MENEKŞE

015 008 0050



- CHROME
- MAT CHROME
- GOLDEN
- WHITE

■ 220-240V / 50-60Hz
■ Max. 50W





- 220-240V / 50-60Hz
- Max. 50W



- CHROME
- GOLDEN

- CHROME
- MAT CHROME
- ANTIQUÉ GREEN

- CHROME
- MAT CHROME
- ANTIQUÉ RED COPPER
- ANTIQUÉ GREEN







- CHROME
- MAT CHROME
- GOLDEN
- ANTIQUÉ RED COPPER
- TITANIUM BLACK/GOLDEN

- ANTIQUÉ GREEN
- ANTIQUÉ RED COPPER

- GOLDEN

AÇELYA BEGONYA PAPATYA YONCA LEYLAK ORTANCA

015 009 0050 015 012 0050 015 016 0050 015 015 0050 015 013 0050 015 010 0050



DOWNLIGHT FITTING






- 220-240V / 50-60Hz
- Max. 20W

- YELLOW
- CLEAR
- BLUE
- BROWN
- PURPLE



NİLÜFER NERGİS GONCA FULYA YASEMİN

015 001 0020 015 002 0020 015 003 0020 015 004 0020 015 005 0020





LED Downlight




NADIA

016 027 0001

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K




MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K




MIRANDA

016 004 0003

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 260 lm
- 4200K



SILVIA

016 039 0001


LAURA

016 038 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K



LISA



016 031 0003

JULIA

016 032 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K





BELLA

016 042 0003

CHROME

WHITE

MAT CHROME

BLACK

ROSE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K




BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K



RITA

016 037 0003

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K




ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K



LUNA

016 041 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available



SARA

016 005 0003

MAT CHROME



WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 200 lm (2700K)
- 220 lm (6500K)



DIANA

016 006 0003






- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




NORA

MAYA

WHITE



NEW PRODUCT



	NORA-5	NORA-7	MAYA-5	MAYA-7
	016-053-0005	016-053-0007	016-054-0005	016-054-0007
Power	5 W	7 W	5 W	7 W
Luminous Flux	400 lm	520 lm	400 lm	520 lm





- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 4200K / 6500K

MELISA

VICTORIA

MAT CHROME

WHITE



	MELISA-3	MELISA-5	VICTORIA-3	VICTORIA-5
	016-008-0003	016-008-0005	016-007-0003	016-007-0005
Power	3 W	5 W	3 W	5 W
Luminous Flux	230 lm	300 lm	230 lm	300 lm



GABRIEL



JESSICA

WHITE

016 029 0006

016 030 0006

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K




**VALERIA**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K





	VALERIA-5 016-040-0005	VALERIA-7 016-040-0007	VALERIA-9 016-040-0009
Power	5 W	7 W	9 W
Luminous Flux	400 lm	560 lm	720 lm
Cutting Diameter (mm)	Ø50	Ø70	Ø95
Sizes (mm)	A: 20 B: 62 C: 55	A: 20 B: 82 C: 55	A: 20 B: 102 C: 55

**WHITE****ADRIANA**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K





	ADRIANA-5 016-021-0005	ADRIANA-10 016-021-0010	ADRIANA-15 016-021-0015
Power	5 W	2x5 W	3x5 W
Luminous Flux	368 lm	2x368 lm	3x368 lm
Cutting Size (mm)	73x73	90x155	90x240
Sizes (mm)	A: 93 B: 44 C: 93	A: 175 B: 44 C: 93	A: 255 B: 44 C: 93

**WHITE****VERONICA**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K





	VERONICA-10 016-022-0010	VERONICA-20 016-022-0020	VERONICA-30 016-022-0030
Power	10 W	2x10 W	3x10 W
Luminous Flux	539 lm	2x539 lm	3x539 lm
Cutting Size (mm)	90x90	100x205	100x315
Sizes (mm)	A: 120 B: 80 C: 120	A: 230 B: 80 C: 120	A: 340 B: 80 C: 120

**WHITE****SABRINA**

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	SABRINA-8 016-023-0008	SABRINA-16 016-023-0016	SABRINA-24 016-023-0024	SABRINA-32 016-023-0032
Power	8 W	2x8 W	3x8 W	4x8 W
Luminous Flux	371 lm	2x371 lm	3x371 lm	4x371 lm
Cutting Size (mm)	90x90	81x170	81x255	170x170
Sizes (mm)	A: 100 B: 67 C: 100	A: 185 B: 67 C: 100	A: 270 B: 67 C: 100	A: 185 B: 67 C: 185

**WHITE**




LED DOWNLIGHT


ALEXA

- 200-265V / 50-60Hz
- Average Life: 70,000 Hrs
- 3000K/4200K/7000K

WHITE



	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power :	8 W	12 W	20 W	24 W	30 W
Luminous Flux :	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm) :	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230







LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




LED DOWNLIGHT


VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225





LED DOWNLIGHT

STELLA


- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



FRAMELESS




	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	8 W	16 W	20 W	30 W
Luminous Flux	455 lm	950 lm	1375 lm	2260 lm
Cutting Diameter (mm)	75	112	163	215
Sizes (mm)	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19





- 165-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K




CLARA



MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power :	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux :	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm) :	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm) :	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM


- 165-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE




	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297



SLIM/Sq


- 165-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE



	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	282x282
Sizes (mm) :	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:296






HOROZ ELECTRIC

LED Panel / Frame / Drywall Kit Apparatus

PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K


056 010 0045




BACKLIGHT PANEL



Inside of Product



WHITE



HOROZ ELECTRIC

LED Panel Frame Drywall Kit Apparatus




LED PANEL / FRAME / DRYWALL KIT APPARATUS

EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 5575 lm
- 4200K / 6400K


056 009 0080




BACKLIGHT PANEL



Inside of Product



SILVER







GALAKSI-45

056 002 0045

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K




STAR-50

056 001 0050


SILVER

- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K




MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




MOON-32	MOON-40
056-007-0032	056-007-0040

Power	: 32 W	40 W
Luminous Flux	: 2240 lm	2800 lm
Sizes (mm)	: A: 400 B: 400 C: 8	A: 500 B: 500 C: 8





ZODIAC

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K



ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power	: 24 W	36 W
Luminous Flux	: 1680 lm	2520 lm
Sizes (mm)	: A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8




FRAME

WHITE



FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005

Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45
-------------	---------------------	----------------------	---------------------	---------------------	---------------------



DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels





**LED Surface Light
Surface Light**




LED SURFACE LIGHT / SURFACE LIGHT


CAROLINE

- Average Life: 30.000 Hrs
- 3000K/4200K/6000K

WHITE



	CAROLINE-12	CAROLINE-18	CAROLINE-28	CAROLINE-32	CAROLINE-40	CAROLINE-48
	016-025-0012	016-025-0018	016-025-0028	016-025-0032	016-025-0040	016-025-0048
Power :	12 W	18 W	28 W	32 W	40 W	48 W
Luminous Flux :	840 lm	1300 lm	1960 lm	2240 lm	2800 lm	3360 lm
Volt :	165-260V/50-60Hz	165-260V/50-60Hz	165-260V/50-60Hz	185-264V/50-60Hz	185-264V/50-60Hz	185-264V/50-60Hz
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:400 B:40	A:500 B:40	A:600 B:40




ARINA

- 165-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K

WHITE



	ARINA-12	ARINA-18	ARINA-28
	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:159.5 B:28	A:211 B:28	A:283 B:28






SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL




WHITE

BLACK




	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux:	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL




WHITE

BLACK



	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux:	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200



LED SURFACE LIGHT / SURFACE LIGHT

FREZYA

- 220-240V / 50-60Hz
- Max. 50W




WHITE

BLACK




FREZYA-R

015-026-0050




FREZYA-S

015-027-0050



ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




WHITE

BLACK



ARIZONA-5	ARIZONA-10
018-027-0005	018-027-0010

Power	: 5 W	10 W
Luminous Flux	: 380 lm	650 lm
Beam Angle	: 52°	60°




LED Track Light



LED TRACK LIGHT

VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK



VARNA-20	VARNA-30	VARNA-36
018-026-0020	018-026-0030	018-026-0036

Power	: 20 W	30 W	36 W
Luminous Flux	: 1600 lm	2400 lm	2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180





BERN

018 017 0030

WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°




DUBLIN

018 018 0035

WHITE


BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°



Z O O M A B L E

MONACO



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°




WHITE

BLACK



	MONACO-15	MONACO-30
	018-019-0015	018-019-0030


Power	: 15 W	30 W
Luminous Flux	: 1125 lm	2250 lm
Sizes (mm)	: A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



Z O O M A B L E

PORTO

018 013 0007




- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 525 lm
- 4200K
- Beam Angle: 18°-70°



WHITE

BLACK

SILVER





OSLO

018 012 0010



- WHITE
- BLACK
- SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 900 lm
- 4200K
- Beam Angle: 2T




MADRID

2700K 4200K 6400K



- WHITE
- BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°




MADRID-23	MADRID-40
018-005-0023	018-005-0040

Power	: 23 W	40 W
Luminous Flux	: 1779 lm	2988 lm

LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




- WHITE
- BLACK




LYON-10	LYON-18	LYON-24
018-020-0010	018-020-0018	018-020-0024

Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	1170 lm	1560 lm
Sizes (mm)	: A: 81 B: 140 C: 102 D: 37 E: 68	A: 170 B: 162 C: 110 D: 61 E: 84	A: 200 B: 190 C: 140 D: 66 E: 89



MILANO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K




- WHITE
- BLACK
- SILVER



MILANO-5	MILANO-8	MILANO-13
018-008-0005	018-008-0008	018-008-0013

Power	: 5 W	8 W	13 W
Luminous Flux	: 334 lm	600 lm	987 lm
Beam Angle	: 55°	53°	73°
Sizes (mm)	: A: 40 B: 70 C: 128	A: 48 B: 95 C: 132	A: 60 B: 108 C: 145



BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

NEW PRODUCT



TRACK LIGHT

Track Light



DAKAR

115 001 0001

RABAT

115 002 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

NEW PRODUCT



LOZAN


116 001 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



SPOTLIGHT / LED SPOTLIGHT

Spotlight
LED Spotlight



BEYRUT


017 001 0005



WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 320 lm
- 4200K
- Beam Angle: 60°



TOKYO


017 002 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



LIGHTING TRACK

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001


1 m.

097 001 0002

2 m.

097 001 0003

3 m.



TRACK CONNECTOR

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001



L Connector

096-002-0002



T Connector

096-001-0004



X Connector

096-001-0003



RECESSED MONOPOINT


WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

098 001 0001



125



HOROZ ELECTRIC

LED Suspension Light

INNOVO-40

019 033 0040

30 mm width

INNOVA-40

019 034 0040

50 mm width

BLACK

WHITE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3200 lm
- 4000K

**NEW
PRODUCT**



HOROZ ELECTRIC

LED Suspension Light




LED SUSPENSION LIGHT






PRIME-45

019 029 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3500 lm
- 4000K



LED SUSPENSION LIGHT



OPTIMA-12

019 030 0012

OPTIMA-24


019 030 0024

OPTIMA-36

019 030 0036

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K




CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K





CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



LED SUSPENSION LIGHT


COSTA-35

019 015 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




MATRIX-35

019 013 0035

BLACK

WHITE


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K





PHOENIX

019 020 0038



CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K




LED SUSPENSION LIGHT



ELECTRA

019 021 0038



CHROME

RED COPPER



- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K





DELUXE

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 4000K



BLACK

WHITE

RED

BLUE




DELUXE-35

019-012-0035

DELUXE-70


019-012-0070

Power	: 35 W	70 W
Luminous Flux	: 2000 lm	3900 lm
Sizes (mm)	: A: 1200 B: 250 C: 420	A: 1200 B: 250 C: 580



CONCEPT

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 4000K



ROSE

CHROME

WHITE




CONCEPT-35

019-010-0035

CONCEPT-41

019-010-0041


Power	: 35 W	41 W
Luminous Flux	: 1000 lm	1500 lm
Sizes (mm)	: A: 200 B: 65 C:1200 D: 45 E: 461	A: 200 B: 65 C:1200 D: 45 E: 648



FAVORI

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 2500 lm
- 4000K


019 008 0062



CHROME

COPPER


BROWN






AVANGARD

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




WHITE

BLACK



AVANGARD-24	AVANGARD-40
019-005-0024	019-005-0040

Power	: 24 W	40 W
Luminous Flux	: 1680 lm	2800 lm
Sizes (mm)	: A: 82,36 B: 42 C: 230 D: 515	A: 98 B: 50 C: 280 D: 550




LED SUSPENSION LIGHT



ELEGANCE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




WHITE

BLACK



ELEGANCE-24	ELEGANCE-40
019-006-0024	019-006-0040


Power	: 24 W	40 W
Luminous Flux	: 1680 lm	2800 lm
Sizes (mm)	: A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 515	A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 550






TREND

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



BLACK

WHITE



	TREND-50	TREND-85
Power	50 W	85 W
Luminous Flux	800 lm	1400 lm
Sizes (mm)	A: 190 B: 95 C:550 D: 550	A: 270 B: 105 C:790 D: 790




LED SUSPENSION LIGHT




ASFOR

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



BLACK

WHITE



	ASFOR-50	ASFOR-85
Power	50 W	85 W
Luminous Flux	800 lm	1400 lm
Sizes (mm)	A: 160 B: 26 C: 1200 D: 95 E: 550 F: 550	A: 210 B: 26 C: 1200 D: 105 E: 790 F: 790



OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K

NEW
PRODUCT



GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K

NEW
PRODUCT



LED SUSPENSION LIGHT



CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K

NEW
PRODUCT




ORIENT

019 016 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K



LED SUSPENSION LIGHT


AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K




GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K





AVATAR

019 039 0033

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K

NEW PRODUCT




LED SUSPENSION LIGHT



AVIATOR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



NEW PRODUCT



	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056


Power	: 24 W	40 W	56 W
Luminous Flux	: 1680 lm	2800 lm	3920 lm






VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME

NEW
PRODUCT



	VOYAGER-12	VOYAGER-18	VOYAGER-24
	019-041-0012	019-041-0018	019-041-0024


Power	: 12 W	18 W	24 W
Luminous Flux	: 840 lm	1260 lm	1680 lm
Length (mm)	: L: 410	L: 565	L: 815



LED SUSPENSION LIGHT


ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME

NEW
PRODUCT



	ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
	019-040-0019	019-040-0025	019-040-0032	019-040-0038

Power	: 19 W	25 W	32 W	38 W
Luminous Flux	: 1330 lm	1750 lm	2240 lm	2660 lm
Diameter (mm)	: Ø: 300	Ø: 400	Ø: 500	Ø: 600




NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K





POLARIS

019 024 0046

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K




LED SUSPENSION LIGHT




TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



TORNADO-30

TORNADO-40

019-025-0030

019-025-0040

Power	:	30 W	40 W
Luminous Flux	:	2100 lm	2800 lm
Sizes (mm)	:	A: 800 B: 150 C: 400	A: 800 B: 200 C: 600






ETERNITY

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



ETERNITY-30	ETERNITY-40
019-022-0030	019-022-0040

Power	: 30 W	40 W
Luminous Flux	: 2100 lm	2800 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600





LED SUSPENSION LIGHT

QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



QUASAR-42	QUASAR-90
019-023-0042	019-023-0090



Power	: 42 W	90 W
Luminous Flux	: 2940 lm	6300 lm





NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



NIRVANA-24	NIRVANA-32	NIRVANA-40
019-027-0024	019-027-0032	019-027-0040

Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400





LED SUSPENSION LIGHT



PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



PANDORA-72	PANDORA-96
019-028-0072	019-028-0096

Power	: 72 W	96 W
Luminous Flux	: 5040 lm	6720 lm





HOROZ ELECTRIC

String Light / LED Pendant Lamp



String Light



STRING LIGHT / LED PENDANT LAMP


CARNAVAL

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included

LINKABLE



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm ²	2*1,5mm ²



LED Pendant Lamp



SEMBOL


020 006 0012



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 850 lm
- 4000K



EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 008 0001



GAUSS

021 009 0001



- RED COPPER
- GOLDEN
- PEARL BLACK
- OLD BRONZE
- CHROME

250V~/4A
Max. 60W



Pendant Lamp



VOLTA

021 001 0001



- BLACK
- WHITE
- BROWN
- BLUE
- RED
- GREY

250V~/4A
Max. 60W




NEWTON

021 010 0001



KEPLER

021 011 0001




MAXWELL

021 012 0001



NOBEL

021 013 0001



BLACK

250V~/4A
Max. 60W

FOLDABLE CASE



PENDANT LAMP




LASER

SPECTRUM

RADIAN

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 004 0001

021 004 0002

021 005 0001

021 005 0002

021 007 0001


021 007 0002

QUANTUM

COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 006 0001

021 006 0002

METEOR

COPPER


CHROME

- 240V~/4A
- Max. 60W
- Glass



021 014 0001

021 014 0002





PENDANT LAMP

DREAM

021 020 0001



SHARP

021 019 0001



RONDO

021 018 0001




AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



NEW PRODUCT



GLOBAL

021 021 0001



GLOBAL-X

021 021 0002



NEW PRODUCT

AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



AMPER

021 022 0001



COPPER

- 250V~/4A
- Max. 60W
- For Glass Pendant

NEW PRODUCT





ELEMENT-1

021 015 0001



AMBER



TITANIUM

ELEMENT-2

021 015 0002



CLEAR COPPER



CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass



SPARK-1

021 016 0001



AMBER



TITANIUM

SPARK-2

021 016 0002



AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001



AMBER



TITANIUM

HARMONY-2

021 017 0002



AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass




PENDANT LAMP



SİSAM

029 006 0008



TRUVA


029 007 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM) / 520 lm (TRUVA)
- Average Life: 30.000 Hrs



LED WALL LIGHT




LED Wall Light



ERDEK

029 001 0005



WHITE

RED

- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs




ABANT

029 005 0010



WHITE

- 85-265V / 50-60Hz
- 825 lm
- 4200K
- Average Life: 30.000 Hrs






RODOS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE



RODOS-3	RODOS-6	RODOS-12
029-004-0003	029-004-0006	029-004-0012


Power	: 3 W	6 W	12 W
Luminous Flux	: 170 lm	340 lm	950 lm
Sizes (mm)	: A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80



BELEN

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE



BELEN-6	BELEN-12	BELEN-18
029-003-0006	029-003-0012	029-003-0018

Power	: 6 W	12 W	18 W
Luminous Flux	: 340 lm	950 lm	1400 lm
Sizes (mm)	: A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95



LED WALL LIGHT





LED DECORATIVE CEILING LAMP



PIXEL



PIXEL-36	PIXEL-48
027-011-0036	027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

RADIUS



RADIUS-36	RADIUS-48
027-012-0036	027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

WHITE

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



ETERNAL



ETERNAL-36	ETERNAL-48
027-013-0036	027-013-0048


Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

DISCOVERY



DISCOVERY-36	DISCOVERY-48
027-014-0036	027-014-0048


Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85






ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE

NEW
PRODUCT




	ELECTRON-15	ELECTRON-24	ELECTRON-36
	027-010-0015	027-010-0024	027-010-0036
Power	15 W	24 W	36 W
Luminous Flux	911lm	1485 lm	2228 lm
Sizes (mm)	A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55




EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036
Power	15 W	24 W	36 W
Luminous Flux	1125 lm	1800 lm	2700 lm
Sizes (mm)	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60




SHARK-24

WHITE

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

027 001 0024




PHOTON-15

WHITE


- 120-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1086 lm
- 6400K

027 005 0015



PHANTOM

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




PHANTOM-36	PHANTOM-48
027-002-0036	027-002-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 410 B: 65	A: 510 B: 65



- WHITE
- BLUE
- PINK




LED DECORATIVE CEILING LAMP / DECORATIVE CEILING LAMP



GHOST

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




GHOST-36	GHOST-48
027-003-0036	027-003-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 400 B: 60	A: 490 B: 60



- WHITE
- BLUE
- PINK




Decorative Ceiling Lamp



SARAY

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME



	SARAY-1	SARAY-2	SARAY-3
	026-005-0001	026-005-0002	026-005-0003
Power	: Max. 40 W	Max. 60 W	Max. 2X60 W
Sizes (mm)	: A: 70 mm B: 180	A: 73 B: 235	A: 75 B: 285



HOROZ ELECTRIC

LED Ceiling Lamp / Ceiling Lamp

LİKYA

CHROME

- 220-240V / 50-60Hz
- 4000K



LİKYA-1



LİKYA-2



LİKYA-3



LİKYA-4




LİKYA-5



LİKYA-6



	LİKYA-1	LİKYA-2	LİKYA-3	LİKYA-4	LİKYA-5	LİKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	5W	2x5W	3x5W	4x5W	4x5W	6x5W
Luminous Flux	300 lm	2x300 lm	3x300 lm	4x300 lm	4x300 lm	6x300 lm



LED CEILING LAMP / CEILING LAMP



HOROZ ELECTRIC

LED Ceiling Lamp Ceiling Lamp




DiDIM

CHROME

220-240V / 50-60Hz
4000K



	DiDIM-1	DiDIM-2	DiDIM-3	DiDIM-4	DiDIM-5
	036-005-0001	036-005-0002	036-005-0003	036-005-0004	036-005-0005
Power	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm



LED CEILING LAMP / CEILING LAMP


MILAS

CHROME

220-240V / 50-60Hz
4000K



	MILAS-1	MILAS-2	MILAS-3	MILAS-4	MILAS-5
	036-004-0001	036-004-0002	036-004-0003	036-004-0004	036-004-0005
Power	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm





LARA

CHROME

220-240V / 50-60Hz
4000K



LARA-1



LARA-2



LARA-3




LARA-4



LARA-5



	LARA-1	LARA-2	LARA-3	LARA-4	LARA-5
	036-002-0001	036-002-0002	036-002-0003	036-002-0004	036-002-0005
Power	3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm



SIDE

CHROME

220-240V / 50-60Hz
4000K



SIDE-1



SIDE-2



SIDE-3




SIDE-4



SIDE-5



	SIDE-1	SIDE-2	SIDE-3	SIDE-4	SIDE-5
	036-003-0001	036-003-0002	036-003-0003	036-003-0004	036-003-0005
Power	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	3x325 lm	325 lm	2x325 lm	3x325 lm	4x325 lm





PATARA

CHROME

220-240V / 50-60Hz
4000K



PATARA-1



PATARA-2



PATARA-3




PATARA-4



PATARA-5



	PATARA-1	PATARA-2	PATARA-3	PATARA-4	PATARA-5
	036-001-0001	036-001-0002	036-001-0003	036-001-0004	036-001-0005
Power	3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm



LED CEILING LAMP / CEILING LAMP

EFES

CHROME

220-240V / 50-60Hz



EFES-1



EFES-2




EFES-3



EFES-4

	EFES-1	EFES-2	EFES-3	EFES-4
	035-006-0001	035-006-0002	035-006-0003	035-006-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W





KEMER

CHROME

220-240V / 50-60Hz



■ KEMER-1



■ KEMER-2



■ KEMER-5




■ KEMER-3



■ KEMER-4

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	---------	-----------	-----------	-----------	-----------



BERGAMA

CHROME

220-240V / 50-60Hz



■ BERGAMA-1



■ BERGAMA-2



■ BERGAMA-3




■ BERGAMA-4



■ BERGAMA-5

	BERGAMA-1	BERGAMA-2	BERGAMA-3	BERGAMA-4	BERGAMA-5
	035-002-0001	035-002-0002	035-002-0003	035-002-0004	035-002-0005

Power	Max.3x40W	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
-------	-----------	---------	-----------	-----------	-----------





MANAVGAT

CHROME

220-240V / 50-60Hz



MANAVGAT-1



MANAVGAT-2



MANAVGAT-5




MANAVGAT-3



MANAVGAT-4

	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



LED CEILING LAMP / CEILING LAMP

BODRUM

MAT CHROME

220-240V / 50-60Hz



BODRUM-1



BODRUM-2




BODRUM-3



BODRUM-4

	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W





HOROZ ELECTRIC

LED Picture & Mirror Lamp / LED Reading Lamp


TOYGAR-12

040 013 0012



CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



HOROZ ELECTRIC

LED Picture & Mirror Lamp LED Reading Lamp




SUMRU-12

040 011 0012



CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K



EBABİL-12

040 010 0012



CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K




LED PICTURE & MIRROR LAMP / LED READING LAMP



ANKA


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 400 B: 52 C: 185	A: 550 B: 52 C: 185




LED PICTURE & MIRROR LAMP / LED READING LAMP



KANARYA


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



KANARYA-8	KANARYA-12
040-012-0008	040-012-0012


Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 405 B: 120 C: 120	A: 555 B: 120 C: 120






FLAMİNGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



FLAMİNGO-4	FLAMİNGO-6
040-001-0004	040-001-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	A: 505 B: 52 C: 185




CHROME




ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



ALBATROS-4	ALBATROS-6
040-002-0004	040-002-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	A: 555 B: 55 C: 108





CHROME



LORI

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



LORI-6	LORI-9
040-008-0006	040-008-0009

Power	: 6 W / 12 LED	9 W / 18 LED
Luminous Flux	: 360 lm	540 lm
Sizes (mm)	: A: 300 B: 180 C: 210	A: 380 B: 180 C: 210



CHROME

KUĞU


040 006 0003

TURNA

040 007 0003


SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	: 3 W	6 W	9 W
Luminous Flux	: 214 lm	428 lm	640 lm



CHROME





ASTRO

049 026 0006

- WHITE
- YELLOW
- PINK

JUMBO

049 027 0006

- WHITE
- BLUE
- PINK

FELIX

049 028 0006




- WHITE
- BLUE
- PINK

SNOOPY

049 029 0006

- WHITE
- BLUE
- PINK

- 100-240V / 50-60Hz
- 6 W
- 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



LED DESK LAMP / DESK LAMP



EBRU

049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs



TOUCH



With Clips



İREM

049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



MERVE

049 009 0005

BLUE

YELLOW

PINK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



BUKET

049 005 0003

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



ECE

049 001 0003

ALEYNA

049 003 0003

BEYZA

049 002 0003

DİLARA



049 004 0003

RED

WHITE

BLACK

- 220-240V 50-60Hz
- 3W
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

BERNA

049 006 0003


BLACK

WHITE

BLUE

RED

- 220-240V / 50-60Hz
- 130lm
- 3000K
- Average Life: 30.000 Hrs



BILGE

049 008 0003

BLACK

WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 130lm
- 3000K
- Average Life: 30.000 Hrs



BUDDY

048 001 0015

PINK

BLUE

YELLOW



OSCAR

048 002 0015

PINK

YELLOW



TOBY

048 003 0015

ORANGE

YELLOW



- 220-240V 50-60Hz
- Max. 15W
- 500lm
- 4500K

Bulb Included



KITTY

048 004 0011

BLUE

GREEN





APPLE

048 006 0011

PINK

BLUE


YELLOW



DONALD

048 007 0011

BLUE




FLYER

048 008 0011

PINK

BLUE

YELLOW



- 220-240V 50-60Hz
- Max. 11W
- 350lm
- 4500K

Bulb Included




**SİMGE**

048 014 0060

GREEN**BLUE**


- 220-240V / 50-60Hz
- Max. 60W

**RANA**

048 013 0060

BLACK**WHITE****RED**

- 220-240V / 50-60Hz
- Max. 60W



LED DESK LAMP / DESK LAMP

BİHTER

048 009 0060

BLACK**WHITE****RED****BLUE**

- 220-240V / 50-60Hz
- Max. 60W

**DENİZ**

048 011 0040

BLACK**WHITE****RED**

- 220-240V / 50-60Hz
- Max. 40W



**HOROZ ELECTRIC**

LED Floor Lamp / Floor Lamp

TUNA

046 001 0003



ARAS

046 002 0003



DİCLE

046 003 0003



RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

LED FLOOR LAMP / FLOOR LAMP

**HOROZ ELECTRIC**

LED Floor Lamp Floor Lamp



MERİÇ

220-240V / 50-60Hz



MERİÇ-1	MERİÇ-2	MERİÇ-3
045-001-0001	045-001-0002	045-001-0003

Power	: Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	: E27	E27 (Mother) & E14 (Baby)	E27 (Mother) & E14 (Baby)
Color	: Blue / White / Green Orange	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500



ON-OFF



LED Night Lamp




SIMPSON

085 001 0006

WHITE

- 220-240V / 50-60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA

REX

BUGS

MAX

DUFFY



DORA

085-001-0001

REX

085-001-0002

BUGS

085-001-0003






MAX

085-001-0004

DUFFY

085-001-0005

Power	: 0.4 W	: 0.4 W	: 0.3 W	: 0.4 W	: 0.3 W
Luminous Flux	: 25 lm	: 25 lm	: 20 lm	: 25 lm	: 20 lm



LED NIGHT LAMP






LED BATTEN LIGHT / ELECTRONIC WALL LAMP

TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
052-005-0060	052-005-0120	052-005-0150

Power	: 27 W	54 W	72 W
Luminous Flux	: 1890 lm	3780 lm	5670 lm
Length (mm)	: L: 600	L: 1200	L: 1500





LED Batten Light Electronic Wall Lamp



TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



TETRA-18	TETRA-36
052-003-0060	052-003-0120


Power	: 18 W	36 W
Luminous Flux	: 1135 lm	2269 lm
Length (mm)	: L: 600	L: 1200





SIGMA


- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



LINKABLE




	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156



OMEGA


- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



LINKABLE



	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155




220-240V / 50-60Hz

ALFA



	ALFA-6	ALFA-8	ALFA-13	ALFA-28
	053-001-0006	053-001-0008	053-001-0013	053-001-0028

Power	6 W	8 W	13 W	28 W
Length (mm)	L: 267	L: 343	L: 573	L: 1200



BETA



	BETA-18	BETA-36
	053-002-0018	052-002-0036

Power	18 W	36 W
Length (mm)	L: 668	L: 1280



220-240V / 50-60Hz

DELTA




	DELTA-18	DELTA-36
	053-008-0018	052-008-0036

Power	Max. 18 W	Max. 36 W
Length (mm)	L: 720	L: 1330



PUNTO



	PUNTO-36	PUNTO-72
	053-009-0036	053-009-0072

Power	Max. 2x18W	Max. 2x36W
Length (mm)	L: 720	L: 1330



ZETA



	ZETA-18	ZETA-36
	053-010-0018	053-010-0036

Power	Max. 18W	Max. 36W
Length (mm)	L: 690	L: 1300




**HOROZ ELECTRIC**

LED Waterproof Lamp / LED Tube Fixture

IRMAK

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K




IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 650	L: 1260	L: 1560

**NEHİR**

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



NEHİR-18	NEHİR-36	NEHİR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562



LED WATERPROOF LAMP / LED TUBE FIXTURE

**HOROZ ELECTRIC**

LED Waterproof Lamp LED Tube Fixture

**OKYANUS**

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090


Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542





MEDUSA

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



MEDUSA-18	MEDUSA-36	MEDUSA-58
059-006-0018	059-006-0036	059-006-0058

Power	: 18 W	36 W	58 W
Luminous Flux	: 1800 lm	3600 lm	5800 lm
Length (mm)	: L: 600	L: 1200	L: 1500




PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not Included



PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
057-001-1060	057-001-2060	057-001-1120	057-001-2120

Power	: Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65




TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not Included



TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
061-001-0060	061-001-2060	061-001-0120	061-001-2120

Power	: Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Length (mm)	: L: 616	L: 616	L: 1226	L: 1226






HOROZ ELECTRIC

LED Linear High Bay Lamp / LED High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable



Hangable



	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650	: 9300	: 13950	: 18600
Length (mm)	: 290	: 520	: 758	: 1000



LED LINEAR HIGH BAY LAMP / LED HIGH BAY LAMP



HOROZ ELECTRIC



LED Linear High Bay Lamp LED High Bay Lamp





GORDION

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K
- Aluminium Die Casting Body





	GORDION-50	GORDION-100	GORDION-150	GORDION-200
	063-006-0050	063-006-0100	063-006-0150	063-006-0200

Power	: 50 W	100 W	150 W	200 W
Luminous Flux	: 5000 lm	10000 lm	15000 lm	20000 lm
Sizes (mm)	: A:171.9 B: 79.9	A:239.9 B: 88	A:304.9 B: 88	A:357.9 B: 88

ASPENDOS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K
- Aluminium Die Casting Body






	ASPENDOS-50	ASPENDOS-100	ASPENDOS-150	ASPENDOS-200
	063-004-0050	063-004-0100	063-004-0150	063-004-0200

Power	: 50 W	100 W	150 W	200 W
Luminous Flux	: 4750 lm	9500 lm	14250 lm	19000 lm
Sizes (mm)	: A: 242.5 B: 172.5	A: 298.5 B: 175.1	A: 347.7 B: 176.8	A: 398.5 B: 178.1

ARTEMIS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-50	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0050	063-003-0100	063-003-0150	063-003-0200

Power	: 50 W	100 W	150 W	200 W
Luminous Flux	: 5000 lm	10000 lm	15000 lm	20000 lm
Sizes (mm)	: A: 230 B: 120	A: 270 B: 110	A: 320 B: 125	A: 370 B: 145



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND

LED Projector
Module LED and Apparatus
Projector Stand



TIGER


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket



BLACK




	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100
Power	25 W	40 W	60 W	100 W
Luminous Flux	465 lm	840 lm	1040 lm	1500 lm
Battery	1 x 3.2V 5Ah Lithium Iron Phosphate	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	4 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/20W	Polysilicon, 6V/35W
Projector Sizes (mm)	A: 170 B: 205 C: 50	A: 210 B: 247 C: 65	A: 223 B: 264 C: 67	A: 265 B: 315 C: 70
Solar Panel Sizes (mm)	D: 340 E: 175 F: 17	D: 290 E: 340 F: 17	D: 350 E: 350 F: 17	D: 580 E: 360 F: 17



LION


- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



BLACK




	LION-50	LION-100	LION-150	LION-200	LION-300	LION-400	LION-500
	068-013-0050	068-013-0100	068-013-0150	068-013-0200	068-013-0300	068-013-0400	068-013-0500
Power	50 W	100 W	150 W	200 W	300 W	400 W	500 W
Luminous Flux	4250 lm	8500 lm	12750 lm	17000 lm	25500 lm	34000 lm	42500 lm
Sizes (mm)	A: 201 B: 240 C: 70	A: 223 B: 272 C: 78	A: 450 B: 272 C: 78	A: 450 B: 400 C: 78	A: 450 B: 500 C: 90	A: 560 B: 610 C: 94	A: 560 B: 720 C: 98



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND

PANTER


- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K




BLACK




	PANTER-50	PANTER-100	PANTER-150	PANTER-200	PANTER-300	PANTER-400
	068-005-0050	068-005-0100	068-005-0150	068-005-0200	068-005-0300	068-005-0400
Power	50 W	100 W	150 W	200 W	300 W	400 W
Luminous Flux	3750 lm	7500 lm	11250 lm	15000 lm	22500 lm	30000 lm
Sizes (mm)	A: 245 B: 297 C: 75	A: 246 B: 324 C: 75	A: 315 B: 418 C: 90	A: 314 B: 418 C: 90	A: 345 B: 525 C: 100	A: 355 B: 625 C: 100






LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs



BLACK



NEW PRODUCT


NEW PRODUCT



	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 1785 lm	: 2685 lm	: 4500 lm	: 8500 lm	: 13200 lm	: 19000 lm	: 25500 lm	: 34000 lm
Color Temperature	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 200 B: 157 C: 50	: A: 215 B: 171 C: 45	: A: 270 B: 210 C: 55	: A: 305 B: 253 C: 75	: A: 380 B: 310 C: 75	: A: 400 B: 350 C: 90	: A: 420 B: 380 C: 90	: A: 480 B: 430 C: 105

JAGUAR


- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



BLACK




	JAGUAR-10	JAGUAR-20	JAGUAR-30	JAGUAR-50	JAGUAR-100	JAGUAR-200
	068-014-0010	068-014-0020	068-014-0030	068-014-0050	068-014-0100	068-014-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	800 lm	1940 lm	2550 lm	5300 lm	10200 lm	22200 lm
Sizes (mm)	A: 92 B: 79 C: 32	A: 120 B: 99 C: 30	A: 120 B: 110 C: 30	A: 160 B: 142 C: 30	A: 215 B: 191 C: 34	A: 330 B: 310 C: 40




KAPLAN-45

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3600 lm
- 4200K

068 007 0045



BLACK



KAPLAN-45W

068 007 0001

KAPLAN-45S

068 007 0002

KAPLAN-45C

068 007 0003



Apparatus for Wall Lamp



Apparatus for Street Lamp



Apparatus for Connection

Projector Not Included

PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

BLACK




	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	800 lm	1600 lm	2700 lm	5000 lm	10000 lm	21000 lm	34500 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K	2700K/6400K	2700K/6400K
Sizes (mm)	A: 94 B: 110 C: 33	A: 109 B: 129 C: 37.5	A: 128 B: 150 C: 38	A: 153 B: 182 C: 38.5	A: 215 B: 268 C: 41	A: 312 B: 395 C: 95	A: 350 B: 442 C: 132

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K


BLACK



WITH PIR SENSOR




	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2700 lm	5000 lm	10000 lm
Sizes (mm)	A: 134 B: 110 C: 33	A: 149 B: 129 mm C: 37.5	A: 168 B: 150 C: 38.5	A: 193 B: 182 C: 38.5	A: 260 B: 274 C: 41



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND

PARS


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK




	PARS-10	PARS-20	PARS-30	PARS-50	PARS-100
	068-008-0010	068-008-0020	068-008-0030	068-008-0050	068-008-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2400 lm	4000 lm	8000 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K
Sizes (mm)	A: 96 B: 112 C: 25	A: 122 B: 140 C: 28	A: 151 B: 170 C: 30	A: 186 B: 208 C: 33	A: 239 B: 274 C: 42



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND

PARS/S

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WITH PIR SENSOR



BLACK




	PARS/S-10	PARS/S-20	PARS/S-30	PARS/S-50	PARS/S-100
	068-009-0010	068-009-0020	068-009-0030	068-009-0050	068-009-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	A: 157 B: 112 C: 40	A: 174 B: 140 C: 40	A: 196 B: 170 C: 40	A: 213.5 B: 208 C: 40	A: 265 B: 274 C: 44




ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK



B

C

A

C



	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	800 lm	1600 lm	2400 lm	4000 lm	8000 lm	16000 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K	2700K/6400K
Sizes (mm)	A: 91,3 B: 97 C: 30,5	A: 104,5 B: 128,4 C: 30,5	A: 114,4 B: 154,3 C: 30,5	A: 163,7 B: 224,3 C: 30,5	A: 232,3 B: 294,5 C: 31	A: 332,9 B: 420,8 C: 37


ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WITH PIR SENSOR

BLACK



B

C


A



	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0020	068-011-0030	068-011-0050
Power	20 W	30 W	50 W
Luminous Flux	1600 lm	2400 lm	4000 lm
Sizes (mm)	A: 171,6 B: 128,5 C: 50	A: 180,1 B: 154,3 C: 52	A: 226,5 B: 224,3 C: 52

PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable




FOLDABLE

NEW PRODUCT



PROPORT-20	PROPORT-45
068-015-0020	068-015-0045

Power	: 20 W	45 W
Luminous Flux	: 1450 lm	3500 lm
Sizes (mm)	: A: 232.3 B: 146.4 C: 54	A: 298.6 B: 187 C: 52.5



LED PROJECTOR / MODULE LED AND APPARATUS / PROJECTOR STAND



Projector Stand

TRIPOD SINGLE

107 001 0001

- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable

TRIPOD DOUBLE

107 001 0002


- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



**HOROZ ELECTRIC**

LED Street Light

LAGUNA




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket

**BLACK**

	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200

Power	: 50 W	100 W	200 W
Luminous Flux	: 950 lm	1300 lm	2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	: 3 Meters	3-4 Meters	4-5 Meters
Street Lamp Sizes (mm)	: A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17



LED STREET LIGHT

**HOROZ ELECTRIC**

LED Street Light







ORLANDO

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK



	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 1726 lm	: 2829 lm	: 4953 lm	: 8923 lm	: 15061 lm	: 17594 lm
Sizes (mm)	: A: 40 B: 55 C: 315 D: 105	: A: 40 B: 55 C: 355 D: 125	: A: 40 B: 55 C: 405 D: 165	: A: 60 B: 75 C: 620 D: 220	: A: 60 B: 75 C: 690 D: 250	: A: 60 B: 85 C: 740 D: 275




LED STREET LIGHT



FALCON

RECESSED


069 001 0110



EAGLE

SURFACED

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs



LED CANOPY LIGHT

LED WALLWASHER

LED Canopy Light



LED Wallwasher



REGAL


AMBER 3000K RED GREEN BLUE



- 85-265V/50-60Hz
- Average Life: 50.000 Hrs
- Aluminium Body



	REGAL-9	REGAL-12	REGAL-18	REGAL-24	REGAL-36
	109-001-0009	109-001-0012	109-001-0018	109-001-0024	109-001-0036
Power	9 W	12 W	18 W	24 W	36 W
Luminous Flux	540 lm	720 lm	1080 lm	1440 lm	2160 lm
Length (mm)	255	330	480	630	930 mm





YILDIZ

- 100-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs



WHITE



YILDIZ-8	YILDIZ-15
071-009-0008	071-009-0015

Power	: 8 W	15 W
Luminous Flux	: 560 lm	1080 lm
Sizes (mm)	: A:76 B:166 C:62	A:101 B:201 C:68



WHITE

BLACK

NEMRUT

AYDER

TOROS

KAÇKAR



- 220-240V / 50-60Hz



NEMRUT	AYDER	TOROS	KAÇKAR
070-001-0060	070-012-0100	070-002-0060	070-013-0100

Power	: Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	: A:210 B:80 C:105	A:275 B:115 C:155	A:210 B:85 C:105	A:275 B:120 C:155



WHITE

BLACK

ZİGANA

MUNZUR

ARARAT

ERCİYES



- 220-240V / 50-60Hz



ZİGANA	MUNZUR	ARARAT	ERCİYES
070-005-0060	070-014-0100	070-006-0060	070-015-0100


Power	: Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	: A:180 B:85 C:180	A:240 B:110 C:140	A:170 B:80 C:170	A:240 B:115 C:240



NAR

- 220-240V / 50-60Hz
- Aluminum Body
- Plastic Diffuser

**NEW
PRODUCT**



	NAR-1	NAR-2	NAR-3	NAR-4	NAR-5
	075-016-0001	075-016-0002	075-016-0003	075-016-0004	075-016-0005
Power :	Max.60 W	Max.60 W	Max.60 W	Max.60 W	Max.60 W
Color :	Black/White	Black/White	Black/White	Black	Black
Sizes :	A: 170 B: 240 C: 210	A: 170 B: 800 C: 260	A: 170 B: 170 C: 300	A: 170 B: 170 C: 580	A: 170 B: 170 C: 840



GARDEN LAMP / LED GARDEN LAMP



	NAR-6	NAR-7
	075-016-0006	075-016-0007
Power :	Max. 2x60 W	Max. 3x60 W
Color :	Black	Black




KAVAK/SQ

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

BLACK

NEW
PRODUCT



KAVAK/SQ-1

075-015-0001

KAVAK/SQ-2

075-015-0002

KAVAK/SQ-3

075-015-0003

KAVAK/SQ-4

075-015-0004

KAVAK/SQ-5

075-015-0005

Sizes (mm) : A: 90 B: 300

A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800




GARDEN LAMP / LED GARDEN LAMP

KAVAK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

BLACK



KAVAK-1

075-014-0001

KAVAK-2

075-014-0002

KAVAK-3

075-014-0003

KAVAK-4

075-014-0004

KAVAK-5

075-014-0005

Sizes (mm) : A: 305 B: 89

A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 89 C: 110


A: 800 B: 89 C: 110





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




	LADİN-1	LADİN-2	LADİN-3	LADİN-4
	075-002-0001	075-002-0002	075-002-0003	075-002-0004
Sizes (mm)	A: 335 B: 120	A: 350 B: 120 C: 165	A: 500 B: 120	A: 800 B: 120



GARDEN LAMP / LED GARDEN LAMP

KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




	KAYIN-1	KAYIN-2	KAYIN-3	KAYIN-4
	075-003-0001	075-003-0002	075-003-0003	075-003-0004
Sizes (mm)	A: 390 B: 150	A: 275 B: 150 B: 210	A: 450 B: 150	A: 800 B: 150



PALMIYE

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W

BLACK




	PALMIYE-1	PALMIYE-2	PALMIYE-3	PALMIYE-4
	075-001-0001	075-001-0002	075-001-0003	075-001-0004
Sizes (mm)	A: 350 B: 150	A: 320 B: 150 B: 230	A: 500 B: 150	A: 800 B: 150



GARDEN LAMP / LED GARDEN LAMP

DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W



	DEFNE-1	DEFNE-2	DEFNE-3	DEFNE-4	DEFNE-5
	075-004-0001	075-004-0002	075-004-0003	075-004-0004	075-004-0005
Sizes (mm)	A:405 B: 76	A: 344 B: 76 C: 142	A: 325 B: 76 C: 110	A: 500 B: 76 C: 110	A: 800 B: 76 C: 110






BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K

MAT CHROME



BAMBU-1	BAMBU-2	BAMBU-3	BAMBU-4	BAMBU-5
076-016-0001	076-016-0002	076-016-0003	076-016-0004	076-016-0005
A: 252.2 B: 132	A: 183 B: 148.5 C: 132	A: 300 B: 132 C: 98	A: 500 B: 132 C: 98	A: 800 B: 132 C: 98

Sizes (mm)




GARDEN LAMP / LED GARDEN LAMP



**MANGO**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W



MANGO-1

075-009-0001

MANGO-2



075-009-0002

MANGO-3

075-009-0003

**GARDENYA**

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1

075-010-0001

GARDENYA-2

075-010-0002

GARDENYA-3

075-010-0003

GARDENYA-4

075-010-0004

Power	:	Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	:	Down	Up&Down	Down	Up&Down

**MANOLYA**

- 220-240V / 50-60Hz
- Diffuser: Glass



MANOLYA-1

075-008-0001


MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power	:	Max.35W	Max.2x35W	Max.2x60W
Lamp Holder	:	GU10	GU10	E27
Body	:	Stainless Steel	Stainless Steel	Aluminium
Lighting Direction	:	Down	Up&Down	Up&Down
Sizes (mm)	:	A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108







PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON-4	PROTON-6	PROTON-8
	076-039-0004	076-039-0006	076-039-0008
Power	: 4 W	: 6 W	: 8 W
Luminous Flux	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 92 B: 120 C: 38	: A: 95 B: 185 C: 38	: A: 95 B: 220 C: 50



GARDEN LAMP / LED GARDEN LAMP








SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

076 040 0015



BLACK



GARDEN LAMP / LED GARDEN LAMP

ANDIZ




BLACK

WHITE

076 037 0009



- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs



SEKOYA



BLACK

WHITE

076 038 0004



- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs




Adjustable Beam Angle






ARENA

076 033 0010



- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1,9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs





48D



GARDEN LAMP / LED GARDEN LAMP

SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- 1000 lm
- Average Life: 30.000 Hrs



BLACK




SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
076-021-0012	076-019-0012	076-022-0012	076-020-0012

Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm
---------------	-----------	--------	--------	--------




KUKA-5

076 031 0005



- 100-240V / 50-60Hz
- 4200K
- 290 lm
- Average Life: 30.000 Hrs



**ZEYTİN**

076 032 0012

**BADEM**


076 028 0012

**SUSAM**


076 030 0012

**ILGIN**

076 029 0012

**12W****BLACK**


- 100-240V / 50-60Hz
- 4200K
- 480 lm
- Average Life: 30.000 Hrs

**HURMA**


076 010 0005

**MERSİN**


076 011 0005

**GÜRGEN**


076 012 0005

**5W****BLACK**



- 100-240V / 50-60Hz
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

**IHLAMUR**


076 013 0002

**İĞDE**


076 014 0002

**İNCİR**

076 015 0002

**2W****BLACK**

- 100-240V / 50-60Hz
- 4200K
- 110 lm
- Average Life: 30.000 Hrs





SERVi


076 009 0012



BLACK

WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SELVi

SALKIM





ZAKKUM

MEŞE

TAFLAN



	SELVi	SALKIM	ZAKKUM	MEŞE	TAFLAN
	076-007-0004	076-008-0004	076-005-0003	076-004-0006	076-006-0006
Power :	3.5 W	3.5 W	3W	5.5 W	5.5 W
Luminous Flux :	35 lm	65 lm	230 lm	420 lm	200 lm
Lighting Direction :	Up&Down	Up&Down	Down	Up&Down	All Directions




ARDIÇ

076 003 0006

BLACK


- Aluminium Body
- 220-240V / 50-60Hz
- 4100K
- 385 lm
- Average Life: 30.000 Hrs



SOLARIS




- Li-Ion Battery 3.7V
- 4000K
- Solar Charging Time: 4-6 Hours In Direct Sunlight
- Average Life: 50.000 Hrs



	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002

Power	: 2 W	2 W
Luminous Flux	: 220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)



LED Solar Lamp



LED SOLAR LAMP




SIRIUS




WITH PIR SENSOR

- 4000K
- Solar Charging Time: 8-10 Hours In Direct Sunlight
- Average Life: 50.000 Hrs



	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002

Power	: 1 W	2 W
Luminous Flux	: 140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	: 3.7V 1200 mAh Li-Ion	3.7V 2200 mAh Li-Ion
Back Light	: Yes (Blue)	No





OMNIA


078 013 0003



LED HOUSE NUMBER



- LI-ION Battery 3.7V 1800 mAh
- 4000K
- 4 lm
- Solar Charging Time: 4-6 Hours in Direct Sunlight
- Average Life: 50.000 Hrs
- USB Charging Available
- Number and letter stickers included (3x1-9, 2x0, 1xA,B,C,D)



WIZARD


078 008 0001



WITH PIR SENSOR



- 3 NI-MH 600 mAh 1.2V
- 6400K
- 150 lm
- Average Life: 50.000 Hrs




MAGIC

078 007 0001




- 3 NI-MH AA 100 mAh 1.2V
- 6400K
- 9x1.5 lm
- Average Life: 100.000 Hrs







- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs

**VENÜS****MARS****NEPTUN****PLUTON****HALLEY****CRYSTAL****ORBIT****LOTUS**

	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL	ORBIT	LOTUS
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001	078-010-0001	078-011-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No	Yes	Yes

**LED SOLAR LAMP**



HOROZ ELECTRIC

Inground & Recessed Type LED Lamp

RUBY


079 028 0002

QUARTZ

079 027 0002

WHITE

- 110-265V / 50-60Hz
- 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

Inground & Recessed Type LED Lamp



DIAMOND

079 026 0002


WHITE

BLACK

GOLD

SILVER

- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs



GOLD


079 025 0003

WHITE

- 220-240V / 50-60Hz
- 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs



WITH PIR SENSOR



INGROUND & RECESSED TYPE LED LAMP





ZÜMRÜT

079 001 0003


YAKUT

079 002 0003

WHITE

MAT CHROME

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs




İNCI

079 004 0002

SAFİR

079 003 0002

- 220-240V / 50-60Hz
- 75 lm
- Average Life: 50.000 Hrs




ELMAS

079 005 0002



WHITE

- 220-240V / 50-60Hz
- 98 lm
- Average Life: 50.000 Hrs







- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 1.6 W	1.2 W	1.6 W	1.2 W	1.6 W	1.2 W
Luminous Flux	: 90 lm	72 lm	90 lm	72 lm	90 lm	72 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110





- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 1.6 W	0.9 W	1.6 W	0.9 W	1.6 W	0.9 W
Luminous Flux	: 90 lm	57 lm	90 lm	57 lm	90 lm	57 lm
Sizes (mm)	: A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVERS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVERS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	: 90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	: W: 95	W: 140	W: 185	W: 95	W: 140	W: 185





LED Strip
RGB RF Controller
Socket Set
LED Driver
RGB Controller
RGB Amplifier




WATERPROOF

220-240V / 50-60Hz
Average Life: 30.000 Hrs









220-240V




NEOLED/SLIM



NEOLED



NEOLED/RGB



RGB



	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	4 W/m	6.5 W/m	8 W/m
Luminous Flux :	19 lm/LED	22 lm/LED	19 lm/LED
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	12 mm	11 mm
Thickness :	13 mm	14 mm	19 mm










LED STRIP / RGB RF CONTROLLER / SOCKET SET / LED DRIVER / RGB CONTROLLER / RGB AMPLIFIER

WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs




VOLGA **VOLGA/ RGB** **COLORADO** **COLORADO/ RGB** **GANJ** **GANJ / RGB**



220-240V



Can be cut each 1 meter



	VOLGA	VOLGA/RGB	COLORADO	COLORADO/RGB	GANJ	GANJ/RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	6 W/m	9.5 W/m	5 W/m	11 W/m	7 W/m	12.5 W/m
Luminous Flux :	12 lm/LED	12 lm/LED	7 lm/LED	7 lm/LED	7 lm/LED	7 lm/LED
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12 mm	13 mm	12 mm	13 mm	15 mm	15 mm
Thickness :	5 mm	5 mm	5 mm	5 mm	5 mm	5 mm

RGB RF CONTROLLER

• 220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		

VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		



SOCKET SET

- 1pcs 6A Socket (220V~)
- 1pcs Connector
- 1pcs Middle Plug
- 1pcs End Cap
- 5 pcs Silicon Clips



VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED /SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm



RGB SOCKET SET

- 1pcs 6A 8 Function Socket (220V~)
- 1pcs Connector
- 1pcs Middle Plug
- 1pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm



LED STRIP / RGB RF CONTROLLER / SOCKET SET / LED DRIVER / RGB CONTROLLER / RGB AMPLIFIER

NiL **NiL/RGB** **AMAZON** **AMAZON/RGB**


- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application




12V DC



	NiL	NiL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	14.4 lm/LED	14.4 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0.8A	3A	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm) :	A: 35 B: 22 C: 77	A: 32 B: 27 C: 140	A: 40 B: 30 C: 160	A: 40 B: 30 C: 160	A: 57 B: 42 C: 200	A: 67 B: 40 C: 220	A: 62 B: 40 C: 225	A: 62 B: 40 C: 225

REN

REN/RGB

THAMES

THAMES/RGB



✂ 3 LEDs make a group and each group can be cut or extended in terms of the length of application

WATERPROOF

- Average Life: 30,000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



12V DC



	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	14.4 lm/LED	14.4 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips



VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
Size (mm) :	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45



LED STRIP / RGB RF CONTROLLER / SOCKET SET / LED DRIVER / RGB CONTROLLER / RGB AMPLIFIER

RGB CONTROLLER


	RGB Controller 2A	RGB Controller 6A
	101-001-0072	101-002-0432
Output Power	72 W	216 W-432 W
Output Current	2A/Each Color	6A/Each Color
Input Voltage	DC 12V	DC 12V-DC 24V
Output Voltage	DC 12V	DC 12V-DC 24V
35x28 RGB LED Strip	15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	IR	RF



AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V

	AMPLIFIER-12A	AMPLIFIER-24A
	101-001-0144	101-001-0288
Output Power	144 W	288 W
Output Current	4A/Each Color	8A/Each Color
35x28 RGB LED Strip	30 Meters with 60 Leds/Meter	60 Meters with 60 Leds/Meter
50x50 RGB LED Strip	10 Meters with 60 Leds/Meter	20 Meters with 60 Leds/Meter



LED CHRISTMAS LIGHT & DRIVERS

RGB CONTROLLER / RGB AMPLIFIER



MONTANA

- 080 001 0004
- 4.5V DC
 - 4W/10m
 - Average Life: 30,000 Hrs
 - Standart Length: 1m / 10 LED
 - Package : 10m/Roll


LINKABLE



- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 4.5V




	MONTANA-D4	MONTANA-D10
	080-001-0001	080-001-0002
Power	16 W	40 W
For (Meters)	10m-40m	50m-100m
Sizes (mm)	A:30 B:20 C:25	A:43 B:20 C:25



HENRY

084 034 0005



- 220-240V / 50-60Hz
- 200lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included



- LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP



Emergency LED Lantern / LED Emergency Exit Lamp / Rechargeable LED Solar Camping Light / LED Headlight / LED Torch



MALDINI



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- EXIT sticker included

EXIT




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003


Power	: 13 W	: 16 W
Luminous Flux	: 330 lm	: 410 lm
Battery	: 2x4V 0.9Ah Sealed-Acid	: 2x4V 0.9Ah Sealed-Acid
Duration Time	: 3 Hours	: 3 Hours
Size (mm)	: A: 245 B: 75 C: 45	: A: 325 B: 75 C: 45



- LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP



MESSI



- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs




	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023

Power	: 9 W	: 15 W	: 23 W
Luminous Flux	: 280 lm-38 lm	: 420 lm-70 lm	: 600 lm-100 lm
Battery	: 4V 1.6Ah Sealed-Acid	: 2x4V 1.6Ah Sealed-Acid	: 2x4V 1.6Ah Sealed-Acid
Duration Time	: 3-20 Hours	: 3-15 Hours	: 2-10 Hours
Size (mm)	: A: 250 B: 50 C: 50	: A: 350 B: 50 C: 50	: A: 450 B: 50 C: 50



- LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



WENGER

084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
Step 1: 1 Hour
Step 2: 2 Hours
- Average Life: 30.000 Hrs



- LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



ROBSON


084 020 0002



- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes



- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



ZOFF

084 019 0001



- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes




- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



ROMARIO

084 022 0010




- SOLAR
- RECHARGEABLE

- 220-240V / 50-60Hz
- 10W, 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
1 Hour for Strong Light
25 Hours for Weak Light
- Average Life: 30.000 Hrs



MÜLLER

084 018 0001




- RECHARGEABLE
- AUTOMATIC LIGHT-UP
- AC / DC OPERATED

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs



BECKHAM



BECKHAM-1	BECKHAM-3
084-007-0001	084-007-0003

Power	: 1 W	3 W
Luminous Flux	: 100 lm	200 lm
Battery	: 4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	: 20m	30m
Sizes (mm)	: A: 70 B: 81 C: 98	A: 85 B: 92 C: 96



- LED HEADLIGHT**
- RECHARGEABLE**
- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light
- Average Life: 30.000 Hrs




PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
 - 4 Hours for Weak Light
 - 1 Hour for Strong Light



PELE-1	PELE-2	PELE-3
084-006-0001	084-006-0002	084-006-0003

Power	: 0.5 W	1 W	3 W
Luminous Flux	: 30 lm	73 lm	120 lm
Battery	: 4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	: A: 65 B: 220	A: 51 B: 155	A: 65 B: 170



- LED TORCH**
- RECHARGEABLE**




BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light



BEST-1	BEST-3	BEST-5
084-024-0001	084-024-0003	084-024-0005

Power	: 1 W	3 W	5 W
Luminous Flux	: 70 lm	120 lm	210 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	: A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



- LED TORCH**
- RECHARGEABLE**




PUSKAS

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs



PUSKAS-2	PUSKAS-3
084-005-0002	084-005-0003

Power	: 0.5 W	0.9 W
Luminous Flux	: 25 lm	45 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	: 4 Hours	5 Hours
Sizes (mm)	: A: 75 B: 195	A: 100 B: 210




- LED TORCH**
- RECHARGEABLE**




MARADONA-2

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
 - 4 Hours for Strong Light
 - 16 Hours for Weak Light
- Average Life: 30.000 Hrs

084 003 0002




- LED TORCH**
- RECHARGEABLE**



**Light Control Photosensor****FLASH****WHITE**


089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <math>< 15 \text{ Lux}</math>
- Load Power: 1000W (6A)

**Light Control Photosensor****FLEX****WHITE**


089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <math>< 50 \text{ Lux}</math>
- Load Power: 1200W (10A)

**Light Control Photosensor****LUXOR****WHITE**


089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <math>< 50 \text{ Lux}</math>
- Load Power: 2700W (25A)

**TUCSON****WHITE**

088 001 0009

- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (-24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <math>< 3-2000\text{LUX}</math> (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-15m/s

**MEGANE****WHITE**


088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (-24°C)
- Time-delay: Min. 10 sec + 3 sec Max. 7 min + 2 min
- Ambient Light: <math>< 3-2000\text{Lux}</math> (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s

**CORONA****WHITE****BLACK**


088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 1m Max. (-24°C)
- Time-delay: 5 sec - 10x2 min.
- Ambient Light: <math>< 10\text{Lux} - 2000\text{Lux}</math>
- Rated Load: Max. 1000W

**LINEA****WHITE****BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (-24°C)
- Time-delay: 5 sec - 8x2 min.
- Ambient Light: <math>< 10\text{Lux} - 2000\text{Lux}</math>
- Rated Load: Max. 1000W



**FOCUS**

088 001 0001

WHITE**BLACK**


- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max. 1000W
- Detection Distance: 8 ± 1m Max. (-24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: < 10Lux - 2000Lux

**MONDEO**

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**ROVER**

088 001 0011

WHITE


- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

**CORSA**

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m

**POLO**

088 001 0007

WHITE


- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec + 3 sec, Max. 12 min + 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s

**SMART**

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



Detection is possible to go through doors, panes of glass or thin walls



HOROZ ELECTRIC


Doorbell / Wireless Lighting Controller Switch / Timer / Plug in Switch

086 001 0001

LORD



- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0002

SOLID



- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



DOORBELL / WIRELESS LIGHTING CONTROLLER SWITCH / TIMER / PLUG IN SWITCH



HOROZ ELECTRIC

Doorbell / Wireless Lighting Controller Switch / Timer / Plug in Switch




086 001 0006

SOLO



- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0004

ALBA



- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0003

HELIX



- Operation Voltage: 4.5V DC (3xAAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm
- USB Cable Included




086 001 0005

VIOLA



- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional








CONTROLLER

Wireless Lighting Controller Switch




- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp≤1000W
- Energy saving lamp/LED≤300W
- Working voltage: 12V(A23 alkaline battery)



CONTROLLER-1
105-001-0001
1 Channel


CONTROLLER-2
105-001-0002
2 Channels

CONTROLLER-3
105-001-0003
3 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001

Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

AXIS


113 001 0001

- Working Voltage: 250V-
- Power: Max.3680W
- Current: 16A
- Child Protection Shutter
- Working signal Indicator
- USB O/P: DC 5V, Max 2.1A

PLUG IN SWITCH



2 X USB CHARGING SOCKET





Dimmer
Switch / Socket



HORIZON

112 006 0001

- 250V-
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)



ATOM


250V-

DIMMER / SWITCH / SOCKET



112 100 0004

- ONE WAY SWITCH (10A)



112 100 0007

- TWO WAY SWITCH (10A)



112 100 0006

- 2-GANG ONE WAY SWITCH (10A)



112 100 0003

- 1-GANG GROUNDED SOCKET (16A)
- 1-GANG ONE WAY SWITCH (10A)




112 100 0005

- 1-GANG GROUNDED SOCKET (16A)
- 2-GANG ONE WAY SWITCH (10A)



112 100 0001

- GROUNDED SOCKET (16A)



112 100 0002


- 2-GANG GROUNDED SOCKET (16A)






EVA


250V~




112 001 0001 ■ ONE WAY SWITCH (10A)




112 001 0003 ■ 2-GANG ONE WAY SWITCH (10A)




112 001 0002 ■ TWO WAY SWITCH (10A)




112 001 0004 ■ PUSHBUTTON (10A)




112 002 0001 ■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002 ■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001 ■ SOCKET (16A)



112 003 0002 ■ 2-GANG SOCKET (16A)



112 004 0001 ■ GROUNDED SOCKET (16A)



112 004 0002 ■ 2-GANG GROUNDED SOCKET (16A)



DIMMER / SWITCH / SOCKET



Motor Protector
 Motor Protector Box
 Contactor / Thermal Relay
 Circuit Breaker



SAFE

Motor Protector



**NEW
 PRODUCT**

SAFE



114 008 0001

Motor Protector Box

For Motor Protectors: 114-006-0610 & 114-006-1625



	114-006-0610	114-006-1625	114-006-2540	114-006-4063
Rated Current (A) :	6-10A	16-25A	25-40A	40-63A
Motor Power (kW) :	4kW	11kW	18,5kW	30kW
Poles :	3 Pole	3 Pole	3 Pole	3 Pole
Type :	AC-3	AC-3	AC-3	AC-3
Rated voltage(V) :	400V	400V	400V	400V
Sizes (mm) :	A: 89 B: 44,5 C:66	A: 89 B: 44,5 C:66	A: 121 B: 61,5 C:105	A: 121 B: 61,5 C:105




SAFE

Contactor



	T14-005-0009	T14-005-0012	T14-005-0018	T14-005-0025	T14-005-0032	T14-005-0040	T14-005-0050	T14-005-0065
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A
Poles	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47B:76C:82	A:47B:76C:82	A:47B:76C:87	A:57B:86C:95	A:57B:86C:100	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116

	T14-005-1009	T14-005-1012	T14-005-1018	T14-005-1025	T14-005-1032	T14-005-1040	T14-005-1050	T14-005-1065
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A
Poles	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47B:76C:82	A:47B:76C:82	A:47B:76C:87	A:57B:86C:95	A:57B:86C:100	A:77B:129C:116	A:77B:129C:116	A:77B:129C:116




SAFE

Thermal Relay



	T14-007-0001	T14-007-0002	T14-007-0003	T14-007-0004	T14-007-0005	T14-007-0006	T14-007-0007
Rated Current (A)	0,63-1A	1-1,6A	2,5-4A	4-6A	7-10A	12-18A	17-25A
Poles	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC
Rated voltage(V)	660V	660V	660V	660V	660V	660V	660V



MOTOR PROTECTOR / MOTOR PROTECTOR BOX / CONTACTOR / THERMAL RELAY / CIRCUIT BREAKER

SAFE

MCB Circuit Breaker

Rated short-circuit breaking capacity : 4.5kA





	T14-001-1006	T14-001-1010	T14-001-1016	T14-001-1020	T14-001-1025	T14-001-1032	T14-001-1040	T14-002-1002	T14-002-1004	T14-002-1050	T14-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	T14-002-2006	T14-002-2010	T14-002-2016	T14-002-2020	T14-002-2025	T14-002-2032	T14-002-2040	T14-002-2050	T14-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm



	T14-002-3006	T14-002-3010	T14-002-3016	T14-002-3020	T14-002-3025	T14-002-3032	T14-002-3040	T14-002-3050	T14-002-3063	T14-002-3080	T14-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm




SAFE

RCCB Circuit Breaker




	T14-003-2025	T14-003-2040	T14-003-4025	T14-003-4040	T14-003-4063	T14-003-4080	T14-003-4100
Rated Current (A)	25A	40A	25A	40A	63A	80A	100A
Poles	2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	30	30	30	30	30	30	30
Sizes (mm)	A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74



SAFE

MCCB Circuit Breaker



	T14-004-3040	T14-004-3050	T14-004-3063	T14-004-3100	T14-004-3125	T14-004-3160	T14-004-3200	T14-004-3250	T14-004-3400	T14-004-3630
Rated Current (A)	40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110



Lamp Holder





094 004 0001

10 cm.

20 cm.


094 004 0002

15 cm.




094 001 0001


BAKELITE




094 001 0002



094 001 0003




094 001 0004




094 002 0001


PLASTIC




094 002 0002



094 002 0003



094 002 0004




094 003 0001


PORCELAIN




094 003 0002



094 003 0003




094 003 0004






Starter S10



	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

■ 220-240V / 50-60Hz
■ 12V AC



	TRANSFORMER-60	TRANSFORMER-105	TRANSFORMER-150
	093-001-0060	093-001-0105	093-001-0150
Power :	60 W	105 W	150 W



Starter / Transformer
Adhesive Tape / Nail Cable Clip
Cable Tie / RG6 / UTP Cat5e
UTP Cat6



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS

■ 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6

COAXIAL CABLE
100m ROLL



6,8 PVC | 64x0,12 AL. BRAIDING | AL. FOIL BONDED | 4,8 FPE | 1,02 CCS

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6

**HOROZ ELECTRIC****IP 68 Connector / Compact Connector / Wire Spring Connector Terminal Block / Cable Reel****IP 68 CONNECTOR**


- 250V~/16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



	IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
	106-004-0001	106-004-0002
Pole :	1 Pole	2 Poles

SLIM CONNECTOR


- 450V-
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent




	SLIM CONNECTOR-2	SLIM CONNECTOR-3	SLIM CONNECTOR-5
	103-002-0002	103-002-0003	103-002-0005
Pole :	2 Poles	3 Poles	5 Poles

CONNECTOR

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



	CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
	103-001-0002	103-001-0003	103-001-0005
Pole :	2 Poles	3 Poles	5 Poles

**HOROZ ELECTRIC****IP 68 Connector
Compact Connector
Wire Spring Connector
Terminal Block****WIRE SPRING**


	WIRE SPRING-2/1.5	WIRE SPRING-2/2.5	WIRE SPRING-2/6	WIRE SPRING-3/1.5	WIRE SPRING-3/2.5	WIRE SPRING-3/6
	106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060
Pole :	2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Cable Diameter :	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage :	5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²

**HOROZ ELECTRIC****Cable Reel****REEL**

- 230V~/50-60Hz
- Max. 3000W
- Max. 13.04A
- 3x15 mm²
- 4 Sockets
- Overload Protection



	REEL-15	REEL-25	REEL-50	EMPTY-25
	104-006-0015	104-006-0025	104-006-0050	104-007-0025
Cable Length :	15 Meters	25 Meters	50 Meters	Max. 25 Meters
Sizes (mm) :	A: 200 B: 260 C: 150	A: 275 B: 314 C: 170	A: 265 B: 345 C: 210	A: 230 B: 310 C: 195

IP 68 CONNECTOR / COMPACT CONNECTOR / WIRE SPRING CONNECTOR / TERMINAL BLOCK

CABLE REEL

⋮⋮⋮ Kaçmaz Grup



www.horozelectric.com.ua

