



E x p e r i e n c e i n L i g h t i n g



2024-2

CATALOGUE

www.horozelektrik.com





E x p e r i e n c e i n L i g h t i n g

	ADHESIVE TAPE	195		LED SOLAR LAMP	159
	ALUMINIUM BULKHEAD LAMP	129	NEW	LED SOLAR PROJECTOR	107
NEW	ALUMINIUM PROFILE	175		LED SOLAR SECURITY LIGHT	106
	CABLE TIE	195	NEW	LED SOLAR STREET LIGHT	118
	CEILING LAMP	86	NEW	LED SOLAR WALL & GROUND LAMP	158
	COAXIAL CABLE	195		LED SPOTLIGHT	65
	CONNECTOR	196	NEW	LED STREET LIGHT	123
	CONTACTOR	191	NEW	LED STRING LIGHT	75
	DESK LAMP	92		LED STRIP	164
	DIMMABLE LED BULB	4		LED SURFACE BACKLIGHT	46
	DIMMABLE LED CAPSULE	11	NEW	LED SURFACE LIGHT	40
	DIMMER	187	NEW	LED SUSPENSION LIGHT	70
	DOORBELL	186		LED TORCH	181
NEW	DOWNLIGHT FITTING	19	NEW	LED TRACK LIGHT	58
	DRYWALL KIT	54		LED TUBE	12
	ELECTRONIC WALL LAMP	100		LED TUBE FIXTURE	99
	EMERGENCY LED LANTERN	179	NEW	LED UFO HIGH BAY LAMP	105
	ENERGY SAVING LAMP	17	NEW	LED WALL LIGHT	80
	FLUORESCENT TUBE	17		LED WATERPROOF LAMP	97
	FRAME	54	NEW	LED WORKLIGHT	115
	GARDEN LAMP	131		LIGHT CONTROL PHOTOSENSOR	183
	GLASS PENDANT LAMP	78		LIGHTING TRACK	66
	HALOGEN LAMP	18	NEW	MINIATURE CIRCUIT BREAKER	192
	LAMP HOLDER	194		MODUL DOWNLIGHT FITTING	23
	LED 3CCT BULB	4	NEW	MOTOR PROTECTOR	190
	LED BACKLIGHT PANEL	52		MOTOR PROTECTOR BOX	190
NEW	LED BATTEN LIGHT	94		MOULDED CASE CIRCUIT BREAKER	193
	LED BULB	4		NAIL CABLE CLIP	195
NEW	LED BULKHEAD LAMP	126		NETWORK CABLE	195
	LED CANOPY LIGHT	117	NEW	PENDANT LAMP	63
NEW	LED CAPSULE	10		PORTABLE LED PROJECTOR	116
	LED CEILING LAMP	85		PROJECTOR STAND	117
NEW	LED COLOUR BULB	16		RECESSED LAMP	160
	LED CRYSTAL SUSPENSION LIGHT	74		RECESSED MONOPOINT	66
	LED DECORATIVE CEILING LAMP	82		RECHARGEABLE LED BULB	4
	LED DESK LAMP	93		REFLECTOR LAMP	18
NEW	LED DOWNLIGHT	26		RESIDUAL CURRENT CIRCUIT BREAKER	193
NEW	LED DRIVER	168		RGB AMPLIFIER	173
	LED EMERGENCY EXIT LAMP	182		RGB CONTROLLER	173
NEW	LED FILAMENT BULB	13	NEW	RGB LED STRIP KIT	169
	LED FRAME PANEL	54		RGB RF CONTROLLER	167
NEW	LED FRAMELESS PROJECTOR	114		RGB SOCKET SET	167
NEW	LED GARDEN LAMP	137		SENSOR	183
	LED HEADLIGHT	180		SOCKET	188
NEW	LED HIGH BAY LAMP	103		SOCKET SET	167
	LED HOUSE NUMBER LIGHT	157	NEW	SPOTLIGHT	64
NEW	LED INGROUND & RECESSED LAMP	160		STARTER	195
	LED LANTERN	178		STRING LIGHT	76
	LED LINEAR HIGH BAY LAMP	101		SURFACE LIGHT	49
NEW	LED LINEAR SUSPENSION LIGHT	67		SWITCH	188
NEW	LED LINEER TRACK LIGHT	59		TERMINAL	196
NEW	LED MAGNETIC LIGHT SYSTEM	55		TERMINAL BLOCK	196
NEW	LED MODULE STRIP	174		THERMAL RELAY	191
NEW	LED NIGHT LAMP	130		TIMER	187
	LED PANEL	53		TOUCH CONTROLLER	172
	LED PHOTOCCELL BULB	5		TRACK CONNECTOR	66
NEW	LED PICTURE & MIRROR LAMP	88	NEW	TRACK LIGHT	62
NEW	LED PROJECTOR	109		TRACK SUSPENSION	66
	LED PROJECTOR STAND	117		TRANSFORMER	195
NEW	LED READING LAMP	91		WATERPROOF LED STRIP	165
NEW	LED RECESSED SENSOR LAMP	160		WIRE SPRING	196
NEW	LED RECHARGEABLE PROJECTOR	107	NEW	WIRELESS LIGHTING CONTROLLER SWITCH	187
NEW	LED RGB PROJECTOR	114			
	LED SENSOR BULB	5			
NEW	LED SENSOR DECORATIVE CEILING LAMP	83			
NEW	LED SENSOR DOWNLIGHT	39			
NEW	LED SMART BULB	5			
	LED SOLAR CAMPING LIGHT	178			



 195 ADHESIVE TAPE	 129 ALUMINIUM BULKHEAD LAMP	 175 ALUMINIUM PROFILE	 195 CABLE TIE	 86 CEILING LAMP	 195 COAXIAL CABLE	 196 CONNECTOR	 191 CONTACTOR	
 92 DESK LAMP	 04 DIMMABLE LED BULB	 11 DIMMABLE LED CAPSULE	 187 DIMMER	 186 DOORBELL	 19 DOWNLIGHT FITTING	 54 DRYWALL KIT	 100 ELECTRONIC WALL LAMP	
 179 EMERGENCY LED LANTERN	 17 ENERGY SAVING LAMP	 17 FLUORESCENT TUBE	 54 FRAME	 131 GARDEN LAMP	 78 GLASS PENDANT LAMP	 18 HALOGEN LAMP	 194 LAMP HOLDER	
 04 LED 3CCT BULB	 52 LED BACKLIGHT PANEL	 94 LED BATTEN LIGHT	 04 LED BULB	 126 LED BULKHEAD LAMP	 117 LED CANOPY LIGHT	 10 LED CAPSULE	 85 LED CEILING LAMP	
 16 LED COLOUR BULB	 74 LED CRYSTAL SUSPENSION LIGHT	 82 LED DECORATIVE CEILING LAMP	 93 LED DESK LAMP	 26 LED DOWNLIGHT	 168 LED DRIVER	 182 LED EMERGENCY EXIT LAMP	 13 LED FILAMENT BULB	
 54 LED FRAME PANEL	 114 LED FRAMELESS PROJECTOR	 137 LED GARDEN LAMP	 180 LED HEADLIGHT	 103 LED HIGH BAY LAMP	 157 LED HOUSE NUMBER LIGHT	 160 LED INGROUND & RECESSED LAMP	 178 LED LANTERN	
 101 LED LINEAR HIGH BAY LAMP	 67 LED LINEAR SUSPENSION LIGHT	 59 LED LINEAR TRACK LIGHT	 55 LED MAGNETIC LIGHT SYSTEM	 174 LED MODULE STRIP	 130 LED NIGHT LAMP	 53 LED PANEL	 05 LED PHOTOCCELL BULB	
 88 LED PICTURE & MIRROR LAMP	 109 LED PROJECTOR	 117 LED PROJECTOR STAND	 91 LED READING LAMP	 160 LED RECESSED SENSOR LAMP	 107 LED RECHARGEABLE PROJECTOR	 114 LED RGB PROJECTOR	 05 LED SENSOR BULB	 83 LED SENSOR DECORATIVE CEILING LAMP

Experience in Lighting

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 03/2024

NEW 39 LED SENSOR DOWNLIGHT	NEW 05 LED SMART BULB	178 LED SOLAR CAMPING LIGHT	159 LED SOLAR LAMP	NEW 107 LED SOLAR PROJECTOR	106 LED SOLAR SECURITY LIGHT	NEW 118 LED SOLAR STREET LIGHT	NEW 158 LED SOLAR WALL & GROUND LAMP
65 LED SPOTLIGHT	NEW 123 LED STREET LIGHT	NEW 75 LED STRING LIGHT	164 LED STRIP	46 LED SURFACE BACKLIGHT	NEW 40 LED SURFACE LIGHT	NEW 70 LED SUSPENSION LIGHT	181 LED TORCH
NEW 58 LED TRACK LIGHT	12 LED TUBE	99 LED TUBE FIXTURE	NEW 105 LED UFO HIGH BAY LAMP	80 NEW LED WALL LIGHT	97 LED WATERPROOF LAMP	NEW 115 LED WORKLIGHT	183 LIGHT CONTROL PHOTOSENSOR
66 LIGHTING TRACK	192 MINIATURE CIRCUIT BREAKER	NEW 23 MODUL DOWNLIGHT FITTING	190 MOTOR PROTECTOR	190 MOTOR PROTECTOR BOX	193 MOULDED CASE CIRCUIT BREAKER	195 NAIL CABLE CLIP	195 NETWORK CABLE
NEW 63 PENDANT LAMP	116 PORTABLE LED PROJECTOR	117 PROJECTOR STAND	160 RECESSED LAMP	66 RECESSED MONOPOINT	04 RECHARGEABLE LED BULB	18 REFLECTOR LAMP	193 RESIDUAL CURRENT CIRCUIT BREAKER
173 RGB AMPLIFIER	173 RGB CONTROLLER	NEW 169 RGB LED STRIP KIT	167 RGB RF CONTROLLER	167 RGB SOCKET SET	NEW 183 SENSOR	188 SOCKET	167 SOCKET SET
NEW 64 SPOTLIGHT	195 STARTER	76 STRING LIGHT	49 SURFACE LIGHT	188 SWITCH	196 TERMINAL	NEW 196 TERMINAL BLOCK	191 THERMAL RELAY
187 TIMER	172 TOUCH CONTROLLER	66 TRACK CONNECTOR	NEW 62 TRACK SUSPENSION	66 TRANSFORMER	195 WATERPROOF LED STRIP	NEW 165 WATERPROOF LED STRIP	187 WIRELESS LIGHTING CONTROLLER SWITCH





HOROZ ELECTRIC

LED Bulb / LED 3CCT Bulb / Rechargeable LED Bulb / Dimmable LED Bulb

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PREMIER-5	PREMIER-7	PREMIER-9	PREMIER-12	PREMIER-15	PREMIER-18
	001-006-0005	001-006-0007	001-006-0009	001-006-0012	001-006-0015	001-006-0018

Power	: 5 W	7 W	9 W	12 W	15 W	18 W
Luminous Flux	: 500 lm	760 lm	900 lm	1150 lm	1500 lm	1850 lm
Sizes (mm)	: A:55 B:100	A:55 B:100	A:60 B:108	A:60 B:111	A:60 B:121	A:66 B:134



HOROZ ELECTRIC

LED Bulb LED Capsule LED Tube




COMBO-10 3 CCT

001 073 0010

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 940 lm
- 3 CCT (3000K-4000K-6400K)



CCT ADJUSTABLE




DURAMAX-12


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1150 lm
- 6400K
- 3.7V 2200mAh Li-Ion Battery
- Emergency Work: 4.5W - 500 lm



001 055 0012



Rechargeable
Emergency
LED
Bulb



Emergency Lighting
Duration: 3 Hours




D I M M A B L E

EXPERT-10


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 920 lm
- 3000K / 4200K / 6400K



001 021 0010



DIMMABLE





HOROSZ ELECTRIC

LED Smart Bulb / LED Photocell Bulb / LED Sensor Bulb

D I M M A B L E

HOROSCOPE-9


001 084 0009



- 100-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- RGB




RGB Multicolor
2700K 6500K



DARK-10


001 068 0010



- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K




Built-in Photocell Sensor




FORCE-10

001 067 0010



- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec




LED SMART BULB / LED PHOTOCELL BULB / LED SENSOR BULB




FOX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




	FOX-6	FOX-9	FOX-12	FOX-15
	001-069-0006	001-069-0009	001-069-0012	001-069-0015

Power	: 6 W	9 W	12 W	15 W
Luminous Flux	: 510 lm	820 lm	1155 lm	1500 lm
Sizes (mm)	: A: 30 B: 100	A: 36 B: 122	A: 44 B: 138	A: 50 B: 146




FONIX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008

Power	: 4 W	6 W	8 W
Luminous Flux	: 290 lm	440 lm	610 lm
Sizes (mm)	: A: 50 B: 515	A: 50 B: 515	A: 50 B: 565







PROLUX-6

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 571lm
- 4200K/6400K

001 075 0006




E A ↑ G




CONVEX

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



CONVEX-8	CONVEX-10
001-064-0008	001-064-0010

Power	:	8 W	10 W
Luminous Flux	:	640 lm	800 lm




F A ↑ G



D I M M A B L E


VISION

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



VISION-6	VISION-8	VISION-10
001-022-0006	001-022-0008	001-022-0010

Power	:	6 W	8 W	10 W
Luminous Flux	:	480 lm	640 lm	800 lm




F A ↑ G




PLUS

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



PLUS-4	PLUS-6	PLUS-8	PLUS-10
001-002-0004	001-002-0006	001-002-0008	001-002-0010

Power	:	4 W	6 W	8 W	10 W
Luminous Flux	:	290 lm	440 lm	610 lm	800 lm




F A ↑ G






ULTRA

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A****G**


ULTRA-6	ULTRA-8	ULTRA-10
001-003-0006	001-003-0008	001-003-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 100	A: 37 B: 107	A: 37 B: 110




CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A****G**


CRAFT-6	CRAFT-8	CRAFT-10
001-004-0006	001-004-0008	001-004-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Sizes (mm)	: A: 37 B: 124	A: 37 B: 135	A: 37 B: 135




ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K

F**A****G**


ELITE-6	ELITE-8	ELITE-10
001-005-0006	001-005-0008	001-005-0010

Power	: 6 W	8 W	10 W
Luminous Flux	: 510 lm	800 lm	1000 lm
Lamp Holder	: E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	: A: 45 B: 80	A: 45 B: 90	A: 45 B: 90




REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

G**A****G****F****A****G**

REFLED-4	REFLED-6	REFLED-10	REFLED-12
001-039-0004	001-040-0006	001-041-0010	001-042-0012



Power	: 4 W	6 W	10 W	12 W
Luminous Flux	: 260 lm	480 lm	920 lm	1150 lm
Lamp Holder	: E14	E14	E27	E27
Sizes	: A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115





TORCH



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	E27	E27	E27	E27	E27	E27
Luminous Flux	2050 lm	3120 lm	4250 lm	5350 lm	8300 lm	10600 lm
Sizes (mm)	A: 80 B: 135	A: 100 B: 165	A: 118 B: 190	A: 138 B: 220	A: 127 B: 232	A: 138 B: 230 (E27)

GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	16 W	20 W
Luminous Flux	1600 lm	2010 lm
Sizes (mm)	A: 95 B: 136.5	A: 120 B: 161



LED BULB

UFO PRO



- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	30 W	50 W	70 W
Luminous Flux	3050 lm	5200 lm	7500 lm
Sizes (mm)	A: 120 B: 110	A: 150 B: 140	A: 170 B: 170

**HOROZ****ELECTRIC****LED Capsule****PETA**


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




	PETA-4	PETA-6	PETA-8	PETA-10	PETA-12
	001-045-0004	001-045-0006	001-045-0008	001-045-0010	001-045-0012
Power	4 W	6 W	8 W	10 W	12 W
Luminous Flux	350 lm	520 lm	730 lm	950 lm	1155 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63	A: 18 B: 62

DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K





	DECO-3	DECO-7
	001-023-0003	001-023-0007
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60


**MEGA-5**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 2700K / 6400K


001 011 0005

**POND**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





	POND-3	POND-6
	001-086-0003	001-086-0006
Power	3 W	6 W
Luminous Flux	260 lm	520 lm
Sizes (mm)	A: 16 B: 50	A: 16 B: 55

**MINI**


- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

001 009 0002


**MIDI**

- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K


001 012 0002

**MICRO**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



	MICRO-2	MICRO-3
	001-010-0002	001-010-0003
Power	1.5 W	3 W
Luminous Flux	90 lm	160 lm
Sizes (mm)	A: 12 B: 34	A: 12 B: 36



LED CAPSULE / DIMMABLE LED CAPSULE



CORN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

Model	Power	Luminous Flux	Color Temperature	Sizes (mm)
CORN-4	4 W	360 lm	2700K/4200K/6400K	A: 30 B: 95
CORN-7	7 W	760 lm	6400K	A: 35 B: 135

TERA-2

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K

Model	Power	Luminous Flux	Color Temperature	Sizes (mm)
TERA-2	2 W	200 lm	2700K / 4200K / 6400K	12 mm x 38 mm

GIGA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

Model	Power	Luminous Flux	Sizes (mm)
GIGA-4	4 W	360 lm	A: 26 B: 54
GIGA-6	6 W	520 lm	A: 26 B: 58

MAKRO

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 6400K

Model	Power	Luminous Flux	Sizes (mm)
MAKRO-2	1.5 W	160 lm	A: 10 B: 33
MAKRO-3	3 W	280 lm	A: 13 B: 37

EXA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K

Model	Power	Luminous Flux	Sizes (mm)
EXA-4	4 W	400 lm	A: 13.3 B: 48
EXA-6	6 W	600 lm	A: 13.3 B: 60

MULTI

- 12V DC
- Average Life: 25.000 Hrs
- 2700K / 6400K

Model	Power	Luminous Flux	Sizes (mm)
MULTI-2	1.5 W	175 lm	A: 10 B: 33
MULTI-3	3 W	280 lm	A: 13 B: 37

D I M M A B L E

NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K

Model	Power	Luminous Flux	Color Temperature
NANO-2	1.5 W	105 lm	2700K/6400K
NANO-3	3 W	210 lm	6400K

D I M M A B L E

PIKO


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K

Model	Power	Luminous Flux	Color Temperature
PIKO-2	1.5 W	105 lm	2700K/6400K
PIKO-3	3 W	210 lm	6400K



LED TUBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power :	9 W	18 W	24 W
Luminous Flux :	830 lm	1800 lm	2500 lm
Length (mm) :	L: 600	L: 1200	L: 1500





DAISY


- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs



001 061 0040






FOLDABLE





FILAMENT BALL



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



	FILAMENT BALL-4	FILAMENT BALL-4	FILAMENT BALL-6	FILAMENT BALL-6
	001-089-0004	001-089-0004	001-089-0006	001-089-0006
Power	: 4 W	: 4 W	: 6 W	: 6 W
Luminous Flux	: 450 lm	: 450 lm	: 700 lm	: 700 lm
Lamp Holder	: E14	: E27	: E14	: E27
Sizes	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78	: A: 45 B: 78


FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K



FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




	FILAMENT CANDLE-4	FILAMENT CANDLE-6
	001-013-0004	001-013-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm




	FILAMENT FLAME-4	FILAMENT FLAME-6
	001-014-0004	001-014-0006
Power	: 4 W	: 6 W
Luminous Flux	: 450 lm	: 700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K





	FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
	001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015
Power	: 4 W	: 6 W	: 8 W	: 10 W	: 12 W	: 15 W
Luminous Flux	: 450 lm	: 700 lm	: 900 lm	: 1200 lm	: 1540 lm	: 1750 lm
Sizes (mm)	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 60 B: 105	: A: 67 B: 112	: A: 70 B: 131





- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 710 lm
- 2200K (Amber) / 2400K (Titanium)



TOLEDO

001 049 0008



PARADOX

PARADOX-XL


001 052 0008



GINZA

GINZA-XL

001 050 0008



ORIGAMI

ORIGAMI-XL


001 053 0008



ENIGMA

ENIGMA-XL

001 051 0008



ELLIPTIC

ELLIPTIC-XL

001 054 0008





LED FILAMENT BULB



RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 030 0006





F A ↑ G



RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 029 0006





F A ↑ G



RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



F A ↑ G





	RUSTICTUBE-6	RUSTICTUBE-8
	001-033-0006	001-033-0008

Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes /mm) :	A: 30 B: 185	A: 30 B: 235

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005



3 Modes



Flame Mode

General Lighting Mode

Breathing Mode





HOROZ


ELECTRIC

LED Colour Bulb

FANTASY RGB

001 088 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



RGB
■ 50 lm



FANTASY

001 088 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



Yellow
■ 110 lm

Red
■ 44 lm

Green
■ 78 lm

Blue
■ 32 lm

Orange
■ 96 lm

Purple
■ 30 lm

Pink
■ 46 lm


White
■ 140 lm



COMFORT RGB

001 087 0001

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



RGB
■ 35 lm



COMFORT

001 087 0002

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



Yellow
■ 90 lm

Red
■ 33 lm

Green
■ 60 lm

Blue
■ 25 lm

Orange
■ 75 lm

Purple
■ 23 lm

Pink
■ 38 lm

White
■ 100 lm



RAINBOW

001 017 0001

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs



Yellow
■ 105 lm

Red
■ 34 lm

Green
■ 68 lm

Blue
■ 12 lm


White
■ 120 lm



SPECTRA

001 017 0003

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



Yellow
■ 315 lm

Red
■ 102 lm

Green
■ 205 lm

Blue
■ 38 lm

White
■ 250 lm




LED COLOUR BULB


**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp


- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs

**TUBE-5**

	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	8 W	13 W	21 W	28 W
Luminous Flux :	400lm	1045lm	1660lm	2350lm
Length (mm) :	L: 300	L: 530	L: 860	L: 1160

**TUBE-8**

	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	360 lm	740 lm	975 lm	2400 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**


Fluorescent Tube Energy Saving Lamp




FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL


- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs





	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	1350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter :	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174

**HALF**

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K	2700K	2700K	2700K
Luminous Flux :	410 lm	550 lm	770 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146




**HOROZ ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs



	GU 10 CLOSED	JCDR OPEN	JCDR CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	50 W	50 W	50 W
Luminous Flux	340 lm	650 lm	550 lm
Lamp Holder	GU10	GU5.3	GU5.3

**HOROZ ELECTRIC**


Halogen Lamp




Average Life: 2.000 Hrs



	78 mm	118 mm	189 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	150W	300 W / 500W	1000W
Luminous Flux	2900 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189




Average Life: 2.000 Hrs



	JC G4	JC G4 WHITE
	12V AC	12V AC
Power	20 W	20 W
Luminous Flux	250 lm	200 lm

Average Life: 2.000 Hrs




	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	25 W / 40W	40W	40W
Luminous Flux	270 lm / 500 lm	500 lm	500 lm

**HOROZ ELECTRIC**

Reflector Lamp

**R**

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



	R39	R50-40	R50-60	R63-60
	007-001-0030	007-002-0040	007-002-0060	007-003-0060
Power	30 W	40 W	60 W	60 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm
Lamp Holder	E14	E14	E14	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95



HALOGEN LAMP

REFLECTOR LAMP



AZER

- Lamp holder not included
- Max. 10W LED



BLACK

WHITE

GOLD



AZER-1

015-039-0001




AZER-2

015-040-0001



AZER-3

015-041-0001



Downlight Fitting Modul Downlight Fitting



MEYAN

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001



PETUNYA

- Lamp holder not included
- Max. 10W LED

BLACK

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Cutting Size (mm)	: 90x81	166x90	252x90
Sizes (mm)	: A: 100 B: 100 C: 45	A: 100 B: 185 C: 45	A: 100 B: 270 C: 45






BEGONVİL

- Lamp holder not included
- Max. 10W LED

015 059 0001



- BLACK**
- GOLDEN**
- WHITE**




FİRÜZE

- Lamp holder not included
- Max. 10W LED

015 058 0001



- BLACK**
- GOLDEN**
- WHITE**




KADİFE

- Lamp holder not included
- Max. 10W LED

015 060 0001



- BLACK**
- GOLDEN**
- WHITE**




NANE

- Lamp holder not included
- Max. 10W LED

015 061 0001



- BLACK**
- GOLDEN**
- WHITE**






KARANFİL

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK



KARANFİL-R

015-022-0050




KARANFİL-S

015-023-0050




RINGO

121 001 0001



RINGA

121 002 0001



BLACK

WHITE

GOLDEN

CHROME

- Frame Ring for KARANFİL-R




DOWNLIGHT FITTING

KAKTÜS

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK



KAKTÜS-R

015-034-0001



KAKTÜS-S

015-035-0001





LAVINYA

- Lamp holder not included
- Max. 10W LED


WHITE

BLACK




LAVINYA-R

015-050-0001



LAVINYA-S

015-051-0001



SARDUNYA


- Lamp holder not included
- Max. 10W LED

WHITE




SARDUNYA-R

015-017-0050



SARDUNYA-S

015-018-0050



KAMELYA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 025 0050

- Lamp holder not included
- Max. 10W LED



LAVANTA

CHROME

MAT CHROME


BLACK

WHITE

GOLDEN

015 024 0050

- Lamp holder not included
- Max. 10W LED



ORKİDE

CHROME


MAT CHROME

GOLDEN

WHITE

015 007 0050

- 220-240V / 50-60Hz
- Max. 10W LED





RECESSED

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-6/MODUL-9




WHITE

BLACK



	RECESSED-R 015-042-0001	RECESSED-SQ1 015-043-0001	RECESSED-SQ2 015-043-0002	RECESSED-SQ3 015-043-0003	RECESSED-SQ4 015-043-0004
Cutting Size (mm)	: 80	: 80	: 160	: 240	: 160
Sizes (mm)	: A: 85 B: 85 C: 30	: A: 88 B: 88 C: 35	: A: 168 B: 88 C: 35	: A: 248 B: 88 C: 35	: A: 168 B: 168 C: 35



SURFACE

■ Lamp holder not included

DOWNLIGHT FITTING FOR MODUL-6/MODUL-9




WHITE

BLACK



	SURFACE-R 015-044-0001	SURFACE-SQ1 015-045-0001	SURFACE-SQ2 015-045-0002	SURFACE-SQ3 015-045-0003	SURFACE-SQ4 015-045-0004
Sizes (mm)	: A: 90 B: 90 C: 110	: A: 105 B: 105 C: 110	: A: 110 B: 205 C: 110	: A: 115 B: 300 C: 110	: A: 205 B: 205 C: 110



MODUL-9

016 076 0009





BLACK

WHITE

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 810 lm
- 4200K/6400K



SUITABLE FOR MODULE FITTING CASES



MODUL-G

128 003 0001



BLACK

GOLD


WHITE

- Max. 10W LED



SUITABLE FOR MODULE FITTING CASES

SUITABLE FOR GU10 AND G5.3 LED BULBS



MODUL DOWNLIGHT FITTING





AZELYA


- Lamp holder not included
- Max. 10W LED



WHITE

BLACK

WHITE-BLACK



	AZELYA-1	AZELYA-2	AZELYA-3	AZELYA-4
	015-048-0001	015-048-0002	015-048-0003	015-048-0004
Cutting Size (mm)	: 80	: 80	: 80x160	: 80x245
Sizes (mm)	: A: 85 B: 85 C: 40	: A: 92 B: 92 C: 42	: A: 92 B: 172 C: 42	: A: 92 B: 252 C: 42



DOWNLIGHT FITTING

ANEMON

- Lamp holder not included
- Max. 10W LED




WHITE

BLACK



	ANEMON-1	ANEMON-2	ANEMON-3	ANEMON-4
	015-049-0001	015-049-0002	015-049-0003	015-049-0004
Cutting Size (mm)	: 85	: 85	: 85x160	: 85x245
Sizes (mm)	: A: 95 B: 95 C: 35	: A: 92 B: 92 C: 35	: A: 92 B: 175 C: 35	: A: 92 B: 253 C: 35





**LED Downlight
LED Sensor Downlight**




ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K




LUNA

016 041 0003



WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available




BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K




SILVIA

016 039 0001

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K




MONICA

016 003 0001

CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K





HOROZ ELECTRIC

LED Downlight

LOGAN 3 CCT

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 3 CCT



016 085 0005

CCT ADJUSTABLE



BLACK

WHITE



MELODY

- 170-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 450 lm
- 4000K
- Linked Sets: 18 pcs



016 069 0005



MAT CHROME

WHITE

BLACK



DOUBLE SPRING CLAMP CONNECTOR





HOROZ ELECTRIC

LED Downlight

NORA PRO-5


016 053 1005



WHITE

BLACK

- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm



CCT ADJUSTABLE



3000K


4000K

6500K



AMARA


016 079 0006



WHITE&BLACK

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 480 lm
- 6400K



LED DOWNLIGHT





LED DOWNLIGHT



PARKER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR

BLACK

WHITE




Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)



	PARKER-5	PARKER-12
	016-071-0005	016-071-0012

Power	: 5 W	12 W
Luminous Flux	: 350 lm	1000 lm
Cutting Diameter (mm)	: Ø68	Ø130
Sizes (mm)	: A: 40 B: 82	A: 38 B: 148





CARTER

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

DOUBLE SPRING CLAMP CONNECTOR

BLACK

WHITE




Easy connection available
Linked Sets: Max. 18 pcs
(5w)

Easy connection available
Linked Sets: Max. 8 pcs
(12w)



	CARTER-5	CARTER-12
	016-072-0005	016-072-0012

Power	: 5 W	12 W
Luminous Flux	: 350 lm	1000 lm
Cutting Diameter (mm)	: Ø68	Ø130
Sizes (mm)	: A: 35 B: 82	A: 33 B: 145






LED DOWNLIGHT

STELLA




STELLA/SQ

WHITE

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





ADJUSTABLE CUT HOLE



	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power :	8 W	16 W	20 W	30 W
Luminous Flux :	680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm) :	55-70	55-100	55-150	55-200
Sizes (mm) :	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19



	STELLA/SQ-8	STELLA/SQ-16	STELLA/SQ-20	STELLA/SQ-30
	016-061-0008	016-061-0016	016-061-0020	016-061-0030
Power :	8 W	16 W	20 W	30 W
Luminous Flux :	680 lm	1440 lm	1900 lm	2850 lm
Cutting Diameter (mm) :	55-70	55-100	55-150	55-200
Sizes (mm) :	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19





HORUZ

ELECTRIC

LED Downlight

ALEXIS 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT




CCT ADJUSTABLE

CCT Selectable by DIP Switch


3000K 4000K 6500K

WHITE

BLACK



	ALEXIS-6 3CCT 016-087-0006	ALEXIS-9 3CCT 016-087-0009	ALEXIS-12 3CCT 016-087-0012	ALEXIS-18 3CCT 016-087-0018	ALEXIS-24 3CCT 016-087-0024	ALEXIS-30 3CCT 016-087-0030
Power :	6 W	9 W	12 W	18 W	24 W	30 W
Luminous Flux:	510 lm	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter:	Ø80	Ø100	Ø110	Ø140	Ø200	Ø250
Sizes (mm) :	A: 27 B: 108	A: 27 B: 125	A: 27 B: 147	A: 27 B: 175	A: 27 B: 220	A: 27 B: 300



ALEXIS/SQ 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT



CCT ADJUSTABLE

CCT Selectable by DIP Switch


3000K 4000K 6500K

WHITE

BLACK



	ALEXIS/SQ-9 3CCT 016-088-0009	ALEXIS/SQ-12 3CCT 016-088-0012	ALEXIS/SQ-18 3CCT 016-088-0018	ALEXIS/SQ-24 3CCT 016-088-0024	ALEXIS/SQ-30 3CCT 016-088-0030
Power :	9 W	12 W	18 W	24 W	30 W
Luminous Flux :	780 lm	1050 lm	1660 lm	2270 lm	3000 lm
Cutting Diameter (mm) :	90-90	110-110	140-140	200-200	250-250
Sizes (mm) :	A: 27 B: 118	A: 27 B: 152	A: 27 B: 178	A: 27 B: 220	A: 27 B: 300




LED DOWNLIGHT




LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE




	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44.5 B: 101	A: 53 B: 116	A: 62.6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225







ALEXA

- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3000K/4200K/7000K

- WHITE**
- BLACK**



	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power	: 8 W	: 12 W	: 20 W	: 24 W	: 30 W
Luminous Flux	: 600 lm	: 900 lm	: 1500 lm	: 1800 lm	: 2250 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø115	: Ø145	: Ø190
Sizes (mm)	: A: 32 B: 98	: A: 32 B: 120	: A: 32 B: 145	: A: 32 B: 180	: A: 32 B: 230







- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CLARA

MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm)	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm)	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE





	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm)	A: 14 B: 83	A: 14 B: 118,5	A: 14 B: 146	A: 14 B: 168	A: 17 B: 190	A: 14 B: 221	A: 14,5 B: 297



SLIM/Sq


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE




	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm)	76x76	105x105	135x135	156x156	178x178	207x207	276x276
Sizes (mm)	A: 16 B: 89	A: 18 B: 113,5	A: 16 B: 146	A: 18 B: 163	A: 15 B: 194,5	A: 18 B: 219,5	A: 17 B: 292





HARLEY 2 CCT

- 165-265V / 50-60Hz
- Average Life: 15.000 Hrs
- 2 CCT





2 CCT




WHITE

BLACK

ADJUSTABLE CUT HOLE




	HARLEY-5 2 CCT	HARLEY-10 2 CCT	HARLEY-16 2 CCT	HARLEY-20 2 CCT
	016-074-0005	016-074-0010	016-074-0016	016-074-0020
Power :	5 W	10 W	16 W	20 W
Luminous Flux :	298 lm	1108 lm	1578 lm	2078 lm
Cutting Diameter :	Ø55-70	Ø55-100	Ø55-160	Ø55-200
Sizes (mm) :	A: 100 B: 40	A: 120 B: 40	A: 175 B: 40	A: 225 B: 40



LED DOWNLIGHT

VIOLET


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	VIOLET-9	VIOLET-12	VIOLET-18	VIOLET-24	VIOLET-36
	016-075-0009	016-075-0012	016-075-0018	016-075-0024	016-075-0036
Power :	9 W	12 W	18 W	24 W	36 W
Luminous Flux :	720 lm	960 lm	1440 lm	1920 lm	2880 lm
Cutting Diameter :	Ø70	Ø90	Ø110	Ø145	Ø190
Sizes (mm) :	A: 86 B: 30	A: 106 B: 30	A: 130 B: 30	A: 162 B: 30	A: 210 B: 33






LED DOWNLIGHT


VALENTINA 2 CCT

- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K-6500K

WHITE




ADJUSTABLE CUT HOLE



VALENTINA-6 2 CCT	VALENTINA-12 2 CCT	VALENTINA-24 2 CCT	VALENTINA-36 2 CCT
016-063-0006	016-063-0012	016-063-0024	016-063-0036

Power	: 6 W	12 W	24 W	36 W
Luminous Flux	: 480 lm	960 lm	1920 lm	2880 lm
Cutting Diameter (mm)	: 50-90	50-105	50-150	50-205
Sizes (mm)	: A: 100 B: 25	A: 120 B: 25	A: 170 B: 25	A: 220 B: 25






LED DOWNLIGHT


ALESYA

- 85-265V / 50-60Hz
- Average Life:30.000 Hrs
- 6400K

- WHITE**
- BLACK**



	ALESYA-10	ALESYA-15	ALESYA-20	ALESYA-25	ALESYA-30	ALESYA-40
	016-089-0010	016-089-0015	016-089-0020	016-089-0025	016-089-0030	016-089-0040
Power	: 10 W	: 15 W	: 20 W	: 25 W	: 30 W	: 40 W
Luminous Flux	: 800 lm	: 1200 lm	: 1600 lm	: 2000 lm	: 2400 lm	: 3200 lm
Cutting Diameter (mm)	: Ø75	: Ø95	: Ø110	: Ø145	: Ø200	: Ø200
Sizes (mm)	: A: 30.5 B: 90	: A: 33 B: 120	: A: 35 B: 140	: A: 39 B: 170	: A: 220 B: 44	: A: 220 B: 44






MATILDA 3 CCT

- 100-265V / 50-60Hz
- Average Life: 25,000 Hrs
- 3 CCT




WHITE


BLACK



Recessed



Surface Mounting



	MATILDA-12 3CCT	MATILDA-18 3CCT
	016-090-0012	016-090-0018

Power	: 12 W	18 W
Luminous Flux	: 1200 lm	1800 lm
Cutting Diameter (mm)	: 60-130	60-180
Sizes (mm)	: A: 170 B: 18	A: 220 B: 18

CCT ADJUSTABLE






MARTHA-18 3 CCT

016 060 1018


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 3 CCT



Built-in
Photocell & PIR Sensor




- WHITE**
- BLACK**



Recessed



Surface Mounting



360°



→ ☀ Day&Night motion sensor mode

☾ ← Night motion sensor mode


CCT ADJUSTABLE



MARTHA-18

016 060 0018



- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 1530 lm
- 6400K




Built-in
Photocell & PIR Sensor




- WHITE**
- BLACK**



Recessed



Surface Mounting



360°



→ ☀ Day&Night motion sensor mode

☾ ← Night motion sensor mode



HOROZ ELECTRIC


LED Surface Light

SOFIA


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA-18	SOFIA-24	SOFIA-36	SOFIA-48
	016-064-0018	016-064-0024	016-064-0036	016-064-0048
Power :	18 W	24 W	36 W	48 W
Luminous Flux :	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm) :	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38



LED Surface Light LED Surface Backlight Surface Light





SOFIA/S


- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE

BLACK



	SOFIA/S-18	SOFIA/S-24	SOFIA/S-36	SOFIA/S-48
	016-065-0018	016-065-0024	016-065-0036	016-065-0048
Power :	18 W	24 W	36 W	48 W
Luminous Flux :	1620 lm	2160 lm	3240 lm	4320 lm
Sizes (mm) :	A:120 B:38	A:170 B:38	A:225 B:38	A:300 B:38





SELENA 3 CCT





BLACK

WHITE

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



CCT ADJUSTABLE



SELENA-12 3CCT	SELENA-18 3CCT	SELENA-24 3CCT	SELENA-36 3CCT
016-084-0012	016-084-0018	016-084-0024	016-084-0036

Power	: 12 W	18 W	24 W	36 W
Luminous Flux	: 1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm)	: A: 140 B: 32	A: 173 B: 32	A: 218 B: 32	A: 290 B: 32

MILENA 3 CCT




BLACK

WHITE

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3 CCT



CCT ADJUSTABLE



MILENA-12 3CCT	MILENA-18 3CCT	MILENA-24 3CCT	MILENA-36 3CCT
016-083-0012	016-083-0018	016-083-0024	016-083-0036

Power	: 12 W	18 W	24 W	36 W
Luminous Flux	: 1050 lm	1660 lm	2270 lm	3600 lm
Sizes (mm)	: A: 140 B: 32	A: 173 B: 32	A: 220 B: 32	A: 290 B: 32



NORA PRO/S-5

016 078 1005


CCT ADJUSTABLE



WHITE

BLACK


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 450 lm



LED SURFACE LIGHT

CARLA

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K





WHITE




	CARLA-16	CARLA-24	CARLA-32	CARLA-48
	016-058-0016	016-058-0024	016-058-0032	016-058-0048

Power	: 16 W	: 24 W	: 32 W	: 48 W
Luminous Flux	: 1520 lm	: 2280 lm	: 3040 lm	: 4500 lm
Sizes (mm)	: A:120 B:45	: A:175 B:45	: A:225 B:45	: A:300 B:45



CARLA/SQ

- 100-265V/50-60Hz
- Average Life: 25.000 Hrs
- 3000K/4200K/6400K





WHITE



	CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32	CARLA/SQ-48
	016-059-0016	016-059-0024	016-059-0032	016-059-0048

Power	: 16 W	: 24 W	: 32 W	: 48 W
Luminous Flux	: 1520 lm	: 2280 lm	: 3040 lm	: 4500 lm
Sizes (mm)	: A:125 B:45	: A:172 B:45	: A:225 B:45	: A:300 B:45






HOROZ ELECTRIC LED Surface Light

VALENTINA/S 2 CCT


- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 2 CCT



WHITE



VALENTINA/S-12 2 CCT	VALENTINA/S-24 2 CCT	VALENTINA/S-36 2 CCT
016-086-0012	016-086-0024	016-086-0036



Power	: 12 W	24 W	36 W
Luminous Flux	: 960 lm	1920 lm	2880 lm
Sizes (mm)	: A: 120 B: 46	A: 172 B: 46	A: 225 B: 46



LED SURFACE LIGHT


HAZEL

- 160-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE

BLACK



HAZEL-24	HAZEL-32	HAZEL-40
016-077-0024	016-077-0032	016-077-0040



Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 300 B: 55	A: 380 B: 55	A: 450 B: 60



SCARLETT-30 3CCT

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 3 CCT

016 070 1030



Linkable / Fast Connector




Release the bracket through push or pull the plastic button



WHITE

BLACK



CCT ADJUSTABLE


CCT Selectable by DIP Switch



3000K



4200K




6400K



SCARLETT-30



- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 6400K

016 070 0030



WHITE

BLACK





ANDREA

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE





Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA-15	ANDREA-20	ANDREA-30
	016-066-0015	016-066-0020	016-066-0030
Power :	15 W	20 W	30 W
Luminous Flux :	1275 lm	1700 lm	2550 lm
Sizes (mm) :	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49



LED SURFACE LIGHT

ANDREA/S

- 170-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

WHITE





Fast Connector



Release the bracket through push or pull the plastic button



	ANDREA/S-15	ANDREA/S-20	ANDREA/S-30
	016-067-0015	016-067-0020	016-067-0030
Power :	15 W	20 W	30 W
Luminous Flux :	1275 lm	1700 lm	2550 lm
Sizes (mm) :	A: 220 B: 49	A: 280 B: 49	A: 327 B: 49





LED SURFACE LIGHT / LED SURFACE BACKLIGHT



- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K

CAROLINE

ARINA

WHITE

BLACK





	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28
Colour :	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K	White 3000K/4200K/6400K
	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K	Black 6400K



PULSAR-48

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

056 015 0048



WHITE

BLACK

BACKLIGHT PANEL








LED SURFACE BACKLIGHT

PROTEUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

- WHITE
- BLACK



BACKLIGHT PANEL




Inside of Product



	PROTEUS-36	PROTEUS-48
	056-014-0036	056-014-0048


Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38





LAYLA-15


016 073 0015



BLACK

WHITE


- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 1200 lm
- 4200K



SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL




WHITE

BLACK




	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL




WHITE

BLACK



	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200





JOKER

- 220-240V / 50-60Hz
- Bulb not included
- Max. 10W LED



BLACK

WHITE



JOKER-1

015-038-0001



JOKER-2

015-038-0002



JOKER-4

015-038-0004



JOKER-3

015-038-0003



JOKER-5

015-038-0005




JOKER-6


015-038-0006




JOKER-1




JOKER-2




JOKER-3




JOKER-4



JOKER-5



JOKER-6






SURFACE LIGHT

SALSA **SALSA-XL**
SALSA-L **SALSA/SQ-L**


WHITE
BLACK
 ■ 220-240V / 50-60Hz
 ■ Max. 10W LED




SALSA
015-036-0001




SALSA-L
015-036-0002




SALSA-XL
015-036-0003



SALSA/SQ-L
015-037-0002




REFLEX



CHROME
GOLD
RED COPPER

REFLEX	REFLEX-L	REFLEX-XL	REFLEX/SQ-L
128-001-0001	128-001-0002	128-001-0003	128-002-0002

Sizes (mm) :	A:60	A:80	A:100	A:80
For Reflector :	Salsa	Salsa-L	Salsa-XL	Salsa/SQ-L






MIAMI

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

WHITE

BLACK

015 033 0001




SURFACE LIGHT

FREZYA


- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included

WHITE


BLACK



FREZYA-R
015-026-0050



FREZYA-S
015-027-0050






HOROZ ELECTRIC

LED Backlight Panel

PLAZMA-45



- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K

056 010 0045



WHITE

BACKLIGHT PANEL





Inside of Product



EUROPA-80


- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K

056 009 0080



WHITE

BACKLIGHT PANEL



Inside of Product




HOROZ ELECTRIC

LED Panel LED Backlight Panel Frame Drywall Kit



TAURUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE




TAURUS-36

TAURUS-48

056-013-0036

056-013-0048

Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32



BACKLIGHT PANEL



Inside of Product





GALAKSI-45

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K

056 002 0045

3000K 4200K 6400K



45W SMD LED


STAR-50

SILVER

- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K

056 001 0050

3000K 4200K 6400K



50W SMD LED




LED PANEL

MOON

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

3000K 4200K 6400K



SMD LED


MOON-32	MOON-40
056-007-0032	056-007-0040
Power : 32 W	40 W
Luminous Flux : 2240 lm	2800 lm
Sizes (mm) : A: 400 B: 400 C: 8	A: 500 B: 500 C: 8

ZODIAC

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

3000K 4200K 6400K



SMD LED

ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036
Power : 24 W	36 W
Luminous Flux : 1680 lm	2520 lm
Sizes (mm) : A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8







CAPELLA-48


- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE

056 012 0048



LED FRAME PANEL / FRAME / DRYWALL KIT



FRAME

WHITE


DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels




	FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
	111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45





HOROZ ELECTRIC

LED Magnetic Light System



HOROZ ELECTRIC

LED Magnetic Light System



LED MAGNETIC LIGHT SYSTEM

RECESSED MAGNET RAIL MAGNET-R2



129 006 0002

SURFACE MAGNET RAIL MAGNET-S2





129 007 0002

THREE INSTALLATION




48VDC 2M THICKNESS 2mm





MAGNET

- 48VDC
- Average Life: 40.000 Hrs



BLACK



MAGNET-LL1



MAGNET-LL2




MAGNET-LM1



MAGNET-LM2




	MAGNET-LL1	MAGNET-LL2	MAGNET-LL3	MAGNET-LL4	MAGNET-LM1	MAGNET-LM2	MAGNET-LM3
	129-002-0006	129-002-0012	129-002-0018	129-002-0024	129-001-0012	129-001-0020	129-001-0028
Power	: 6 W	12 W	18 W	24 W	12 W	20 W	28 W
Luminous Flux	: 540 lm	1080 lm	1620 lm	2160 lm	1260 lm	2220 lm	3180 lm
CCT	: 3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K	3000K/4200K
Sizes (mm)	: L:110 W:22 H:45	L:220 W:22 H:45	L:330 W:22 H:45	L:450 W:22 H:45	L:300 W:22 H:45	L:600 W:22 H:45	L:900 W:22 H:45



MAGNET


- 48VDC
- Average Life: 40.000 Hrs



BLACK




	MAGNET-ALL1	MAGNET-ALL2
	129-003-0012	129-003-0018
Power	: 12 W	18 W
Luminous Flux	: 1080 lm	1620 lm
CCT	: 3000K/4200K	3000K/4200K
Sizes (mm)	: L:220 W:22 H:90	L:328 W:22 H:90






MAGNET

■ 48VDC
■ Average Life: 40.000 Hrs



BLACK



MAGNET-T1	MAGNET-T2
129-005-0020	129-005-0030

Power	: 20 W	30 W
Luminous Flux	: 1630 lm	2510 lm
CCT	: 3000K/4200K	3000K/4200K
Sizes (mm)	: L:138 Ø:57	L:145 Ø:67



MAGNET-P1	MAGNET-P2
129-004-0020	129-004-0030

Power	: 20 W	30 W
Luminous Flux	: 1630 lm	2510 lm
CCT	: 3000K/4200K	3000K/4200K
Sizes (mm)	: Ø:65 H:200	Ø:80 H:200

MAGNET

■ 220VAC/48VDC
■ Average Life: 40.000 Hrs




BLACK



MAGNET-PS1	MAGNET-PS2
129-008-0001	129-008-0002

Power	: 100 W	200 W
Sizes (mm)	: L:220 W:22 H:25	L:310 W:22 H:37



MAGNET



BLACK



MAGNET-C1	MAGNET-C2	MAGNET-SJ	MAGNET-RJ	MAGNET-H	MAGNET-RC	MAGNET-RW	MAGNET-SC	MAGNET-SW
129-009-0001	129-010-0001	129-015-0001	129-016-0001	129-017-0001	129-011-0001	129-012-0001	129-013-0001	129-014-0001

Sizes (mm)	: L:370 W:16 H:17	L:220 W:16 H:17	80*23*T:2.0	L:70 W:11.5 H:T:1.0	L:1000 W:20 H:20	L:80 H:80	L:80 H:80	L:80 H:80	L:80 H:80
------------	-------------------	-----------------	-------------	---------------------	------------------	-----------	-----------	-----------	-----------



HOROZ ELECTRIC


LED Track Light

BREMEN


- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

WHITE

BLACK



	BREMEN-10	BREMEN-20	BREMEN-30	BREMEN-40
	018-031-0010	018-031-0020	018-031-0030	018-031-0040
Power	10 W	20 W	30 W	40 W
Luminous Flux	800 lm	1700 lm	2400 lm	3000 lm
Sizes (mm)	A: 54 B: 126 C: 138	A: 63 B: 156 C: 146	A: 76 B: 180 C: 171	A: 88 B: 180 C: 181



HOROZ ELECTRIC

LED Track Light




BREMEN 3 CCT

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3 CCT

WHITE


BLACK




	BREMEN-20 3CCT	BREMEN-30 3CCT
	018-031-1020	018-031-1030
Power	20 W	30 W
Luminous Flux	1700 lm	2400 lm
Sizes (mm)	A: 63 B: 156 C: 146	A: 76 B: 180 C: 171

CCT ADJUSTABLE

CCT Selectable by DIP Switch



3000K



4500K



6000K




HOROZ ELECTRIC

LED Linear Track Light

PARMA

- 160-265V
- Average Life: 40.000 Hrs



WHITE&BLACK


BLACK

Rotatable Body



PARMA-20	PARMA-30
018-032-0020	018-032-0030

Power	: 20 W	30 W
Luminous Flux	: 1600 lm	2400 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57



HOROZ ELECTRIC


LED Linear Track Light



LED LINEER TRACK LIGHT

CENOVA

- 160-265V
- Average Life: 40.000 Hrs



WHITE


BLACK

Rotatable Body



CENOVA-20	CENOVA-30
018-033-0020	018-033-0030

Power	: 20 W	30 W
Luminous Flux	: 2050 lm	3160 lm
Sizes (mm)	: L:351 W:34 H:57	L:486 W:34 H:57






Z O O M A B L E

MONACO-30


018 019 0030




- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- 2250 lm
- Beam Angle: 15°-60°



WHITE
BLACK



VARNA



- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




	VARNA-20	VARNA-30	VARNA-36
	018-026-0020	018-026-0030	018-026-0036


Power	: 20 W	30 W	36 W
Luminous Flux	: 1600 lm	2400 lm	2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180



WHITE
BLACK



LYON



- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




	LYON-10	LYON-18	LYON-24
	018-020-0010	018-020-0018	018-020-0024

Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	1170 lm	1560 lm
Sizes (mm)	: A: 58 B: 110 C: 132	A: 78 B: 118 C: 148	A: 88 B: 146 C: 162




WHITE
BLACK






LONDRA



WHITE

BLACK

- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K



LONDRA-12

LONDRA-15

018-029-0012


018-029-0015

Power	:	12 W	15 W
Luminous Flux	:	1080 lm	1350 lm
Sizes (mm)	:	A: 50 B: 200	A: 60 B: 200



FARS


018 030 0026



BLACK

WHITE

- 185-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 1700 lm
- 4200K





HOROZ ELECTRIC

Track Light


LONDRA-G

115 005 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



HOROZ ELECTRIC

Track Light




TORONTO

115 004 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included




BASEL

115 003 0001

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



TRACK LIGHT



HOROZ ELECTRIC

Pendant Lamp



PENDANT LAMP

VERTEX


021 024 0001



WHITE

BLACK

- 220-240V
- Max. 10W LED






VERSAY

115 006 0001



- WHITE**
- BLACK**

- 220-240V / 50-60Hz
- Max.10W LED
- Bulb not included



TRACK LIGHT / SPOTLIGHT




VERONA

116 002 0001

- WHITE**
- BLACK**


- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included






DAKAR

115 001 0001



RABAT

115 002 0001



WHITE

BLACK


- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included



TRACK LIGHT / LED SPOTLIGHT / SPOTLIGHT

TOKYO


017 002 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



LOZAN


116 001 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 10W LED
- Bulb not included





HOROZ ELECTRIC

Track Suspension / Lighting Track / Track Connector Recessed Monopoint

TRACK SUSPENSION

096 001 0006

1.5 m.

- 1.5M SUSPENSION SET FOR TRACK RAIL
- 220-240V / 50-60Hz
- Max. 16A



LIGHTING TRACK

097 001 0001

1 m.

WHITE

BLACK


- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0002

2 m.

097 001 0003

3 m.



TRACK CONNECTOR

WHITE

BLACK

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001

L Connector

096-002-0002



HOROZ ELECTRIC

Track Suspension Lighting Track Track Connector Recessed Monopoint




RECESSED MONOPOINT

098 001 0001

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A



125



HOROZ ELECTRIC

LED Linear Suspension Light

AVENUE 3 CCT


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

019 066 1040



BLACK

WHITE



CCT ADJUSTABLE

CCT Selectable by DIP Switch

3000K 4000K 6500K



HOROZ ELECTRIC


LED Linear Suspension Light LED Suspension Light LED Crystal Suspension Light



LED LINEAR SUSPENSION LIGHT

FORTUNE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available




BLACK

WHITE



	FORTUNE3-40	FORTUNE5-40	FORTUNE10-80
	019-050-0040	019-051-0040	019-052-0080

Power	: 40 W	40 W	80 W
Luminous Flux	: 4200 lm	4200 lm	8000 lm
Width (mm)	: 30 mm	50 mm	100 mm







FORTUNE 3CCT

019 051 1040


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

BLACK

WHITE



CCT ADJUSTABLE




DESTINY 3CCT

019 067 1040


- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4600 lm
- Surface mounting also available

BLACK

WHITE



CCT ADJUSTABLE






INNOVA 3 CCT

019 034 1040

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3 CCT
- 4200 lm
- Surface mounting also available

BLACK

WHITE



CCT ADJUSTABLE



CCT Selectable by DIP Switch


3000K

4500K

6000K



INNOVA



- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 4000K
- Surface mounting also available


BLACK

WHITE



INNOVA3-40	INNOVA5-40	INNOVA10-80
019-033-0040	019-034-0040	019-049-0080

Power	: 40 W	40 W	80 W
Luminous Flux	: 3200 lm	3200 lm	6500 lm
Width (mm)	: 30 mm	50 mm	100 mm





CONCORDE-24

019 053 0024



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1200 lm
- 4000K





CONCORDE-36

019 053 0036




BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2160 lm
- 4000K



LED SUSPENSION LIGHT





VENEZIA

019 057 0040



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K





TROYA

019 058 0024



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K



LIBERTY



019 054 0030



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



CORNELIA




019 055 0060



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K



LED SUSPENSION LIGHT



MONZA

019 059 0040



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2400 lm
- 4000K





COPERNIC

019 060 0015



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K






OLYMPIC

019 035 0045



BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K




GENESIS

019 036 0100



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



LED SUSPENSION LIGHT



CRATER

019 037 0020



CHROME

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K



AMOR

019 056 0050



CHROME

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2750 lm
- 4000K






ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211lm
- 4000K




ORION

019 017 0030




CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K




CYBER

019 061 0024



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1440 lm
- 4000K

CHROME




AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K




GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K






CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




PHOENIX

019 020 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K




ELECTRA

019 021 0038

CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K





HOROZ ELECTRIC

LED String Light

AMBIANCE

022 004 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs
- Wall and ground installation apparatus available



Insert the ground



Nailed to the wall



WALL AND GROUND INSTALLATION APPARATUS AVAILABLE



LED STRING LIGHT



HOROZ ELECTRIC

LED String Light String Light



PARADISE

022 005 0001

- 220V/24V
- 12W/Pure Set
- 18m/24BULBS
- 300 lm
- Average Life: 25.000Hrs






CARNAVAL-ROLL

022 003 0001

CUTTABLE

- 220V~
- 300 Lamp Holders (Each Max. 30W)
- Max. 800W
- 2x1.5 mm²
- Total 100 Meters
- Bulb not included




CARNAVAL-F10

022 002 0010


LINKABLE

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Max. 500W
- 2x0,94mm²
- Total 10 Meters
- Bulb not included




CARNAVAL

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included



LINKABLE




	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm ²	2*1,5mm ²

STRING LIGHT

HOROZ ELECTRIC Pendant Lamp

VOLTA

021 001 0001



- BLACK
- WHITE
- BROWN
- BLUE
- RED
- GREY

■ 250V~/4A
■ Max. 60W



HOROZ ELECTRIC Pendant Lamp



EDISON

021 002 0001

TESLA

021 003 0001

WEBER

021 008 0001


GAUSS

021 009 0001



- RED COPPER
- GOLDEN
- PEARL BLACK
- OLD BRONZE
- CHROME

■ 250V~/4A
■ Max. 60W



NEWTON

021 010 0001

KEPLER





021 011 0001

MAXWELL

021 012 0001


NOBEL

021 013 0001



- BLACK

■ 250V~/4A
■ Max. 60W





DREAM

021 020 0001



SHARP

021 019 0001



RONDO


021 018 0001



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



GLOBAL

021 021 0001



GLOBAL-X


021 021 0002



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass




AMPER

021 022 0001



COPPER

- 250V~/4A
- Max. 60W
- For Glass Pendant



ELEMENT-1

021 015 0001



AMBER

TITANIUM

ELEMENT-2


021 015 0002



CLEAR COPPER

CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass





SPARK-1

021 016 0001



AMBER



TITANIUM

SPARK-2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001



AMBER



TITANIUM

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



METEOR

021 014 0001




021 014 0002



COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass





HOROZ ELECTRIC

LED Wall Light

BELEK

029 009 0003




WHITE

BLACK

- 85-265V / 50-60Hz
- 100 lm
- 4200K
- Average Life: 30.000 Hrs

150x45x50mm




MAESTRO

029 008 0010



BLACK

- 85-265V / 50-60Hz
- 425 lm
- 4200K
- Average Life: 30.000 Hrs





HOROZ ELECTRIC

LED Wall Light




SALDA




SALDA-10	SALDA-14
029-010-0010	029-010-0014

Power	: 10 W	14 W
Luminous Flux	: 372 lm	680 lm
Sizes (mm)	: A: 620 B: 140	A: 920 B: 140



BLACK

- 85-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs




LED WALL LIGHT




SİSAM

029 006 0008



TRUVA

029 007 0008



WHITE


BLACK

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM)
- 520 lm (TRUVA)
- Average Life: 30.000 Hrs



ERDEK

029 001 0005



RED


- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs




RODOS

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




	RODOS-3	RODOS-6	RODOS-12
	029-004-0003	029-004-0006	029-004-0012
Power :	3 W	6 W	12 W
Luminous Flux :	170 lm	340 lm	950 lm
Sizes (mm) :	A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80




BELÉN

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



	BELÉN-6	BELÉN-12	BELÉN-18
	029-003-0006	029-003-0012	029-003-0018
Power :	6 W	12 W	18 W
Luminous Flux :	340 lm	950 lm	1400 lm
Sizes (mm) :	A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95





HOROZ ELECTRIC



LED Decorative Ceiling Lamp

SHARK-24

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

WHITE

027 001 0024



HOROZ ELECTRIC



LED Decorative Ceiling Lamp



ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	ELECTRON-15	ELECTRON-24	ELECTRON-36
	027-010-0015	027-010-0024	027-010-0036



Power	: 15 W	24 W	36 W
Luminous Flux	: 911 lm	1485 lm	2228 lm
Sizes (mm)	: A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55



EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 1125 lm	1800 lm	2700 lm
Sizes (mm)	: A: 260 B: 55	A: 330 B: 60	A: 410 B: 60




LED DECORATIVE CEILING LAMP




CRAMER

027 015 0020



- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 4200K / 6400K
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20--+40°C
- Installation height: 2.2m-3.5m

WHITE




CRAMER 3 CCT

027 015 1020

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 1500 lm
- 3 CCT
- Detection Distance: 3m (radii) (<24°C)
- Detection ANGLE 360°
- Time setting: 10sec-3min (adjustable)
- Detection moving speed: 0.6-1.5m/S
- Relative humidity: <93%R
- Working temperature: -20--+40°C
- Installation height: 2.2m-3.5m

WHITE



CCT ADJUSTABLE



3000K

4500K

6000K





PIXEL



RADIUS



WHITE

- 180 -265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



PIXEL-36	PIXEL-48
027-011-0036	027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70



RADIUS-36	RADIUS-48
027-012-0036	027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

ETERNAL



DISCOVERY




ETERNAL-36	ETERNAL-48
027-013-0036	027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90



DISCOVERY-36	DISCOVERY-48
027-014-0036	027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85



PHANTOM



GHOST



WHITE

BLUE

PINK

- 180 -265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




PHANTOM-36	PHANTOM-48
027-002-0036	027-002-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 410 B: 65	A: 510 B: 65



GHOST-36	GHOST-48
027-003-0036	027-003-0048

Power	:	36 W	48 W
Luminous Flux	:	2500 lm	3330 lm
Color	:	White / Blue / Pink	White
Sizes (mm)	:	A: 400 B: 60	A: 490 B: 60



LED DECORATIVE CEILING LAMP



HOROZ ELECTRIC

LED Ceiling Lamp



HOROZ ELECTRIC

**LED Ceiling Lamp
Ceiling Lamp**




CEILING LAMP

LIKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME



■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4




■ LIKYA-5



■ LIKYA-6



	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm





LED CEILING LAMP

KEMER


■ 220-240V / 50-60Hz

CHROME



KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
--------------	-----------	-----------	-----------	-----------	-----------





BODRUM


■ 220-240V / 50-60Hz

MAT CHROME



BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
--------------	---	---------	-----------	-----------	-----------



CEILING LAMP

MANAVGAT


■ 220-240V / 50-60Hz

CHROME



MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
--------------	---	---------	-----------	-----------	-----------	-----------





HOROZ ELECTRIC



LED Picture & Mirror Lamp

TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



HOROZ ELECTRIC

LED Picture & Mirror Lamp LED Reading Lamp





SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K





EBABIL-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K



LED PICTURE & MIRROR LAMP




LEYLEK

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




LEYLEK-8

LEYLEK-12

040-016-0008

040-016-0012

Power	:	8 W	12 W
Luminous Flux	:	720 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 45	A: 530 B: 120 C: 40




LED PICTURE & MIRROR LAMP

KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




KANARYA-8

KANARYA-12

040-012-0008

040-012-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 405 B: 120 C: 120	A: 555 B: 120 C: 120






KARTAL

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




KARTAL-8

KARTAL-12

040-017-0008

040-017-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 120 C: 160 D: 50	A: 550 B: 120 C: 160 D: 50




ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




ANKA-8

ANKA-12

040-014-0008

040-014-0012

Power	:	8 W	12 W
Luminous Flux	:	570 lm	850 lm
Sizes (mm)	:	A: 400 B: 52 C: 185	A: 550 B: 52 C: 185




FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME

BLACK




FLAMINGO-8

FLAMINGO-12

040-001-0008

040-001-0012

Power	:	8 W	12 W
Luminous Flux	:	450 lm	750 lm
Sizes (mm)	:	A: 400 B: 45 C: 185	A: 550 B: 45 C: 185






ALBATROS


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



ALBATROS-4	ALBATROS-6
040-002-0004	040-002-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	A: 555 B: 55 C: 108



KUĞU

040 006 0003

BLACK

SILVER

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K




TURNA

040 007 0003

BLACK



- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K



FLORYA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



FLORYA-3	FLORYA-6	FLORYA-9
040-009-0003	040-009-0006	040-009-0009

Power	: 3 W	6 W	9 W
Luminous Flux	: 214 lm	428 lm	640 lm





SİMGE


048 014 0060



GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W



RANA

048 013 0060




BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



BİHTER

048 009 0060




BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W





HOROZ ELECTRIC

LED Desk Lamp



LED DESK LAMP

EBRU

049 010 0010

BLACK
WHITE
SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs








İREM

049 011 0005

RED
WHITE
BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs








HOROZ ELECTRIC

LED Desk Lamp

CE EAC RoHS



BUDDY

048 001 0015

PINK
BLUE
YELLOW

- 220-240V / 50-60Hz
- Max. 15W
- 500 lm
- 4500K








HOROZ ELECTRIC


LED Batten Light

DERE-30

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 2280 lm
- 6400K
- Max. 7 Product

LINKABLE

052 007 0120




HAVZA-60

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 4620 lm
- 6400K
- Max. 4 Product

LINKABLE

052 008 0120




LED Batten Light LED Waterproof Lamp LED Tube Fixture Electronic Wall Lamp




GAMA

- 165-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



WHITE


BLACK



GAMA-30



GAMA-60




GAMA-80



	GAMA-30	GAMA-60	GAMA-80
	052-006-0060	052-006-0120	052-006-0150

Power	: 30 W	60 W	80 W
Luminous Flux	: 2250 lm	4500 lm	6000 lm
Length (mm)	: A: 600 B: 75 C: 25	A: 1200 B: 75 C: 25	A: 1500 B: 75 C: 25




LED BATTEN LIGHT



GAMA-X

- 160-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



- WHITE
- BLACK



GAMA-30X	GAMA-60X	GAMA-80X
052-006-2060	052-006-2120	052-006-2150

Power	: 30 W	60 W	80 W
Luminous Flux	: 2250 lm	4500 lm	6000 lm
Length (mm)	: A: 600 B: 80 C: 30	A: 1200 B: 80 C: 30	A: 1500 B: 80 C: 30



LED BATTEN LIGHT






TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



	TETRA-18	TETRA-36	TETRA-72
	052-003-0060	052-003-0120	052-003-0150
Power	18 W	36 W	72 W
Luminous Flux	1135 lm	2269 lm	5300 lm
Length (mm)	L: 600	L: 1200	L: 1500




LED BATTEN LIGHT





TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




WHITE

BLACK




	TETRA/SQ-27	TETRA/SQ-54	TETRA/SQ-72
	052-005-0060	052-005-0120	052-005-0150
Power	27 W	54 W	72 W
Luminous Flux	1890 lm	3780 lm	5670 lm
Length (mm)	L: 600	L: 1200	L: 1500





IRMAK

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 650	L: 1260	L: 1560



NEHİR

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




NEHİR-18	NEHİR-36	NEHİR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562



OKYANUS

- 170-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090

Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542






LED WATERPROOF LAMP


MEDUSA

- 180-260V/50-60Hz
- Average Life: 40.000 Hrs
- 6400K



	MEDUSA-18	MEDUSA-36	MEDUSA-58
	059-006-0018	059-006-0036	059-006-0058

Power	: 18 W	36 W	58 W
Luminous Flux	: 1800 lm	3600 lm	5800 lm
Length (mm)	: L: 600	L: 1200	L: 1500






PROMASTER

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included

057 003 2120




LED TUBE FIXTURE

PROFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
	057-001-1060	057-001-2060	057-001-1120	057-001-2120
Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65







SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE




	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power	4 W	7 W	10 W	14 W
Luminous Flux	254 lm	552 lm	846 lm	1100 lm
Length (mm)	L: 282	L: 546	L: 856	L: 1156




OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

LINKABLE



	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power	6 W	9 W	12 W	16 W
Luminous Flux	273 lm	538 lm	898 lm	1136 lm
Length (mm)	L: 285	L: 535	L: 855	L: 1155




ALFA

- 220-240V / 50-60Hz



	ALFA-6	ALFA-8	ALFA-28
	053-001-0006	053-001-0008	053-001-0028

Power	6 W	8 W	28 W
Length (mm)	L: 267	L: 343	L: 1200





TUBOFIX

- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



	TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
	061-001-0060	061-001-2060	061-001-0120	061-001-2120

Power	Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	T8	2xT8	T8	2xT8
Length (mm)	L: 616	L: 616	L: 1226	L: 1226






HOROZ ELECTRIC

LED Linear High Bay Lamp

PYRAMID


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable



Hangable



	PYRAMID-50	PYRAMID-100	PYRAMID-150	PYRAMID-200
	063-010-0050	063-010-0100	063-010-0150	063-010-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	6500 lm	13000 lm	19500 lm	26000 lm
Length (mm)	266	519	772	1025



HOROZ ELECTRIC

LED High Bay Lamp LED Linear High Bay Lamp




LED LINEAR HIGH BAY LAMP



ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body




Mountable



Hangable



	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650 lm	: 9300 lm	: 13950 lm	: 18600 lm
Length (mm)	: 290	: 520	: 758	: 1000




LED LINEAR HIGH BAY LAMP






AGORA

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body





	AGORA-100	AGORA-150	AGORA-200
	063-008-0100	063-008-0150	063-008-0200

Power	: 100 W	150 W	200 W
Luminous Flux	: 11000 lm	16500 lm	22000 lm
Sizes (mm)	: A:260 B: 31	A:300 B: 31	A:330 B: 31




ARTEMIS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200	ARTEMIS-300
	063-003-0100	063-003-0150	063-003-0200	063-003-0300


Power	: 100 W	150 W	200 W	300 W
Luminous Flux	: 10000 lm	15000 lm	20000 lm	30000 lm
Sizes (mm)	: A: 242 B: 83	A: 285 B: 83	A: 325 B: 83	A: 395 B: 83






HERKÜL


- 100-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K



	HERKÜL-100	HERKÜL-150	HERKÜL-200
	063-009-0100	063-009-0150	063-009-0200
Power	: 100 W	150 W	200 W
Luminous Flux	: 15000 lm	22500 lm	30000 lm
Length (mm)	: A:245 B:28 C:98 D:133	A:300 B:29 C:100 D:136	A:350 B:36 C:106 D:142



LED HIGH BAY LAMP





HOROZ ELECTRIC

LED Ufo High Bay Lamp

MYRA-200 3CCT

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 3 CCT


063 011 0200



CCT ADJUSTABLE

CCT Selectable by DIP Switch

3000K	4000K	6500K



LED UFO HIGH BAY LAMP



HOROZ ELECTRIC

LED Solar Security Light / LED Solar Projector



ARMOR-8

072 001 0008

- 3.7V DC
- 600 lm
- 6400K
- 2x1.5Ah Li-ion Battery
- Continuous Working Time: 1.5 Hrs
- Charging Time: 6-8 Hrs
- 5V 2.5W 500mA Polysilicon Solar Panel
- Average Life: 50.000 Hrs
- 180° (right-left) & 90° (up-down) rotatable Double Light Source
- 360° rotatable & 5 steps (30°-38°-45°-53°-60°) adjustable Solar Panel



BLACK




- LED Solar Security Light
- LED Solar Projector
- LED Rechargeable Light
- LED Projector
- LED RGB Projector
- LED Frameless Projector
- Portable LED Projector
- LED Projector Stand
- Projector Stand
- Module LED & Apparatus




LED SOLAR SECURITY LIGHT / LED SOLAR PROJECTOR

TIGER

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge & Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket




BLACK



	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100

Power	: 25 W	40 W	60 W	100 W
Luminous Flux	: 320 lm	400 lm	625 lm	890 lm
Battery	: 2x(3.2 / 2.5Ah) Lithium Iron Phosphate	2x(3.2V / 3Ah) Lithium Iron Phosphate	2x(3.2V / 5Ah) Lithium Iron Phosphate	2x(3.2V / 10Ah) Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V / 3W	Polysilicon, 6V / 6W	Polysilicon, 6V / 8W	Polysilicon, 6V / 12W
Projector Sizes (mm)	: A: 205 B: 158 C: 50	A: 250 B: 200 C: 70	A: 270 B: 223 C: 75	A: 320 B: 260 C: 90
Solar Panel Sizes (mm)	: D: 220 E: 135	D: 260 E: 174	D: 350 E: 235	D: 350 E: 290





SPIDER-16

- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- CRI 80
- Solar Panel: 1W 5V

BLACK

068 021 0016





SPARROW-16

- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 1600 lm
- Duration Time: 12-15 Hrs sensor mode
- Volt Range With Battery
- Battery 2600mAh
- Remote Control: 12m
- CRI 80
- Solar Panel: 1.6W 5.5V

BLACK

068 022 0016



THREE MODES LIGHTING

WALL AND GROUND INSTALLATION APPARATUS AVAILABLE






PANDA-10

- 3.7V DC
- Average Life: 25.000 Hrs
- 6400K
- 800 lm
- Duration Time 3 Hrs
- Charging Time 4 Hrs
- 3.7V 2600mAh Lithium Battery

BLACK

068 023 0010



LED SOLAR PROJECTOR / LED RECHARGEABLE PROJECTOR



TURBO 3 CCT

- 3.7V DC
- Average Life: 25.000 Hrs
- 3000K-4200K-6400K

CCT ADJUSTABLE



CCT Selectable by DIP Switch




3000K





4500K



6000K



	TURBO-200 3CCT 068-027-0200	TURBO-400 3CCT 068-027-0400	TURBO-800 3CCT 068-027-0800
Power	200 W	400 W	800 W
Luminous Flux	1466 lm	2391lm	2733 lm
Battery	3.7V 4000mAh	3.7V 8000mAh	3.7V 10000mAh
Panel	5V 1.3W	5V 2.3W	6V 8W Solar Panel Foldable
Endurance	Strong light 5H universal light 7H	Strong light 5H universal light 7H	Strong light 6H universal light 8H
Sizes (mm)	A:183.5 B:144 C:54.3	A:217.8 B:174.3 C:54.8	A:277 B:244.5 C:66







LED PROJECTOR

LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs

BLACK




	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 1785 lm	: 2685 lm	: 4500 lm	: 8500 lm	: 13200 lm	: 19000 lm	: 25500 lm	: 34000 lm
Color Temperature	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A:200 B:157 C:50	: A:215 B:171 C:45	: A:270 B:210 C:55	: A:305 B:253 C:75	: A:380 B:310 C:75	: A:400 B:350 C:90	: A:420 B:380 C:90	: A:480 B:430 C:105






PARDUS

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK



	PARDUS-10	PARDUS-20	PARDUS-30	PARDUS-50	PARDUS-100	PARDUS-200	PARDUS-300
	068-028-0010	068-028-0020	068-028-0030	068-028-0050	068-028-0100	068-028-0200	068-028-0300
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 900 lm	: 1800 lm	: 2700 lm	: 4500 lm	: 9000 lm	: 18000 lm	: 27000 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 92 B: 104 C: 21	: A: 114 B: 126.5 C: 28	: A: 139 B: 164 C: 29	: A: 169 B: 183 C: 29	: A: 217 B: 254 C: 33	: A: 326 B: 405 C: 36	: A: 445 B: 496 C: 49




LED PROJECTOR



HOROZ ELECTRIC LED Projector

FELIS

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs




BLACK

GRAY




	FELIS-50	FELIS-100	FELIS-200	FELIS-300	FELIS-400
	068-026-0050	068-026-0100	068-026-0200	068-026-0300	068-026-0400
Power	: 50 W	: 100 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 6000 lm	: 12000 lm	: 24000 lm	: 36000 lm	: 48000 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 215 B: 190 C: 38	: A: 260 B: 230 C: 44	: A: 360 B: 300 C: 48	: A: 420 B: 340 C: 44	: A: 470 B: 370 C: 48



OSELO

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs




BLACK

GRAY




	OSELO-50	OSELO-100	OSELO-200	OSELO-300
	068-025-0050	068-025-0100	068-025-0200	068-025-0300
Power	: 50 W	: 100 W	: 200 W	: 300 W
Luminous Flux	: 5000 lm	: 10000 lm	: 20000 lm	: 30000 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 210 B: 180 C: 38	: A: 240 B: 210 C: 38	: A: 300 B: 270 C: 40	: A: 330 B: 300 C: 42







ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK


WHITE



	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200	ASLAN-300
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200	068-010-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5750 lm	11700 lm	23550 lm	31740 lm
Color Temperature	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K	WHITE: 6400K BLACK: 6400K / GREEN	BLACK: 2700K / 6400K / GREEN	BLACK: 6400K
Sizes (mm)	A: 66 B: 72 C: 22	A: 86 B: 102 C: 26	A: 103 B: 116 C: 26	A: 134 B: 160 C: 25	A: 192 B: 225 C: 28	A: 312 B: 280 C: 28	A: 336 B: 378 C: 33

ASLAN/S

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WITH PIR SENSOR



BLACK

WHITE




	ASLAN/S-10	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0010	068-011-0020	068-011-0030	068-011-0050
Power	10 W	20 W	30 W	50 W
Luminous Flux	1100 lm	2200 lm	3380 lm	5500 lm
Sizes (mm)	A: 126 B: 72 C: 40	A: 142 B: 102 C: 40	A: 176 B: 135 C: 40	A: 184 B: 160 C: 40




PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



BLACK



	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200
Power	: 10 W	: 20 W	: 30 W	: 50 W	: 100 W	: 200 W
Luminous Flux	: 1000 lm	: 2000 lm	: 3000 lm	: 5000 lm	: 10000 lm	: 22200 lm
Color Temperature	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K	: 6400K
Sizes (mm)	: A: 87 B: 91 C: 24	: A: 102 B: 113 C: 24	: A: 118 B: 131 C: 30	: A: 136 B: 153 C: 30	: A: 206 B: 240 C: 31	: A: 290 B: 353 C: 34







REMIX

- 100-260V / 50-60Hz
- Average Life: 25.000 Hrs
- RGB+W




	REMIX-20	REMIX-30	REMIX-50	REMIX-100
	068-020-0020	068-020-0030	068-020-0050	068-020-0100

Power	: 20 W	30 W	50 W	100 W
Luminous Flux	: 1600 lm	2400 lm	4000 lm	8000 lm
Sizes (mm)	: A: 103 B: 28 C: 90 D: 118 E: 110	A: 133 B: 28 C: 121 D: 148 E: 140	A: 170 B: 28 C: 150 D: 178 E: 170	A: 250 B: 30 C: 219 D: 250 E: 249



PEGASUS

- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K




FRAMELESS FLOODLIGHT NO DARK AREA EDITION



	PEGASUS-10	PEGASUS-20	PEGASUS-30	PEGASUS-50	PEGASUS-100
	068-024-0010	068-024-0020	068-024-0030	068-024-0050	068-024-0100

Power	: 10 W	20 W	30 W	50 W	100 W
Luminous Flux	: 1100 lm	2200 lm	3380 lm	5750 lm	11700 lm
Sizes (mm)	: A: 81.9 B: 94.6 C: 35.2	A: 101.7 B: 117.5 C: 36.3	A: 133.2 B: 165.2 C: 38.3	A: 164 B: 200.8 C: 45	A: 203 B: 251.8 C: 49.5






PEGASUS/W

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

FRAMELESS FLOODLIGHT NO DARK AREA EDITION




FRAMELESS PROJECTOR



PEGASUS/W-50	PEGASUS/W-100
068-032-0050	068-032-0100


Power	: 50 W	100 W
Luminous Flux	: 5750 lm	11700 lm
Sizes (mm)	: A:178.6 B:155.8 C:78.1	A:223.3 B:194.8 C:80.4






WORKSHOP

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5000K
- 1.8M H07RN-F3G1.5mm2+VDE plug




WORKSHOP-30	WORKSHOP-60
068-019-0030	068-019-0060

Power	: 30 W	60 W
Luminous Flux	: 3250 lm	6500 lm
Sizes (mm)	: A: 252,5 B: 291 C: 111	A: 342 B: 387,5 C: 100
Socket & Switch	: 1 socket+ON/OFF on back	2 socket+ON/OFF on back




PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable



PROPORT-20	PROPORT-45
068-015-0020	068-015-0045




Power	: 20 W	45 W
Luminous Flux	: 2100 lm	4900 lm
Sizes (mm)	: A: 232.3 B: 146.4 C: 54	A: 298.6 B: 187 C: 52.5



TOWER

107 002 0080

- 2x4000lm Worklight
- 220-240V / 50Hz
- 2x40W, Lumen : 2x4355 lm,
- Ra > 80 , IP54
- ON/OFF Switch
- 1X VDE socket
- 3.0M H07RN-F3G1.5mm2+VDE plug
- Max. 2M Height
- Magnet on feet Cable storage
- Average Life: 25.000Hrs




LED Projector Stand Projector Stand



PORTABLE

107 001 0003


- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable




LED Canopy Light




FALCON

069 001 0110



RECESSED






HOROZ ELECTRIC


LED Solar Street Light

COMBAT



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 8-10m
- With 2x1.2m Pole



BLACK



	COMBAT-150	COMBAT-200	COMBAT-250
	074-011-0150	074-011-0200	074-011-0250
Power	150 W	200 W	250 W
Luminous Flux	1400 lm	1700 lm	2400 lm
Battery	3x3.2V,10Ah Lithium Iron Phosphate	4x3.2V,15Ah Lithium Iron Phosphate	5x3.2V,20Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 6V/8W	Polycrystalline Silicon 6V/12W	Polycrystalline Silicon 6V/16W
Installation Height	3 Meters	3,5 Meters	4 Meters
Irradiation Area	30m ²	60m ²	90m ²
Street Lamp Sizes (mm)	A: 415 B: 127	A: 462 B: 127	A: 510 B: 127



LED SOLAR STREET LIGHT



HOROZ ELECTRIC

LED Solar Street Light LED Street Light




POLE

130 001 0001

■ Pole for Combat

Ø76 mm

2500 mm






COMPACT PRO

Built-in Photocell


- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Installation Height: 2-3m

POLE INCLUDED


BLACK



	COMPACT PRO-20	COMPACT PRO-30	COMPACT PRO-40
	074-010-1020	074-010-1030	074-010-1040
Power	20 W	30 W	40 W
Luminous Flux	150 lm	190 lm	400 lm
Battery	3.2V3Ah Lithium Iron Phosphate	3.2V3Ah Lithium Iron Phosphate	3.2V3.6Ah Lithium Iron Phosphate
Solar Panel	Polycrystalline Silicon 5V/2W	Polycrystalline Silicon 5V/3W	Polycrystalline Silicon 5V/5W
Street Lamp Sizes (mm)	A:273 B:165 C:55	A:333 B:165 C:55	A:393 B:165 C:55



LED SOLAR STREET LIGHT






GRAND

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m

BLACK



	GRAND-50	GRAND-100	GRAND-200	GRAND-300
	074-009-0050	074-009-0100	074-009-0200	074-009-0300
Power :	50 W	100 W	200 W	300 W
Luminous Flux :	826 lm	984 lm	1198 lm	1567 lm
Battery :	1x3.2V,5AH Lithium Iron Phosphate	1x3.2V,5AH Lithium Iron Phosphate	2x3.2V,5AH Lithium Iron Phosphate	3x3.2V,5AH Lithium Iron Phosphate
Solar Panel :	Polycrystalline Silicon 6V/6W	Polycrystalline Silicon 6V/9W	Polycrystalline Silicon 6V/20W	Polycrystalline Silicon 6V/25W
Installation Height :	3 Meters	3,5 Meters	4 Meters	5 Meters
Irradiation Area :	30m ²	60m ²	80m ²	100m ²
Street Lamp Sizes (mm) :	A: 213 B: 312 C: 63	A: 207 B: 405 C: 65	A: 252 B: 640 C: 80	A: 252 B: 835 C: 80



LED SOLAR STREET LIGHT






LED SOLAR STREET LIGHT

GRAND/XL

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 10-12 Hours
- Charge&Discharge: >1500 times
- Charging Time: 6-8 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m





BLACK



	GRAND/XL-600	GRAND/XL-900	GRAND/XL-1200
	074-009-0600	074-009-0900	074-009-1200


Power	: 600 W	900 W	1200 W
Luminous Flux	: 2092 lm	2668 lm	3066 lm
Battery	: 3 x 3.2V/15Ah Lithium Iron Phosphate	3 x 3.2V/20Ah Lithium Iron Phosphate	3 x 3.2V/25Ah Lithium Iron Phosphate
Solar Panel	: Polycrystalline Silicon 6V/18W	Polycrystalline Silicon 6V/25W	Polycrystalline Silicon 6V/30W
Installation Height	: 4 Meters	5 Meters	6 Meters
Irradiation Area	: 80 m ²	150 m ²	200 m ²
Street Lamp Sizes (mm)	: A: 345 B: 450 C: 70	A: 345 B: 600 C: 75	A: 345 B: 680 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 360	D: 340 E: 510	D: 340 E: 590





LAGUNA

BLACK




- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket



	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200

Power	: 50 W	100 W	200 W
Luminous Flux	: 950 lm	1300 lm	2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	: 3 Meters	3-4 Meters	4-5 Meters
Street Lamp Sizes (mm)	: A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17



LED SOLAR STREET LIGHT







ROCKET

- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



D GRAY



Adjustable Pole Angle



	ROCKET-30	ROCKET-50	ROCKET-100
	074-015-0030	074-015-0050	074-015-0100
Power :	30 W	50 W	100 W
Luminous Flux :	3600 lm	6000 lm	12000 lm
Wall Installation Hole (mm) :	D: 74	D: 74	D: 74
Pole Diameter (Ø) :	60	60	60
Sizes (mm) :	A: 424.3 B: 67.3 C: 12.6	A: 507.5 B: 68.3 C: 13.2	A: 596.7 B: 76.3 C: 15



LED STREET LIGHT





HOROZ ELECTRIC

LED Street Light

FLORIDA




- 100-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K



Adjustable Pole Angle



GRAY



	FLORIDA-30	FLORIDA-50	FLORIDA-100	FLORIDA-150	FLORIDA-200
	074-014-0030	074-014-0050	074-014-0100	074-014-0150	074-014-0200
Power :	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	3400 lm	5800 lm	11700 lm	17600 lm	23550 lm
Wall Installation Hole (mm) :	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø) :	60	60	60	60	60
Sizes (mm) :	A: 364 B: 125 C: 77	A: 411 B: 152 C: 77	A: 483 B: 186 C: 84	A: 553 B: 212 C: 84	A: 640 B: 236 C: 84

	FLORIDA-30	FLORIDA-50	FLORIDA-100	FLORIDA-150	FLORIDA-200
Power :	30 W	50 W	100 W	150 W	200 W
Luminous Flux :	3400 lm	5800 lm	11700 lm	17600 lm	23550 lm
Wall Installation Hole (mm) :	D: 88	D: 88	D: 96	D: 96	D: 96
Pole Diameter (Ø) :	60	60	60	60	60
Sizes (mm) :	A: 364 B: 125 C: 77	A: 411 B: 152 C: 77	A: 483 B: 186 C: 84	A: 553 B: 212 C: 84	A: 640 B: 236 C: 84



LED STREET LIGHT






VEGAS


- 100-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



BLACK



	VEGAS-50	VEGAS-100	VEGAS-150	VEGAS-200
	074-013-0050	074-013-0100	074-013-0150	074-013-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 5750 lm	: 11680 lm	: 17600 lm	: 23550 lm
Sizes (mm)	: A: 411 B: 139	: A: 462 B: 151	: A: 541 B: 189	: A: 654 B: 213



LED STREET LIGHT




SORENTO 3 CCT

071 017 0020




- WHITE**
- BLACK**

- 170-260V / 50-60Hz
- 1600 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (±2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec±MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m (<24°C)
- Working Temperature : -20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s



CCT ADJUSTABLE



- 20W SMD LED**
- PIR Sensor**
- Sensor Adjustable**



LED BULKHEAD LAMP




PALERMO 3 CCT

071 018 0015




- WHITE**
- BLACK**

- 170-265V / 50-60Hz
- 1200 lm
- Average Life: 40.000 Hrs
- Voltage : 5-12VDC (±2MA)
- Power Frequency : 50/60Hz
- Ambient Light : <10LUX ->2000LUX
- Time Delay : Min.10sec±3sec±MAX.10min±5min
- Detection Range : 120° ± 20°
- Detection Distance : 10 m±2m (<24°C)
- Working Temperature : -20~+40C
- Working Humidity : <93%Rh
- Installation Height : 2.2-4m
- Detection Moving Speed : 0.6-1.5m/s



CCT ADJUSTABLE



- 15W SMD LED**
- PIR Sensor**
- Sensor Adjustable**






LED BULKHEAD LAMP


BOLKAR-20

071 014 0020



WHITE


- 160-265V / 50-60Hz
- 6400K
- 2400 lm
- Average Life: 30.000 Hrs



FARADAY

■ 160-265V / 50-60 Hz
 ■ Average Life: 25.000 Hrs

WHITE



FARADAY-24	FARADAY-36
071-015-0024	071-015-0036




Power	: 24 W	36 W
Luminous Flux	: 2400 lm	3600 lm
Sizes (mm)	: A: 250 B: 125 C: 38	A: 300 B: 150 C: 35



NORTON

■ 160-265V / 50-60 Hz
 ■ Average Life: 30.000 Hrs


WHITE



NORTON-24	NORTON-36
071-016-0024	071-016-0036



Power	: 24 W	36 W
Luminous Flux	: 2400 lm	3600 lm
Sizes (mm)	: A: 200 B: 38	A: 240 B: 35



LED BULKHEAD LAMP



**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp

**HOROZ ELECTRIC**

Aluminium Bulkhead Lamp



ALUMINIUM BULKHEAD LAMP

WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT

AYDER

TOROS

KAÇKAR



NEMRUT

AYDER

TOROS

KAÇKAR

070-001-0060


070-012-0100

070-002-0060

070-013-0100

Power : Max.60 W Max.100 W Max.60 W Max.100 W

Sizes (mm) : A:210 B:80 C:105 A:275 B:115 C:155 A:210 B:85 C:105 A:275 B:120 C:155



WHITE

BLACK

■ 220-240V / 50-60Hz

ZİGANA

MUNZUR

ARARAT

ERCİYES



ZİGANA

MUNZUR

ARARAT

ERCİYES

070-005-0060


070-014-0100

070-006-0060

070-015-0100

Power : Max.60 W Max.100 W Max.60 W Max.100 W

Sizes (mm) : A:180 B:85 C:180 A:240 B:110 C:140 A:170 B:80 C:170 A:240 B:115 C:240





HOROZ ELECTRIC

LED Night Lamp

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA

REX






BUGS

MAX

DUFFY



	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power :	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux :	25 lm	25 lm	20 lm	25 lm	20 lm



HOROZ ELECTRIC

LED Night Lamp



BUNNY 2CCT

085 005 0001

PINK/BLUE/GREEN/RED

- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs



ANDY 2CCT



085 006 0001

PINK/BLUE/GREEN/RED


- 220-240V / 50-60Hz
- 30 lm
- 2 CCT
- Average Life: 20.000 Hrs



CCT ADJUSTABLE



CCT ADJUSTABLE






Garden Lamp LED Garden Lamp LED House Number Light



NAR

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

NAR-2
075-016-0002

NAR-3
075-016-0003

NAR-4
075-016-0004

NAR-5
075-016-0005

Power :	Max.18W LED
Color :	Black/White
Sizes :	A: 170 B: 240 C: 210

Power :	Max.18W LED
Color :	Black/White
Sizes :	A: 170 B: 800 C: 260

Power :	Max.18W LED
Color :	Black/White
Sizes :	A: 170 B: 170 C: 300

Power :	Max.18W LED
Color :	Black
Sizes :	A: 170 B: 170 C: 580

Power :	Max.18W LED
Color :	Black
Sizes :	A: 170 B: 170 C: 840



GARDEN LAMP



NAR-6
075-016-0006

NAR-7
075-016-0007

Power :	Max.2x18W LED
Color :	Black

Power :	Max.3x18W LED
Color :	Black




GARDEN LAMP

PALMERA/S

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK



PALMERA/S1	PALMERA/S2	PALMERA/S3	PALMERA/S4
075-017-0001	075-017-0002	075-017-0003	075-017-0004

Sizes (mm)	:	A: 90 B: 90 C: 215	A: 90 B: 90 C: 300	A: 90 B: 90 C: 500	A: 90 B: 90 C: 800
------------	---	--------------------	--------------------	--------------------	--------------------






PALMERA

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: PC
- Max. 18W LED

BLACK



	PALMERA-1	PALMERA-2	PALMERA-3	PALMERA-4
	075-018-0001	075-018-0002	075-018-0003	075-018-0004

Sizes (mm)	:	A: 90 B: 215	A: 90 B: 300	A: 90 B: 500	A: 90 B: 800
------------	---	--------------	--------------	--------------	--------------






KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED



KAVAK/SQ-2
075-015-0002

KAVAK/SQ-3
075-015-0003

KAVAK/SQ-4
075-015-0004

KAVAK/SQ-5
075-015-0005

Sizes (mm)

: A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800




GARDEN LAMP



KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 18W LED



KAVAK-2
075-014-0002

KAVAK-3
075-014-0003

KAVAK-4
075-014-0004

KAVAK-5
075-014-0005

Sizes (mm)

: A: 208 B: 89 C: 148

A: 300 B: 89 C: 130

A: 500 B: 90 C: 130


A: 800 B: 90 C: 130





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED



LADİN-1

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004

Sizes (mm)

: A: 335 B: 120

A: 350 B: 120 C: 165


A: 500 B: 120

A: 800 B: 120



KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED



KAYIN-1

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210

A: 450 B: 150

A: 800 B: 150







PALMIYE

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 18W LED



PALMIYE-1

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004

Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 C: 230

A: 500 B: 150


A: 800 B: 150



GARDEN LAMP

DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 18W LED



DEFNE-1

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)

: A:405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110


A: 800 B: 76 C: 110







PRESTIGE

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 835 lm
- 4200K



BLACK



PRESTIGE-15

076-053-1001

PRESTIGE-1

076-053-0001

PRESTIGE-2

076-053-0002

PRESTIGE-3

076-053-0003

PRESTIGE-4

076-053-0004

Sizes (mm)

: A: 70.4 B: 230.7

A: 70.4 B: 230.7

A: 109 B: 300

A: 109 B: 500


A: 109 B: 800






DEXTER

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 700 lm
- 4200K



BLACK



	DEXTER-1	DEXTER-2	DEXTER-3	DEXTER-4
	076-115-0001	076-115-0002	076-115-0003	076-115-0004
Sizes (mm)	A: 200 B: 65	A: 300 B: 150	A: 500 B: 150	A: 800 B: 150

LED GARDEN LAMP






HOROZ ELECTRIC

LED Garden Lamp

CALEX

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



	CALEX-1	CALEX-2	CALEX-3
	076-116-0030	076-116-0060	076-116-0090
Power	: 10 W	: 20 W	: 30 W
Luminous Flux	: 350 lm	: 442 lm	: 821 lm
Lighting Direction	: Up, Down&Front	: Up, Down&Front	: Up, Down&Front
Width (mm)	: W: 85	: W: 119	: W: 170




LED GARDEN LAMP



BEYOND

076 087 0001




Ambience Light / 3000K



BLACK


- 85-265V 50-60Hz
- 4200K
- 547 lm
- Average Life:30.000 Hrs





LED GARDEN LAMP

DYNAMIC

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 24W
- 828 lm
- 4200K



BLACK



	DYNAMIC-1S	DYNAMIC-1	DYNAMIC-2	DYNAMIC-3	DYNAMIC-4
	076-058-1001	076-058-0001	076-058-0002	076-058-0003	076-058-0004
Sizes (mm)	A: 110 B: 300	A: 110 B: 300	A: 300 B: 300	A: 500 B: 300	A: 800 B: 300



MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 18W LED



MANGO-1


075-009-0001

MANGO-2

075-009-0002

MANGO-3

075-009-0003



LED GARDEN LAMP / GARDEN LAMP

MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass



MANOLYA-1

075-008-0001


MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003


Power	: Max. 10W LED	: Max. 2x10W LED	: Max. 2x18W LED
Lamp Holder	: GU10	: GU10	: E27
Body	: Stainless Steel	: Stainless Steel	: Aluminium
Color	: Mat Chrome / Black	: Mat Chrome / Black	: Black
Lighting Direction	: Down	: Up&Down	: Up&Down
Sizes (mm)	: A:116 B: 93 C: 85	: A:160 B: 93 C: 85	: A: 300 B: 173 C: 108






MAMBA

076 066 0001



MAMBA-SQ

076 067 0001



BLACK




- 220-240V / 50-60Hz
- Max. 10W LED



REGNUM

- 220-240V / 50-60Hz
- Aluminium Body+PC

BLACK





REGNUM-1	REGNUM-2	REGNUM-3	REGNUM-4
075-019-0001	075-019-0002	075-019-0003	075-019-0004

Power	: Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	: Up	Up&Down	Up	Up&Down



GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1	GARDENYA-2	GARDENYA-3	GARDENYA-4
075-010-0001	075-010-0002	075-010-0003	075-010-0004

Power	: Max. 10W LED	Max. 2x10W LED	Max. 10W LED	Max. 2x10W LED
Lighting Direction	: Down	Up&Down	Down	Up&Down







TWIST

- 85-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K

BLACK



	TWIST-5	TWIST-7	TWIST-12	TWIST-15
	076-042-0005	076-042-0007	076-042-0012	076-042-0015
Power :	5 W	7 W	12 W	15 W
Luminous Flux :	350 lm	442 lm	821lm	987 lm
Lighting Direction :	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Width (mm) :	W: 85	W: 119	W: 170	W: 220




LED GARDEN LAMP


PROTON/S

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON/S-2	PROTON/S-4	PROTON/S-6	PROTON/S-8
	076-055-0002	076-055-0004	076-055-0006	076-055-0008
Power :	2 W	4 W	6 W	8 W
Luminous Flux :	260 lm	360 lm	540 lm	720 lm
Lighting Direction :	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm) :	A: 73 B: 73 C: 38	A: 80 B: 119 C: 47	A: 80 B: 171 C: 47	A: 80 B: 220 C: 48







NEUTRON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	NEUTRON-5	NEUTRON-7	NEUTRON-12	NEUTRON-14
Code	076-091-0005	076-091-0007	076-091-0012	076-091-0014
Power	5 W	7 W	12 W	14 W
Luminous Flux	309 lm	452 lm	780 lm	973 lm
Lighting Direction	Up, Down&Front	Up, Down&Front	Up, Down&Front	Up, Down&Front
Sizes (mm)	A: 90 B: 100 C: 48	A: 92 B: 120 C: 50	A: 95 B: 185 C: 50	A: 95 B: 220 C: 53




LED GARDEN LAMP




PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



	PROTON-2	PROTON-4	PROTON-6	PROTON-8
Code	076-039-0002	076-039-0004	076-039-0006	076-039-0008
Power	2 W	4 W	6 W	8 W
Luminous Flux	260 lm	360 lm	540 lm	720 lm
Lighting Direction	Up&Down	Up&Down	Up&Down	Up&Down
Sizes (mm)	A: 73 B: 80 C: 38	A: 95 B: 117 C: 38	A: 95 B: 181 C: 42	A: 95 B: 217 C: 49







LAGOS

- 85-265V 50-60Hz
- 4200K
- 765 lm
- Average Life:30.000 Hrs

BLACK



076 070 0012






CARAT

- 85-265V 50-60Hz
- 4200K
- 925 lm
- Average Life:30.000 Hrs

BLACK



076 071 0012



LED GARDEN LAMP

FACTOR-2



- 85-265V /50-60Hz
- 4200K
- 170 lm
- Average Life: 30.000 Hrs

BLACK

WHITE



076 075 0002





BAT-6

- 85-265V 50-60Hz
- 4200K
- 335 lm
- Average Life:30.000 Hrs

BLACK




076 072 0006





BOLERO

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs




BLACK



	BOLERO-5	BOLERO-7	BOLERO-9
	076-076-0005	076-076-0007	076-076-0009


Power	: 5W	7W	9W
Luminous Flux	: 350 lm	619 lm	865 lm
Sizes (mm)	: A: 105 B: 62	A: 125 B: 62	A: 160 B: 62




METROPOL-12

- 85-265V 50-60Hz
- 4200K
- 910 lm
- Average Life: 30.000 Hrs

076 073 0012




BLACK



ANGEL

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



BLACK



	ANGEL-5	ANGEL-8	ANGEL-11
	076-077-0005	076-077-0008	076-077-0011

Power	: 5W	8W	11W
Luminous Flux	: 330 lm	445 lm	740 lm
Sizes (mm)	: A: 125 B: 50	A: 170 B: 50	A: 214 B: 50





SPARTA-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 085 0006





SPARTA-2

- 85-265V 50-60Hz
- 4200K
- 610 lm
- Average Life:30.000 Hrs

BLACK

076 085 0012





LED GARDEN LAMP

HERMES-1

- 85-265V 50-60Hz
- 4200K
- 350 lm
- Average Life:30.000 Hrs

BLACK

076 084 0006






HERMES-2

- 85-265V 50-60Hz
- 4200K
- 637 lm
- Average Life:30.000 Hrs

BLACK


076 084 0012






KING

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



BLACK



KING-5/R	KING-10/R	KING-5/S	KING-10/S
076-082-0001	076-082-0002	076-082-0003	076-082-0004

Power	:	5 W	10 W	5 W	10 W
Luminous Flux	:	450 lm	900 lm	450 lm	900 lm




LED GARDEN LAMP



VIPER


- 85-265V / 50-60Hz
- 4200K
- 740 lm
- Average Life: 30.000 Hrs

076 086 0017



BLACK


WHITE



SCADA


- 85-265V / 50-60Hz
- 4200K
- 590 lm
- Average Life: 30.000 Hrs

076 074 0012




BLACK

WHITE




LUXIA-G

076 078 0030




BLACK

- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs




LUXIA

076 079 0030



BLACK


- 85-265V 50-60Hz
- 4200K
- 2700 lm
- Average Life:30.000 Hrs



LED GARDEN LAMP


MORENA

076 080 0020




BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs




PALACE

076 081 0020



BLACK

- 85-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs








MARVEL-10

- 85-265V / 50-60Hz
- 4200K
- 517 lm
- Average Life: 30.000 Hrs

BLACK

BLACK&GOLDEN

076 052 0010




LED GARDEN LAMP

VECTOR


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



VECTOR-6	VECTOR-12
076-083-0006	076-083-0012

Power	: 6 W	12 W
Luminous Flux	: 350 lm	728 lm
Sizes (mm)	: A: 130 B: 70	A: 200 B: 80





OPERA-10

- 85-265V / 50-60Hz
- 4200K
- 844 lm
- Average Life: 30.000 Hrs

BLACK

076 057 0010






LED GARDEN LAMP

IMPERIAL


- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs

BLACK



IMPERIAL-1	IMPERIAL-2
076-054-0007	076-054-0014

Power	: 7 W	2x7 W
Luminous Flux	: 630 lm	1260 lm
Lighting Direction	: Up	Up&Down






HORUZ ELECTRIC

LED Garden Lamp


SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

076 040 0015



BLACK




LED GARDEN LAMP

ANDIZ


BLACK

WHITE

076 037 0009



- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs




SEKOYA


BLACK

WHITE

076 038 0004



- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs






SAFARI

075 020 0001



BLACK

- 220-240V / 50-60Hz
- Max. 2x10W LED
- Bulb not included
- Aluminium Body



SERVI



076 009 0012



BLACK


WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body



SELVI

SALKIM

ZAKKUM






MEŞE

TAFLAN

ARDIÇ



	SELVI	SALKIM	ZAKKUM	MEŞE	TAFLAN	ARDIÇ
Power	6 W	6 W	6 W	12 W	5.5 W	5.5 W
Luminous Flux	120 lm	180 lm	330 lm	650 lm	200 lm	245 lm
LED Type	COB	COB	SMD	SMD	SMD	POWER
IP	44	44	54	54	44	54
Lighting Direction	Up&Down	Up&Down	Down	Up&Down	All Directions	Down





HOROZ ELECTRIC

LED Garden Lamp



DRAGON

- 100-265V / 50-60Hz
- 4200K
- 1125 lm
- Average Life: 30.000 Hrs


WHITE

BLACK

076 060 0015



GARDEN LAMP / LED GARDEN LAMP





SEGMENT

- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

WHITE

BLACK

076 059 0024






CLEMENT


- 100-265V / 50-60Hz
- 4200K
- 1800 lm
- Average Life: 30.000 Hrs

076 062 0024



WHITE

BLACK





SWEEP

BLACK

- 100-265V 50-60Hz
- 4200K
- 1800 lm
- Average Life:30.000 Hrs

076 061 0024



CRUZ

TANGO



BLADE



WHITE

BLACK

- 100-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



	CRUZ	TANGO	BLADE
	076-063-0024	076-064-0024	076-065-0024
Power	24 W	24 W	24 W
Luminous Flux	1800 lm	1800 lm	1800 lm



CUBE



BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life:30.000 Hrs

076 068 0008






CUBE-G



BLACK

- 100-265V 50-60Hz
- 4200K
- 770 lm
- Average Life:30.000 Hrs

076 069 0008





LED GARDEN LAMP



MAGMA-15

076 090 0015



WHITE

BLACK


- 170-265V 50-60Hz
- 4200K
- 1450 lm
- Time Delay: 10sec±3sec to 5min±1min (adjustable)
- Ambient Light: <3-2000LUX
- Average Life 25.000 Hrs






ARENA

076 033 0010




- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs




SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs



BLACK



	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm





KUKA-5



- 100-240V / 50-60Hz
- 4200K
- 350 lm
- Average Life: 30.000 Hrs



076 031 0005



OZMO

- Li-ION Battery 3.7V 1200mAh
- 4000K
- 200 lm
- Run Time: High 6 Hrs /Low 12 Hrs
- High Brightness : 200 lm
- LOW Brightness : 50 lm
- Solar Panel 5V 1W 200mAh
- Average Life: 25.000 Hrs

078 015 0003



Outdoor Solar Landscape Lights



12 LED



IP 44



2-in 1
Function



Solar
Powered



Energy
Saving




Easy
Installation




SIRIUS



- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50.000 Hrs




	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power :	1W	2W
Luminous Flux :	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery :	3.7V 1200 mAh LI-Ion	3.7V 2200 mAh LI-Ion
Back Light :	Yes (Blue)	No



WITH PIR SENSOR



- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs



VENÜS

MARS

NEPTUN







PLUTON

HALLEY

CRYSTAL



	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001
Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No





HOROZ ELECTRIC

LED Recessed Sensor Lamp Recessed Lamp / LED Inground & Recessed Lamp



DIAMOND

- 180-265V / 50-60Hz
- 70 lm
- 4200K
- Average Life: 30.000 Hrs

WHITE

BLACK

079 026 0001



HOROZ ELECTRIC

LED Recessed Sensor Lamp Recessed Lamp LED Inground & Recessed Lamp




AWAX

079 030 0001



MAT CHROME

- 220-240V / 50-60Hz
- Max. 10W LED




ZÜMRÜT

079 001 0003

YAKUT

079 002 0003





WHITE

MAT CHROME

BLACK

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs





ICON-R

079 031 0003



ICON-S




079 032 0003



WHITE

BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs




LED INGROUND & RECESSED LAMP

YOGA

WHITE




BLACK

- 100-265V / 50-60Hz
- 58 lm
- 3000K
- Average Life: 30.000 Hrs



	YOGA-V1	YOGA-V2	YOGA-H1
	079-033-0001	079-033-0002	079-034-0001

Power	:	3 W	3 W	3 W
Luminous Flux	:	58 lm	58 lm	58 lm






HOROZ ELECTRIC

LED Inground & Recessed Lamp

AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1 W	3 W	6 W	9 W	18 W	24 W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Cutting Diameter (mm)	Ø50	Ø125	Ø105	Ø125	Ø165	Ø185
Sizes (mm)	A: 65 B: 78	A: 80 B: 95	A: 120 B: 95	A: 150 B: 95	A: 180 B: 95	A: 200 B: 95


ELMAS

079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 338 lm
- Average Life: 50.000 Hrs

6400K



İNCI


079 004 0002

SAFİR

079 003 0002

MAT CHROME


- 165-265V / 50-60Hz
- 82 lm
- Average Life: 50.000 Hrs



LED INGROUND & RECESSED LAMP




- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	: 147 lm	106 lm	147 lm	106 lm	147 lm	106 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110	A: 45 B: 58 C: 70 D: 170	A: 31 B: 58 C: 45 D: 110




- 165-265V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 3 W	1.5 W	3 W	1.5 W	3 W	1.5 W
Luminous Flux	: 147 lm	90 lm	147 lm	90 lm	90 lm	90 lm
Sizes (mm)	: A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70	A: 70 B: 58 C: 105	A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVERS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA**

	KUVERS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	1.8 W	2.7 W	1.5 W	1.8 W	2.7 W
Luminous Flux	: 90 lm	105 lm	160 lm	90 lm	105 lm	160 lm
Width (mm)	: W: 95	W: 140	W: 185	W: 95	W: 140	W: 185





LED Strip / RGB RF Controller / Socket Set
 RGB Socket Set / LED Driver
 Touch Controller / RGB Controller / RGB Amplifier
 LED Module Strip / Aluminium Profile



WATERPROOF


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs




220-240V





LED STRIP




NEOLED/SLIM



NEOLED



NEOLED/RGB



	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	5,8 W/m	6 W/m	9 W/m
Luminous Flux :	520 lm/m	540 lm/m	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Thickness :	15 mm	15 mm	20 mm





WATERPROOF

- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs



220-240V



VOLGA












VOLGA / RGB

COLORADO

COLORADO / RGB

GANJ

GANJ / RGB



	VOLGA	VOLGA / RGB	COLORADO	COLORADO / RGB	GANJ	GANJ / RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002

Power :	3.5 W/m	5 W/m	3.9 W/m	7 W/m	6.3 W/m	8 W/m
Luminous Flux :	240 lm/m	-	290 lm/m	-	576 lm/m	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm



HOROZ ELECTRIC

Waterproof LED Strip



NEVA



081 026 0001

- 220V
- Average Life: 30.000 Hrs

220-240V



Can be cut each 50 centimeters



NEVA

081-026-0001

Power	: 10 W/m
Luminous Flux	: 50000 lm / 164ft.
LED	: 280 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets/100 m Roll
Width	: 11.3 mm
Thickness	: 10 mm



AVON



081 025 0001

- 220-240V
- Average Life: 30.000 Hrs

220-240V



Can be cut each 1 meter



AVON

081-025-0001

Power	: 13 W/m
Luminous Flux	: 72000 lm / 164ft.
LED	: 240 pcs/m, 28x35, Single Chips, Single Row
Socket Sets	: 5 sets/50 m Roll
Diameter Ø	: 14 mm



RGB RF CONTROLLER

220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		


VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		



SOCKET SET

- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips

- 1 pcs 8A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips




VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED / SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm

NEVA SOCKET	AVON SOCKET
081-026-0011	081-025-0011
8 mm	7 mm



RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm






COLUMBIA-24



081 019 0002

- 24V DC
- Average Life: 30.000 Hrs
- 10W/m
- 960 lm/m
- 5m Roll
- 8mm Width
- LED: 320 LED/m



24VDC



Can be cut each 5 centimeters



SWAN-24



081 021 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 10mm Width
- 3000K/6400K



24VDC



Can be cut each 2.5 centimeters



CANTON-24



081 020 0002

- 24V DC
- Average Life: 30.000 Hrs
- 18W/m
- 2000 lm/m
- LED: 240 pcs/m, 28x35, Single Chip
- 5m Roll
- 15mm Width
- 3000K/6400K



24VDC




Can be cut each 5 centimeters




VEGA/24

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 24V



	VEGA-60/24	VEGA-100/24	VEGA-150/24	VEGA-200/24	VEGA-300/24
	082-003-0060	082-003-0100	082-003-0150	082-003-0200	082-003-0300
Output Power	60 W	100 W	150 W	200 W	300 W
Output Current	2,5A	4,1A	6,25A	8,3A	12,5A
COLUMBIA-24 LED Strip	5m	9m	14m	20m	28m
CANTON-24/SWAN-24 LED Strip	3m	5m	8m	11m	16m
Sizes (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188





DIGITAL

- 220V / 12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs



SYNCHRONOUS WITH ENVIRONMENT VOICES/HUMAN VOICES



12V DC

24V DC



DIGITAL-5	DIGITAL-10
081-030-0001	081-030-0002

Power :	10W/m	10W/m
Luminous Flux :	200 lm/m	200 lm/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	6x16 mm	6x16 mm



VICTORY

- 220V / 12V-24V (With Adapter)
- RGB
- Average Life: 25.000 Hrs



12V DC

24V DC



VICTORY-5	VICTORY-10
081-028-0001	081-028-0002

Power :	10W/m	10W/m
Luminous Flux :	800 lm/m	800 lm/m
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row
Sets Included :	1 Adapter, 1 Remote Controller 1 RGB Controller	1 Adapter, 1 Remote Controller 1 RGB Controller
Length :	5 m	10 m
Cut Distance :	50 mm	100 mm
Size :	2x10 mm	2x10 mm





REN



THAMES




REN/RGB

THAMES/RGB

WATERPROOF



- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



12V DC



	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W / 5 m Roll	24 W / 5 m Roll	72 W / 5 m Roll	72 W / 5 m Roll
Current :	2A / 5 m Roll	2A / 5 m Roll	6A / 5 m Roll	6A / 5 m Roll
Luminous Flux :	4.8 lm / LED	4.8 lm / LED	24.7 lm / LED	24.7 lm / LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips



VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.5W LED Module Strip :	12	16	30	40	66	100	133
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45





NiL




AMAZON



NiL/RGB

AMAZON/RGB



- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application




12V DC



	NiL	NiL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	24.7 lm/LED	24.7 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VESPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V




	VESPA-60	VESPA-100	VESPA-150	VESPA-200	VESPA-250	VESPA-360
	082-004-0060	082-004-0100	082-004-0150	082-004-0200	082-004-0250	082-004-0360
Output Power	60 W	100 W	150 W	200 W	250 W	360 W
Output Current	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 35 B: 23 C: 150	A: 48 B: 24 C: 146	A: 48 B: 24 C: 183	A: 63 B: 25 C: 208	A: 63 B: 25 C: 208	A: 63 B: 25 C: 227



VEGA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V




	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current	0,8A	3A	5A	8.5A	12A	17A	20.8A	30A
28x35 SMD LED Strip	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip	1m	1.5m	4m	6.5m	10m	13m	17m	24m
Size (mm)	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225

VIPA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V



	VIPA-12	VIPA-24	VIPA-36	VIPA-48	VIPA-60	VIPA-72
	082-002-0012	082-002-0024	082-002-0036	082-002-0048	082-002-0060	082-002-0072
Output Power	12 W	24 W	36 W	48 W	60 W	72 W
Output Current	1A	2A	3A	4A	5A	6A
28x35 SMD LED Strip	3m	5m	7m	8m	11m	14m
50x50 SMD LED Strip	1m	1.5m	2m	3m	4m	5m
Length (mm)	L: 120	L: 160	L: 220	L: 280	L: 310	L: 320




TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved




	TOUCH	TOUCH-RGB
	100-003-0288	100-004-0288
Color	Single	16 million
Output Power	144-288W	144-288W
Output Current	4Ax3 Channel	4A/Each Color
35x28 LED Strips	30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	5	12






RGB CONTROLLER



RGB Controller 2A	RGB Controller 6A
100-001-0072	100-002-0432



Output Power	: 72 W	216 W-432 W
Output Current	: 2A/Each Color	6A/Each Color
Input Voltage	: DC 12V-DC 24V	DC 12V-DC 24V
Output Voltage	: DC 12V-DC 24V	DC 12V-DC 24V
35x28 RGB LED Strip	: 15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	: IR	RF



RGB CONTROLLER / RGB AMPLIFIER


AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V



AMPLIFIER-12A	AMPLIFIER-30A
101-001-0144	101-001-0360

Output Power	: 144 W	360 W
Output Current	: 4A/Each Color	10A/Each Color
35x28 RGB LED Strip	: 30 Meters with 60 Leds/Meter	75 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 10 Meters with 60 Leds/Meter	25 Meters with 60 Leds/Meter





NELSON



081 024 0001



10000K

RED

GREEN

BLUE

AMBER



12V DC

WATERPROOF

- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module




NELSON/RGB



081 024 0002



RGB



LED MODULE STRIP










PROFILE

RECESSED TYPE

0.7mm








PROFILE-R1	PROFILE-R1	PROFILE-BR1	PROFILE-R2	PROFILE-R2	PROFILE-BR2	PROFILE-R3	PROFILE-R3	PROFILE-BR3
120-001-1001	120-001-0001	120-001-0011	120-001-1002	120-001-0002	120-001-0012	120-001-1003	120-001-0003	120-001-0013

Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE

RECESSED TYPE

0.7mm



PROFILE-R5	PROFILE-R5	PROFILE-BR5	PROFILE-R6	PROFILE-R6	PROFILE-BR6	PROFILE-R7	PROFILE-R7	PROFILE-BR7
120-001-1005	120-001-0005	120-001-0015	120-001-1006	120-001-0006	120-001-0016	120-001-1007	120-001-0007	120-001-0017

Lenght	:	2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	:	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK



PROFILE

SURFACE TYPE

0.7mm



S1 SILVER

S1 BLACK



S2 BLACK

S2 SILVER



S3 SILVER

S3 BLACK






S1 BLACK COVER (BS1)



S2 BLACK COVER (BS2)



S3 BLACK COVER (BS3)



	PROFILE-S1	PROFILE-S1	PROFILE-BS1	PROFILE-S2	PROFILE-S2	PROFILE-BS2	PROFILE-S3	PROFILE-S3	PROFILE-BS3
	120-002-1001	120-002-0001	120-002-0011	120-002-1002	120-002-0002	120-002-0012	120-002-1003	120-002-0003	120-002-0013
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK

PROFILE


SURFACE TYPE

0.7mm




S4 BLACK

S4 WHITE




S5 BLACK

S5 WHITE



S4



S5



S4 BLACK COVER (BS4)



S5 BLACK COVER (BS5)



	PROFILE-S4	PROFILE-S4	PROFILE-BS4	PROFILE-S5	PROFILE-S5	PROFILE-BS5
	120-002-1004	120-002-0004	120-002-0014	120-002-1005	120-002-0005	120-002-0015
Lenght	: 2 M	3 M	3 M	2 M	3 M	3 M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK






PROFILE

0.7mm

CORNER TYPE

FILEXIBLE TYPE



	PROFILE-C1	PROFILE-C1	PROFILE-BC1	PROFILE-F1	PROFILE-F1	PROFILE-BF1
	120-003-1001	120-003-0001	120-003-0011	120-004-1001	120-004-0001	120-004-0011
Lenght	: 2M	3M	3M	2M	3M	3M
Body Color	: SILVER/BLACK	SILVER/BLACK	BLACK	SILVER/BLACK	SILVER/BLACK	BLACK





HOROZ ELECTRIC

LED Lantern / LED Solar Camping Light

VERON

084 037 0015




CCT Adjustable

- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1.8Ah Rechargeable Lithium Battery
- Duration Time:
 - 6 Hours (3000K-6400K)
 - 4 Hours (4200K)
- Average Life: 30.000 Hrs


LED LANTERN

RECHARGEABLE



CRESPO


084 036 0025



- 5V DC Micro USB
- 550/195/40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN

RECHARGEABLE



LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp




HOROZ ELECTRIC



FORLAN

084 023 0010



- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Tube: 1.5 Hours
 - 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs


LED LANTERN

RECHARGEABLE



ROMARIO


084 022 0010



- 220-240V / 50-60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Hour for Strong Light
 - 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR

RECHARGEABLE




LED LANTERN / LED SOLAR CAMPING LIGHT




HENRY

084 034 0005



- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




EMERGENCY LED LANTERN

MALDINI



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Stickers included



- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003

Power	: 13 W	16 W
Luminous Flux	: 330 lm	410 lm
Battery	: 2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	: 3 Hours	3 Hours
Size (mm)	: A: 245 B: 75 C: 45	A: 325 B: 75 C: 45



WENGER


084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - Step 1: 1 Hour
 - Step 2: 2 Hours
- Average Life: 30.000 Hrs




- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



MESSI

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs



DESK LAMP MODE



HANGABLE + MOUNTABLE




	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023


Power	: 9 W	15 W	23 W
Luminous Flux	: 280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	: 4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	: 3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	: A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50



- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



BECKHAM



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003

Power	: 1 W	3 W
Luminous Flux	: 100 lm	200 lm
Battery	: 4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	: 20m	30m
Sizes (mm)	: A: 70 B: 81 C: 98	A: 85 B: 92 C: 96

- LED HEADLIGHT
- RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light
- Average Life: 30.000 Hrs



EMERGENCY LED LANTERN / LED HEADLIGHT




HOROZ ELECTRIC LED Torch


ZOLA

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE



OFF-1-2




PELE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 4 Hours for Weak Light 1 Hour for Strong Light



LED TORCH
RECHARGEABLE




OFF-1-2



	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003

Power	: 0.5 W	1 W	3 W
Luminous Flux	: 30 lm	73 lm	120 lm
Battery	: 4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	: A: 45 B: 140	A: 50 B: 160	A: 65 B: 170




BEST

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time: 1 Hour for Strong Light 4 Hours for Weak Light



LED TORCH
RECHARGEABLE




OFF-1-2



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005

Power	: 1 W	3 W	5 W
Luminous Flux	: 70 lm	120 lm	210 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	: A: 51 B: 200	A: 65 B: 220	A: 85 B: 240




MARADONA-2

084 003 0002


- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time: 4 Hours for Strong Light 16 Hours for Weak Light
- Average Life: 30.000 Hrs



LED TORCH
RECHARGEABLE



OFF-1-2





ROBSON

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes


084 020 0002

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



LED EMERGENCY EXIT LAMP



ZOFF

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes


084 019 0001

EXIT & SAFETY

RECHARGEABLE

EMERGENCY

AUTOMATIC LIGHT-UP



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor Sensor / Doorbell Wireless Lighting Controller Timer / Plug in Switch / Dimmer




LIGHT CONTROL PHOTOSENSOR / SENSOR

TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s




MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12x1m Max. (<24°C)
- Time-delay: 5 sec - 7+2min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (<24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W






FOCUS

088 001 0001

WHITE

BLACK

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max 1000W
- Detection Distance: 8 ± 1 m Max. (-24°C)
- Time-delay: 5 sec - 10±2 min.
- Ambient Light: < 10Lux - 2000Lux




MONDEO

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load: Max. 400W
- Detection Distance: 8 m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




ROVER

088 001 0011

WHITE

- Detection Angle: 360°
- Detection Source: 220-240V / AC
- Power Frequency: 50 / 60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




CORSA

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m




POLO

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0.6-1.5 m/s




SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



Detection is possible to go through doors, panes of glass or thin walls



MUSTANG-1

088 002 0001




WHITE

BLACK

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: <10LUX - Daylight (Adjustable)



Surface and Recessed installation available



MUSTANG-2

088 002 0002




WHITE

BLACK

- Operation Voltage: 110-240V / 50-60Hz
- Rated Load For LED: Max 300W
- Detection Distance: 6m Max. (<24°C)
- Time-delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: <10LUX - Daylight (Adjustable)



Surface and Recessed installation available



DUSTER


088 003 0001



WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 6m Max (<24°C)
- Time Delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: <10LUX - Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



SANDERO


088 004 0001



WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 4m-10m Max (<24°C)
- Time Delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: <10LUX - Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°



NAVARA


088 005 0001



WHITE

BLACK

- Detection Range: 360°
- Detection Source: 110-240V/AC
- Power Frequency: 50/60Hz
- Rated Load For LED: Max. 200W
- Detection Distance: 8m Max (<24°C)
- Time Delay: 10 sec - 7 min. (Adjustable)
- Ambient Light: <10LUX - Daylight (Adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s
- Detection Angle: Wall type 120° / Ceiling Type 360°






LORD

086 001 0001


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLID

086 001 0002


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLO

086 001 0006


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



ALBA

086 001 0004


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



HELIX

086 001 0003


- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome - Alarm
- USB Cable Included



VIOLA

086 001 0005

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional









CONTROLLER

Wireless Lighting
Controller Switch




- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W
- Energy saving lamp / LED ≤ 300W
- Working voltage: 12V (A23 alkaline battery)



CONTROLLER-1

105-001-0001


1 Channel



CONTROLLER-2

105-001-0002


2 Channels



CONTROLLER-3

105-001-0003


3 Channels



CONTROLLER-4




105-001-0004

4 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A



	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001


Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

HORIZON

112 006 0001



- 250V~
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)





ATOM

250V~



112 100 0004

ONE WAY SWITCH (10A)



112 100 0007

TWO WAY SWITCH (10A)



112 100 0006

2-GANG ONE WAY SWITCH (10A)



112 100 0001

GROUNDING SOCKET (16A)



112 100 0003

1-GANG GROUNDING SOCKET (16A)
1-GANG ONE WAY SWITCH (10A)





112 100 0005

1-GANG GROUNDING SOCKET (16A)
2-GANG ONE WAY SWITCH (10A)



112 100 0002

2-GANG GROUNDING SOCKET (16A)



SWITCH / SOCKET





EVA

■ 250V-



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



SWITCH / SOCKET





**Motor Protector Box
Motor Protector
Contactor
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker**




SAFE

Motor Protector Box


■ For all Motor Protectors except 114-006-2540

114 008 0001



SAFE

Motor Protector




	114-006-0631	114-006-0116	114-006-1625	114-006-2504	114-006-0463	114-006-0610	114-006-0914	114-006-1318	114-006-1723	114-006-2025	114-006-2540
Rated Current (A)	: 0,63-1A	1-1,6A	1,6-2,5A	2,5-4A	4-6,3A	6-10A	9-14A	13-18A	17-23A	20-25A	25-40A
Motor Power (kW)	: 0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	11kW	18.5kW
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Type	: AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-	AC-3
Rated voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:89B:44.5C:66	A:121B:615C:105

MOTOR PROTECTOR BOX/MOTOR PROTECTOR



SAFE


Contactor



	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065	114-005-0080	114-005-0095
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A	80A	95A
Poles	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC	3Main+1NO+1NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW	37kW	45kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116

SAFE

Thermal Relay




	114-007-0631	114-007-0116	114-007-1625	114-007-2504	114-007-0406	114-007-0710	114-007-0913	114-007-1218	114-007-1725	114-007-2332	114-007-2836	114-007-3040
Rated Current (A)	0.63-1A	1-1.6A	1.6-2.5A	2.5-4A	4-6A	7-10A	9-13A	12-18A	17-25A	23-32A	28-36A	30-40A
Poles	3	3	3	3	3	3	3	3	3	3	3	3
Motor Power (kW)	0.37kW	0.37kW	0.75kW	1.5kW	2.2kW	4kW	5.5kW	9kW	11kW	15kW	18,5kW	22kW
Rated Voltage (V)	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 65.5 B: 91 C: 43.8	A: 78.7 B: 92 C: 54.1	A: 79.2 B: 115.7 C: 69.7



SAFE

MCB Circuit Breaker


Rated short-circuit breaking capacity : 4.5kA



	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm



MINIATURE CIRCUIT BREAKER

**SAFE****RCCB Circuit Breaker**

	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	: 25A	40A	25A	40A	63A	80A	100A
Poles	: 2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	: AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	: 4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	: 230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	: 30	30	30	30	30	30	30
Sizes (mm)	: A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74

**SAFE****MCCB Circuit Breaker**

	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	: 40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	: C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	: 20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110




Lamp Holder




094 004 0001

10 cm. 20 cm.




094 004 0002

15 cm.




094 001 0001


BAKELITE




094 001 0002



094 001 0003




094 001 0004




094 002 0001


PLASTIC




094 002 0002



094 002 0003




094 002 0004




094 003 0001


PORCELAIN




094 003 0002



094 003 0003




094 003 0004



Starter




	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-



TRANSFORMER-60

- 220-240V / 50-60Hz
- 12V AC



**Starter / Transformer
Adhesive Tape
Nail Cable Clip / Cable Tie
Coaxial Cable / Network Cable**



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS

■ 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6


COAXIAL CABLE
100m ROLL




6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS
---------	-------------------------	--------------------	---------	----------

UTP

■ NETWORK CABLE
305m ROLL



UTP Cat5e



UTP Cat6



IP 68 CONNECTOR

- 250V~/16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection



IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
106-004-0001	106-004-0002

Pole : 1 Pole 2 Poles

CONVERTER-1

126 001 2740



E40 lamp holder for Torch-80 and Torch-100 to convert E27 to E40




Connector / Terminal / Wire Spring / Terminal Block



SLIM CONNECTOR

- 450V-
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent




SLIM CONNECTOR-2	SLIM CONNECTOR-3	SLIM CONNECTOR-5
103-002-0002	103-002-0003	103-002-0005

Pole : 2 Poles 3 Poles 5 Poles

CONNECTOR

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG




CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
103-001-0002	103-001-0003	103-001-0005

Pole : 2 Poles 3 Poles 5 Poles

TERMINAL

- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG




TERMINAL-1	TERMINAL-2	TERMINAL-3
106-005-0001	106-005-0002	106-005-0003


Pole : 1 Pole 2 Poles 3 Poles

TERMINAL-24	TERMINAL-26	TERMINAL-28
106-005-0022	106-005-0023	106-005-0024

Pole : 2 Pole 3 Poles 4 Poles



WIRE SPRING



WIRE SPRING-2/15	WIRE SPRING-2/25	WIRE SPRING-2/6	WIRE SPRING-3/15	WIRE SPRING-3/25	WIRE SPRING-3/6
106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060


Pole	: 2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range	: 0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage	: 5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



KaçmazGrup



twitter.com/HorozElectric



www.facebook.com/horozelectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti



E x p e r i e n c e i n L i g h t i n g



TÜRKİYE CUMHURİYETİ 100. YAŞINDA

100TH ANNIVERSARY OF THE REPUBLIC OF TURKEY

100 ЛЕТ ТУРЕЦКОЙ РЕСПУБЛИКЕ



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-sti



 **KaçmazGrup**

www.horozelektrik.com